



Adventure Bakery, LLC		Revision Num.	New
Form Title	Kettle Cleaning & Pre-Use Check Log (Groen TDB)	Filled By	
Form No.	FRM-912		

Date		Product run		Allergen changeover	☐
------	--	-------------	--	---------------------	--------------------------

Cleaning

Step	Done	Notes
Kettle switched off and power isolated; cooled enough to clean safely (cleaned while still warm)		
Large food residues scraped and flushed out — non-abrasive brushes only, no metal tools or steel wool		
Inside and outside washed with detergent at label strength; burned-on soaked, not gouged		
Rim, pouring lip, cover underside and any baskets/strainers washed; controls and housing wiped (no water in controls)		
Rinsed thoroughly with hot water and drained completely		
Sanitized with Noble Sani-512 at 1:512 (1 oz per 4 gal); every surface wet at least 1 min and air-dried — no-rinse		
Allergen changeover: every food contact surface checked under good light (changeover only)		

Sanitizer strength	_____ ppm	Cleaned by	
--------------------	-----------	------------	--

Signature statement: "I cleaned the kettle as described in SOP-904."

Check Before Next Run

Kettle clean inside and out; rim, pouring lip, cover and baskets clean; no detergent residue; sanitized just before use (Sani-512, air-dried); jacket water level at the sight-glass midpoint	Pass ☐ Fail ☐
---	---

Anything wrong, and what was done about it

Checked and released by		Date	
-------------------------	--	------	--

Signature statement: "I checked the kettle after cleaning and release it for production." (Supervisor / admin sign-off)