



Adventure Bakery, LLC		Revision	A
Form Title	Daily Sanitation, Pre-Operation & Release Record	Effective Date	2026-06-01
Form No.	FRM-903	Approved By	GJM
SQF Reference	11.2.5.7, 11.2.5.3, 11.2.5.9, 11.7.3.4	Filled By	

Day / Shift

Date		Production area / line	
Shift	☐ 1st Shift ☐ 2nd Shift ☐ 3rd Shift	Product / batch run	

1. Pre-Operation Cleanliness Check

Before production starts, following cleaning and sanitation, confirm each surface/equipment is visibly clean and sanitized (SQF 11.2.5.7). Mark Pass (clean/sanitized) or Fail; note any corrective action taken before start-up. Add or remove items as the line changes.

Item / Surface	Visibly clean	Sanitized	Corrective action / comments
Tables			
Mixers			
Bowls			
Utensils			
Pans			
Racks			
Ovens			
Scales			
Depositors			
Chopper			
Floors			

2. Production Equipment — Cleaned & Sanitized per SSOP

For each machine used in today's production, confirm it was verified clean and sanitized per its SSOP and recorded on its own cleaning log, or mark "Not used today". Add or remove equipment as the line changes.

Equipment	Status	Notes
Hobart V-1401 Mixer — SOP-901 / FRM-909		
Kook-E-King Depositor — SOP-902 / FRM-910		
Beldos 275 Depositor — SOP-903 / FRM-911		
Smipack S560NA Shrink Wrapper — SOP-601		
Groen TDB Kettle — SOP-904 / FRM-912		

3. Sanitizer Verification

Confirm and record sanitizer concentration before use (SQF 11.2.5.3).

Sanitizer used		Concentration (PPM)	
Within target?			Pass ☐ Fail ☐
Test method (e.g. test strip)			

4. Glass & Brittle Plastic Check

At the start of the shift, confirm glass instrument dial covers and MIG thermometers are undamaged (SQF 11.7.3.4). Mark Pass (undamaged), Fail (damaged/broken), or N/A. Any Fail requires a Glass Breakage Incident Report (FRM-908) and follows SOP-11.7.3. Items are drawn from the Glass & Brittle Plastic Register (FRM-907).

Location	Item	Undamaged	Condition / comments	Action taken
Processing Room	Pan scrubber dials			
Processing Room	Oven controls and door glass			
Processing Room	MIG thermometers			

5. Operational GMP Check

During production, confirm operational GMPs are being followed. Mark Pass, Fail, or N/A; note corrective action for any Fail (absorbs the former FRM-904 Daily Operation Check).

Check	Conforms	Corrective action / comments
Hair/beard nets worn; no exposed jewelry		
Clean outer garments; no eating/drinking/gum in production		
Handwash stations stocked (soap, towels, sanitizer)		
Hands washed on entry and as required		
Allergen controls / segregation followed		
Waste and floor debris controlled		
No condensation or drip over exposed product		
Pest control devices in place and intact		
Doors/screens to outside kept closed		

6. Corrective Actions & Release

Production shall not begin until all non-conformances are corrected and the area is verified clean (SOP-11.2.12). A record of pre-operational hygiene inspection is maintained for a minimum of 12 months (SQF 11.2.5.9).

All corrective actions completed before start-up		Pass ☐ Fail ☐	
QA Technician (qualified inspector)		Date	

"I inspected the area and equipment before start of production, verified the sanitizer concentration, and confirm the area is clean and released for production (or corrective action was completed as noted)."

Production Supervisor		Date	
-----------------------	--	------	--

"I confirm the pre-operation inspection was completed and the area is released for production."