

Memory is the bottleneck, whatever the model.

People learn by doing, then remember. Agents read the manual, then forget.





FIG. 2 schematic. effort to do the same kind of task again, by how it was learned.

déjà vu do



Same task, twice. The second time with memory.

Live: a coding agent, then a browser agent.

DEVIN NO MEMORY



STEPS HANDED TO CLAUDE CODE

CLAUDE CODE WITH DEVIN'S STEPS



○ LOOKING AROUND ● DOING THE WORK

FIG. 3 one bug in a 125-file service, one step per dot.
measured sep 19.

Record every step. Boil it down. Hand it to the next agent.

No AI in the loop. Every session adds a node, so the memory grows on its own.




FIG. 4 90 recorded sessions. the closest node is the same kind of task every time, the exact same task 88 times.

Same tasks, with and without memory.

9 tasks, 36 runs, Claude Code. Every run still passed every test.




FIG. 5 steps to fix one bug. memory crosses agents: devin recorded it, claude code used it.

-18%

STEPS

-25%

TOKENS READ

-21%

TIME

-13%

COST

Any agent that takes steps can remember them.

One CLI, one API. Saves tokens and time on every repeat.




FIG. 6 where memory pays. hooks today: claude code, devin, codex, browser use.