Profile Summary

Generated 08-Nov-2017 01:06:06 using performance time.

Function Name	<u>Calls</u>	Total Time	Self Time*	Total Time Plot (dark band = self time)
<u>PFI</u>	1	525.154 s	504.280 s	
<u>makeQmatrix</u>	9867	19.593 s	11.973 s	I
kron	29601	7.620 s	7.620 s	I
legend	1	0.434 s	0.016 s	
legend>make_legend	1	0.419 s	0.012 s	
<u>bar</u>	1	0.343 s	0.146 s	
Legend.Legend>Legend	1	0.252 s	0.037 s	
gini	1	0.201 s	0.023 s	
title	4	0.196 s	0.019 s	
Manager>AxesLayoutManager.doUpdate	1	0.167 s	0.028 s	
<u>Legend.doSetup</u>	1	0.166 s	0.011 s	
<u>Legend.doMethod</u>	4	0.139 s	0.006 s	
tickCallback	1	0.114 s	0.004 s	
<u>updateTicks</u>	1	0.109 s	0.019 s	
area	1	0.105 s	0.018 s	
Legend.doMethod>set_contextmenu	1	0.104 s	0.033 s	
Bar.getXYZDataExtents	3	0.091 s	0.035 s	
Legend.Legend>Legend.set.Axes	1	0.081 s	0.001 s	
Legend.Legend>Legend.set.Axes_I	1	0.079 s	0.003 s	
Legend.Legend>Legend.setAxesImpl	1	0.075 s	0.002 s	
graph2dhelper	10	0.074 s	0.006 s	
newplot	4	0.074 s	0.043 s	
<u>Legend.getPreferredSize</u>	1	0.068 s	0.001 s	
legendcolorbarlayout	2	0.063 s	0.003 s	
esLayoutManager.updateInnerOuterLists	1	0.061 s	0.015 s	
scribe/private/createScribeUIMenuEntry	9	0.051 s	0.011 s	
TAUCHEN	1	0.047 s	0.019 s	

	_		
Area.Area>Area.Area	1	0.045 s	0.010 s
Bar.Bar>Bar.Bar	1	0.042 s	0.021 s
<u>Bar.computeLayout</u>	3	0.039 s	0.005 s
<u>Legend.addToLayout</u>	1	0.037 s	0.029 s
ctorHelper	3	0.036 s	0.006 s
nager>AxesLayoutManager.getManager	2	0.036 s	0.004 s
<u>updateFontProperties</u>	1	0.036 s	0.017 s
hggetbehavior	1	0.030 s	0.001 s
<u>Legend.doMethod&gt;getsize</u>	1	0.029 s	0.006 s
newplot>ObserveAxesNextPlot	4	0.029 s	0.006 s
hggetbehavior>localGet	1	0.028 s	0.007 s
normcdf	40	0.028 s	0.013 s
anager>AxesLayoutManager.addToTree	1	0.023 s	0.004 s
cla	3	0.023 s	0.006 s
>AxesLayoutManager.insertAboveAxes	1	0.022 s	0.009 s
<u>Legend.doMethod&gt;getsizeinfo</u>	1	0.021 s	0.002 s
hgbehaviorfactory	1	0.019 s	0.006 s
legend>getAutoChildren	1	0.019 s	0.001 s
<u>Legend.doMethod&gt;getStringSizes</u>	1	0.018 s	0.007 s
enuEntry>localCreateLineWidthEntry	1	0.018 s	0.001 s
ismember	4	0.018 s	0.003 s
ibeUIMenuEntry>localCreateNumEntry	1	0.017 s	0.010 s
scribe/private/get_legendable_children	1	0.017 s	0.003 s
<u>Area.getXYZDataExtents</u>	5	0.017 s	0.006 s
Bar.Bar>Bar.doPostSetup	1	0.016 s	0.007 s
num2str	27	0.016 s	0.008 s
normcdf>localnormcdf	40	0.016 s	0.016 s
Bar.Bar>Bar.set.YOffset	3	0.016 s	0.003 s
Legend.Legend>Legend.set.Location	1	0.015 s	0.001 s
ismember>ismemberR2012a	4	0.015 s	0.008 s
Bar.getSingleBarExtentsArray	3	0.014 s	0.009 s

	ı	ı	
beUIMenuEntry>localCreateEnumEntry	3	0.014 s	0.012 s
hgbehaviorfactory>localCreate	1	0.013 s	0.007 s
graphics/private/clo	3	0.013 s	0.013 s
<u>Legend.attachAxesListeners</u>	1	0.013 s	0.006 s
<u>Legend.Legend&gt;Legend.set.Location_I</u>	1	0.012 s	0.003 s
<u>Legend.Legend&gt;Legend.set.BoxEdge_I</u>	1	0.012 s	0.011 s
<pre>legend&gt;set_children_and_strings</pre>	1	0.011 s	0.004 s
parseplotapi	2	0.011 s	0.004 s
Legend.Legend>Legend.get.String	2	0.011 s	0.001 s
<u>ylabel</u>	1	0.011 s	0.010 s
Bar.Bar>Bar.set.XOffset	3	0.010 s	0.004 s
legend>process_inputs	1	0.010 s	0.010 s
Legend.Legend>Legend.get.String_I	2	0.010 s	0.001 s
findall	5	0.010 s	0.005 s
r>AxesLayoutManager.ValidateObject	1	0.010 s	0.003 s
flipud	8	0.010 s	0.004 s
<u>arraytolimits</u>	24	0.009 s	0.009 s
Legend.Legend>Legend.getStringImpl	2	0.009 s	0.004 s
<u>Area.getColorAlphaDataExtents</u>	5	0.009 s	0.006 s
ry>localCreateTextInterpreterEntry	1	0.009 s	0.002 s
scribe/private/expandLegendChildren	1	0.009 s	0.009 s
hold	1	0.008 s	0.007 s
<u>Legend.Legend&gt;Legend.setLocationImpl</u>	1	0.008 s	0.002 s
view	1	0.008 s	0.003 s
t;AxesLayoutManager.AxesLayoutManager	1	0.007 s	0.001 s
Legend>Legend.set.SelfListenerList	1	0.007 s	0.003 s
Bar.Bar>Bar.set.WidthScaleFactor	3	0.007 s	0.002 s
Legend.Legend>Legend.set.PlotChildren_I	1	0.007 s	0.002 s
tManager.removelnvalidLayoutListItems	1	0.007 s	0.001 s
xlabel	1	0.007 s	0.006 s
ismember>ismemberClassTypes	4	0.007 s	0.007 s
ismember > ismember Class 1 ypes	4	0.007 \$	0.007 \$

Day Days Day ant VOffs state de	2	0.007	0.000
Bar.Bar>Bar.set.YOffsetMode	3	0.007 s	0.006 s
axis	2	0.006 s	0.005 s
r.AxesLayoutManager>findTrueParent	1	0.006 s	0.001 s
<u>Legend.Legend&gt;Legend.get.FontSizeMode</u>	1	0.006 s	0.006 s
<u>Area.doPostSetup</u>	1	0.006 s	0.001 s
Manager>AxesLayoutManager.set.Axes	1	0.006 s	0.001 s
Area.Area>Area.set.YCoords	1	0.006 s	0.001 s
<u>area&gt;parseargs</u>	1	0.006 s	0.002 s
<u>ishold</u>	5	0.006 s	0.006 s
Bar.Bar>Bar.set.YOffset_I	3	0.006 s	0.004 s
nager>AxesLayoutManager.findMethod	4	0.006 s	0.006 s
flip	7	0.006 s	0.006 s
Legend.Legend>Legend.set.FontSize_I	1	0.006 s	0.005 s
specgraph/private/areaHelper	2	0.005 s	0.003 s
er>@(h,e)localReparentCB(h,e,hObj)	2	0.005 s	0.001 s
gt;AxesLayoutManager.addAxesListeners	1	0.005 s	0.005 s
Legend.setupBoxEdge	1	0.005 s	0.005 s
is2D	1	0.005 s	0.005 s
<u>xychk</u>	1	0.005 s	0.005 s
Bar.Bar>Bar.set.NumPeers	1	0.005 s	0.001 s
Bar.Bar>Bar.addBarListeners	1	0.005 s	0.005 s
Area.Area>Area.set.CCoords	1	0.005 s	0.001 s
Legend>Legend.set.AxesListenerList	3	0.005 s	0.002 s
hgbehaviorfactory>localGetBehaviorInfo	1	0.005 s	0.005 s
num2str>handleNumericPrecision	2	0.005 s	0.002 s
Legend.Legend>Legend.get.Orientation	2	0.005 s	0.004 s
Legend.Legend>Legend.set.DataSpace_I	1	0.005 s	0.004 s
Bar.Bar>Bar.set.BarPeerID	1	0.005 s	0.004 s
Area.Area>Area.set.FaceColor	1	0.005 s	0.001 s
ager.addAxesListeners/localReparentCB	2	0.004 s	0.004 s
Legend.Legend>Legend.setLayoutPosition	1	0.004 s	0.001 s

	I	I	I I
Bar.Bar>Bar.set.EdgeColor	1	0.004 s	0.001 s
<u>usev6plotapi</u>	2	0.004 s	0.004 s
grid	1	0.004 s	0.004 s
d>Legend.set.DecorationContainer_I	1	0.004 s	0.003 s
Legend>Legend.set.EntryContainer_I	1	0.004 s	0.004 s
Bar.Bar>Bar.set.FaceColorIndex	1	0.004 s	0.001 s
egend>Legend.set.SelectionHandle_I	1	0.004 s	0.004 s
Bar.Bar>Bar.set.Face_I	1	0.004 s	0.003 s
Area.Area>Area.set.XCoords	1	0.004 s	0.001 s
repmat	2	0.004 s	0.003 s
<u>Legend.Legend&gt;Legend.set.Position_L</u>	1	0.004 s	0.002 s
<u>Legend.doPostSetup</u>	1	0.004 s	0.001 s
Area.Area>Area.set.Face_I	1	0.004 s	0.003 s
graphics/private/claNotify	3	0.004 s	0.004 s
specgraphhelper	1	0.004 s	0.002 s
axescheck	3	0.004 s	0.004 s
nd>Legend.set.SelfListenerListMode	1	0.004 s	0.003 s
<u>view&gt;ViewCore</u>	1	0.004 s	0.004 s
Legend.Legend>Legend.set.BoxFace_I	1	0.004 s	0.003 s
scribe/private/islegendable	5	0.003 s	0.002 s
Legend.Legend>Legend.get.PlotChildren_I	5	0.003 s	0.002 s
Bar.Bar>Bar.set.XOffsetMode	3	0.003 s	0.003 s
num2str>convertUsingRecycledSprintf	2	0.003 s	0.003 s
int2str	25	0.003 s	0.003 s
Legend.Legend>Legend.set.ColorSpace_I	1	0.003 s	0.003 s
Area.Area>Area.get.CCoords	5	0.003 s	0.003 s
Legend.Legend>Legend.get.Location	2	0.003 s	0.003 s
Bar.Bar>Bar.set.Edge_I	1	0.003 s	0.003 s
<u>preprocessextents</u>	5	0.003 s	0.003 s
Legend.Legend>Legend.setPlotChildrenImpl	1	0.003 s	0.002 s
<u>parseparams</u>	1	0.003 s	0.003 s
		ļ.	!

	I	ı	
Legend.Legend>Legend.set.Camera_I	1	0.003 s	0.003 s
Bar.Bar>Bar.set.XOffset_I	3	0.003 s	0.002 s
Area.Area>Area.set.Edge_I	1	0.003 s	0.002 s
Bar.getColorAlphaDataExtents	3	0.003 s	0.002 s
Legend.Legend>Legend.set.version	1	0.003 s	0.002 s
Bar.Bar>Bar.set.WidthScaleFactor_I	3	0.003 s	0.002 s
Area.Area>Area.set.CCoords_I	1	0.003 s	0.002 s
linspace	1	0.003 s	0.003 s
Bar.Bar>Bar.set.WidthScaleFactorMode	3	0.002 s	0.002 s
Bar.Bar>Bar.set.NumPeers_L	1	0.002 s	0.002 s
Legend.Legend>Legend.get.PlotChildren	4	0.002 s	0.001 s
newplot>ObserveFigureNextPlot	4	0.002 s	0.002 s
Legend.Legend>Legend.set.TextColor_I	1	0.002 s	0.002 s
Legend.Legend>Legend.get.Axes_I	6	0.002 s	0.001 s
Area.Area>Area.set.YCoords_I	1	0.002 s	0.002 s
UIMenuEntry>localCreateActionEntry	2	0.002 s	0.002 s
ager>AxesLayoutManager.addToLayout	2	0.002 s	0.002 s
Legend.Legend>Legend.set.Color_I	1	0.002 s	0.002 s
Legend.Legend>Legend.get.Units	1	0.002 s	0.001 s
Legend.Legend>Legend.set.EdgeColor_I	1	0.002 s	0.002 s
Legend.Legend>Legend.get.Position_I	2	0.002 s	0.001 s
Area.Area>Area.set.YCoordsMode	1	0.002 s	0.002 s
>showHiddenHandlesToFindAllHandles	5	0.002 s	0.002 s
Legend.Legend>Legend.set.FontWeight_I	1	0.002 s	0.002 s
Legend.Legend>Legend.get.Orientation_I	3	0.002 s	0.001 s
@(obj.evd)(hObj.sendDataChangedEvent)	4	0.002 s	0.002 s
eUIMenuEntry>localCreateColorEntry	2	0.002 s	0.002 s
Legend.Legend>Legend.get.Axes	5	0.002 s	0.001 s
Legend.Legend>Legend.set.FontName_I	1	0.002 s	0.002 s
Legend.Legend>Legend.setPositionImpl	1	0.002 s	0.002 s
Legend>Legend.get.AxesListenerList	6	0.002 s	0.001 s
	+	!	-

	I	I	I I
onCleanup>onCleanup.delete	5	0.002 s	0.001 s
Bar.Bar>Bar.get.Horizontal	10	0.002 s	0.001 s
Legend.Legend>Legend.set.PositionCache	1	0.002 s	0.001 s
Legend.Legend>Legend.set.FontAngle_I	1	0.002 s	0.002 s
specgraph/private/getRealData	2	0.002 s	0.002 s
Area.Area>Area.set.FaceColor_I	1	0.002 s	0.001 s
graph2d/private/labelcheck	6	0.002 s	0.002 s
Legend.Legend>Legend.getPlotChildrenImpl	5	0.002 s	0.002 s
Legend.Legend>Legend.get.Location_I	3	0.002 s	0.001 s
Bar.Bar>Bar.set.EdgeColor_I	1	0.002 s	0.001 s
ponent>ListComponent.ListComponent	1	0.002 s	0.002 s
Area.Area>Area.doSetup	1	0.002 s	0.002 s
utManager>AxesLayoutManager.is2Dim	1	0.002 s	0.002 s
Bar.Bar>Bar.set.FaceColorIndex_I	1	0.002 s	0.001 s
Legend.Legend>Legend.get.BoxEdge	16	0.002 s	0.001 s
Legend.Legend>Legend.get.Units_I	1	0.001 s	0.001 s
nd>Legend.set.AxesListenerListMode	3	0.001 s	0.001 s
Bar.Bar>Bar.set.EdgeColorMode	1	0.001 s	0.001 s
gend>Legend.set.AxesListenerList_I	3	0.001 s	0.001 s
Legend.Legend>Legend.get.Color	2	0.001 s	0.001 s
Area.Area>Area.set.FaceColorMode	1	0.001 s	0.001 s
>PlotEditBehavior.PlotEditBehavior	1	0.001 s	0.001 s
Legend.Legend>Legend.set.LocationMode	1	0.001 s	0.001 s
Area.Area>Area.set.XCoords_I	1	0.001 s	0.001 s
Legend.Legend>Legend.set.CLim_I	1	0.001 s	0.001 s
Legend.Legend>Legend.get.Interpreter	5	0.001 s	0.001 s
<u>Legend.setParentImpl</u>	1	0.001 s	0.001 s
Area.Area>Area.set.CCoordsMode	1	0.001 s	0.001 s
Legend.Legend>Legend.get.EdgeColor	2	0.001 s	0.001 s
vate/areaHelper>localComputeCoords	1	0.001 s	0.001 s
beUIMenuEntry>localCreateFontEntry	1	0.001 s	0.001 s
		!	-

	ı	I	I I
axis>LocSetTight	1	0.001 s	0.001 s
ayoutManager>setInstancePropOnAxes	1	0.001 s	0.001 s
Bar.Bar>Bar.get.NumPeers	6	0.001 s	0.001 s
legend>find_legend	1	0.001 s	0.001 s
Bar.Bar>Bar.set.FaceColorIndexMode	1	0.001 s	0.001 s
Area.Area>Area.set.BaseArea	1	0.001 s	0.001 s
Bar.Bar>Bar.get.YOffset_I	9	0.001 s	0.001 s
Area.Area>Area.set.XCoordsMode	1	0.001 s	0.001 s
<u>Legend.Legend&gt;Legend.getPositionImpl</u>	2	0.001 s	0.001 s
Bar.Bar>Bar.set.NumPeersMode	1	0.001 s	0.001 s
Legend.Legend>Legend.set.AxesMode	1	0.001 s	0.001 s
<u>Legend.removeAllEntries</u>	1	0.001 s	0.001 s
Legend.Legend>Legend.set.PositionMode	1	0.001 s	0.001 s
d>Legend.get.DecorationContainer_I	6	0.001 s	0.001 s
ehavior>PlotEditBehavior.dosupport	1	0.001 s	0.001 s
Area.Area>Area.get.YCoords	5	0.001 s	0.001 s
hggetbehavior>localPeek	1	0.001 s	0.001 s
Area.Area>Area.get.XCoords	5	0.001 s	0.001 s
hasbehavior	5	0.001 s	0.001 s
Bar.Bar>Bar.get.BarWidth	3	0.001 s	0.001 s
Legend>Legend.get.SelfListenerList	2	0.001 s	0.001 s
Legend.Legend>Legend.get.SelectionHandle	3	0.001 s	0.001 s
ayoutManager>addInstancePropToAxes	1	0.001 s	0.001 s
gend>Legend.set.SelfListenerList_l	1	0.001 s	0.001 s
Legend.Legend>Legend.get.ItemTokenSize	1	0.001 s	0.001 s
set(rootobj,'ShowHiddenHandles',Temp)	5	0.001 s	0.001 s
Bar.Bar>Bar.get.YOffsetMode	3	0.001 s	0.001 s
Bar.Bar>Bar.get.FaceColor	1	0.001 s	0.001 s
Bar.Bar>Bar.doGetBaselineAxis	3	0.001 s	0.001 s
<u>view&gt;isAxesHandle</u>	1	0.001 s	0.001 s
e(['MATLAB:uistring:scribemenu:',x]))	7	0.001 s	0.001 s
	!	!	!

	ı	ı	
ivate/areaHelper>localAddListeners	1	0.001 s	0.001 s
end>Legend.get.DecorationContainer	5	0.001 s	0.001 s
Bar.Bar>Bar.get.XOffset_I	9	0.001 s	0.001 s
onCleanup>onCleanup.onCleanup	5	0.001 s	0.001 s
Bar.Bar>Bar.get.LineStyle	1	0.001 s	0.001 s
Legend.Legend>Legend.get.FontSize_I	3	0.001 s	0.001 s
Area.Area>Area.get.LineStyle	1	0.001 s	0.001 s
sLayoutManager.syncLayoutInfoFromAxes	1	0.001 s	0.001 s
Legend.Legend>Legend.getUnitsImpl	1	0.001 s	0.001 s
nd>Legend.get.SelfListenerListMode	1	0.001 s	0.001 s
Legend.Legend>Legend.get.BoxEdge_I	17	0.001 s	0.001 s
Legend.Legend>Legend.getAxesImpl	6	0.001 s	0.001 s
<u>Legend.getPreferredLocation</u>	1	0.001 s	0.001 s
Area.Area>Area.get.Face_I	4	0.001 s	0.001 s
r>AxesLayoutManager.hasValidParent	1	0.001 s	0.001 s
Bar.Bar>Bar.get.XOffsetMode	3	0.001 s	0.001 s
e(['MATLAB:uistring:scribemenu:',x]))	3	0.001 s	0.001 s
Legend.Legend>Legend.get.ColorSpace	5	0.001 s	0.001 s
Legend.Legend>Legend.get.EntryContainer	5	0.001 s	0.000 s
Area.Area>Area.get.CCoords_I	6	0.001 s	0.001 s
Legend.Legend>Legend.get.FontAngleMode	1	0.001 s	0.001 s
Legend.Legend>Legend.get.Camera	9	0.001 s	0.000 s
Bar.Bar>Bar.get.FaceColorIndex	3	0.001 s	0.001 s
Legend.Legend>Legend.get.BoxFace	6	0.001 s	0.000 s
specgraph/private/checkpvpairs	1	0.001 s	0.001 s
Bar.Bar>Bar.get.Edge	5	0.001 s	0.001 s
Bar.Bar>Bar.get.WidthScaleFactor_I	9	0.001 s	0.001 s
Area.Area>Area.doGetBaselineAxis	5	0.001 s	0.001 s
gend>Legend.get.AxesListenerList_I	9	0.001 s	0.001 s
Bar.Bar>Bar.get.NumPeers_I	8	0.001 s	0.001 s
Bar.Bar>Bar.doSetup	1	0.001 s	0.001 s
	!	!	<del> </del>

	I	ı	
Bar.Bar>Bar.get.XOffset	3	0.001 s	0.001 s
Bar.Bar>Bar.IncrementBarPeerID	1	0.001 s	0.001 s
Area.Area>Area.get.Edge_I	7	0.001 s	0.001 s
Bar.Bar>Bar.get.Face	3	0.001 s	0.000 s
Legend.Legend>Legend.get.BoxFace_I	7	0.001 s	0.001 s
Bar.Bar>Bar.get.Edge_I	6	0.001 s	0.001 s
Area.Area>Area.get.Edge	6	0.001 s	0.000 s
teners>@(h,e)hObj.MarkDirty('all')	1	0.001 s	0.001 s
Legend>Legend.get.EntryContainer_I	6	0.001 s	0.001 s
Legend.Legend>Legend.getOrientationImpl	3	0.001 s	0.001 s
egend>Legend.get.SelectionHandle_I	4	0.001 s	0.001 s
Legend.Legend>Legend.getBackgroundColor	1	0.001 s	0.000 s
Legend.Legend>Legend.get.DataSpace	4	0.001 s	0.000 s
HGBehavior>HGBehavior.HGBehavior	1	0.001 s	0.001 s
Area.Area>Area.get.Face	3	0.001 s	0.000 s
Bar.Bar>Bar.get.YOffset	3	0.001 s	0.000 s
Area.Area>Area.get.YCoords_I	6	0.001 s	0.001 s
Legend.Legend>Legend.get.ColorSpace_I	6	0.001 s	0.001 s
Bar.Bar>Bar.get.WidthScaleFactorMode	3	0.001 s	0.001 s
<u>Legend.doMethod&gt;setButtonDownFcn</u>	1	0.000 s	0.000 s
Bar.Bar>Bar.get.Face_I	4	0.000 s	0.000 s
Legend.Legend>Legend.get.Camera_I	10	0.000 s	0.000 s
Area.Area>Area.get.XCoords_I	6	0.000 s	0.000 s
Legend.Legend>Legend.get.LineWidth_I	2	0.000 s	0.000 s
Bar.Bar>Bar.get.WidthScaleFactor	3	0.000 s	0.000 s
Legend.Legend>Legend.get.version	2	0.000 s	0.000 s
Legend.Legend>Legend.get.DataSpace_I	5	0.000 s	0.000 s
Bar.Bar>Bar.get.Horizontal_I	10	0.000 s	0.000 s
Legend.Legend>Legend.getLocationImpl	3	0.000 s	0.000 s
<u>axis&gt;allAxes</u>	2	0.000 s	0.000 s
>@(obj,evd)(hObj.MarkDirty('all'))	1	0.000 s	0.000 s
	<u>I</u>	!	

	ı	ı	
specgraph/private/datachk	2	0.000 s	0.000 s
repmat>@(x)double(full(x))	4	0.000 s	0.000 s
legend>check_pv_args	1	0.000 s	0.000 s
Legend.Legend>Legend.get.EdgeColor_I	3	0.000 s	0.000 s
Legend.Legend>Legend.get.FontWeight_I	3	0.000 s	0.000 s
Legend.Legend>Legend.get.Color_I	4	0.000 s	0.000 s
gend>Legend.get.SelfListenerList_I	3	0.000 s	0.000 s
Legend.Legend>Legend.get.PositionCache	1	0.000 s	0.000 s
Area.Area>Area.get.YCoordsMode	1	0.000 s	0.000 s
Legend.Legend>Legend.get.Box_I	3	0.000 s	0.000 s
Legend.Legend>Legend.get.Interpreter_I	5	0.000 s	0.000 s
Legend.Legend>Legend.get.ItemTokenSize_I	1	0.000 s	0.000 s
Bar.Bar>Bar.get.BarPeerID	1	0.000 s	0.000 s
Bar.Bar>Bar.get.FaceColorIndex_I	5	0.000 s	0.000 s
Legend.Legend>Legend.get.PositionMode	2	0.000 s	0.000 s
Legend.Legend>Legend.get.FontAngle_I	3	0.000 s	0.000 s
Legend.Legend>Legend.get.FontName_I	3	0.000 s	0.000 s
Bar.Bar>Bar.get.Clipping_I	2	0.000 s	0.000 s
Area.Area>Area.get.Clipping_I	2	0.000 s	0.000 s
Legend.Legend>Legend.get.TextColor_I	2	0.000 s	0.000 s
Bar.Bar>Bar.get.BarWidth_I	3	0.000 s	0.000 s
Legend.Legend>Legend.get.LocationMode	1	0.000 s	0.000 s
er>AxesLayoutManager.getParentImpl	4	0.000 s	0.000 s
Area.Area>Area.get.FaceColorMode	1	0.000 s	0.000 s
Area.Area>Area.get.LineWidth_I	1	0.000 s	0.000 s
nd>Legend.get.AxesListenerListMode	3	0.000 s	0.000 s
Area.Area>Area.get.BaseArea	2	0.000 s	0.000 s
Legend.Legend>Legend.get.FontWeightMode	1	0.000 s	0.000 s
Bar.Bar>Bar.get.FaceColor_I	1	0.000 s	0.000 s
Bar.Bar>Bar.get.LineWidth_I	1	0.000 s	0.000 s
Area.Area>Area.get.FaceColor_I	1	0.000 s	0.000 s
	<u>l</u>	!	

Area.Area>Area.get.CCoordsMode	1	0.000 s	0.000 s	
Bar.Bar>Bar.get.EdgeColor_I	1	0.000 s	0.000 s	
Legend.Legend>Legend.get.FontNameMode	1	0.000 s	0.000 s	
Area.Area>Area.get.LineStyle_I	1	0.000 s	0.000 s	
Area.Area>Area.get.XCoordsMode	1	0.000 s	0.000 s	
Bar.Bar>Bar.get.NumPeersMode	1	0.000 s	0.000 s	
Area.Area>Area.get.AlignVertexCenters_I	1	0.000 s	0.000 s	
Bar.Bar>Bar.get.EdgeColorMode	1	0.000 s	0.000 s	
Bar.Bar>Bar.get.LineStyle_I	1	0.000 s	0.000 s	
Bar.Bar>Bar.get.FaceColorIndexMode	1	0.000 s	0.000 s	
<u>Legend.Legend&gt;Legend.get.AxesMode</u>	1	0.000 s	0.000 s	
<u>Legend.isStretchToFill</u>	1	0.000 s	0.000 s	

**Self time** is the time spent in a function excluding the time spent in its child functions. Self time also includes overhead resulting from the process of profiling.