

Homework 4

Jiani Gao
jgao30@binghamton.edu

Department of Economics, Binghamton University

November 8, 2017

Contents

Step 1: Frim's problem	3
Step 2: Household value function	3
Step 3: Discretize the exogenous state variable	3
Step 4: Discretize the endogenous state variable	3
Step 5: Solving the model numerically	4
Step 6: Analyze the results	4
Step 7: Alternative way of coding	5
Appendix: Matlab code	5
Way 1	5
way 2	8

Step 1: Firm's problem

Firm's problem now is:

$$\max_{\{K_{t+1}^d, N_t^d\}} \sum_{t=0}^{\infty} \left(\frac{1}{\prod_{i=0}^t r_i} \right) \pi(K, N; w_t, r_t) = \max_{\{K_{t+1}^d, N_t^d\}} \sum_{t=0}^{\infty} \left(\frac{1}{\prod_{i=0}^t r_i} \right) (K_t^\alpha N_t^{1-\alpha} - w_t N_t - r_t K_t + (1-\delta)K_t) \quad (1)$$

By doing the first order condition with respect to K_{t+1} and N_t , we can get the following conditions:

$$\alpha K_{t+1}^{\alpha-1} N_{t+1}^{1-\alpha} = r_{t+1} + \delta - 1 \quad (2)$$

$$(1 - \alpha) K_t^\alpha N_t^{-\alpha} = w_t \quad (3)$$

Equation (2) also holds for period t , so we should also have that

$$\alpha K_t^{\alpha-1} N_t^{1-\alpha} = r_t + \delta - 1 \quad (4)$$

Step 2: Household value function

The household choose c_t and a_{t+1} to maximize the expected utility, or we can write c_t as a function of a_{t+1} so that we can write down the value function as:

$$v(z_t, a_t) = \max_{a_{t+1}} U(c_t) + \beta E v(z_{t+1}, a_{t+1}) \quad (5)$$

where $c_t = z_t w_t \bar{l} + r_t a_t - a_{t+1}$, and the utility function is CRRA utility function.

Step 3: Discretize the exogenous state variable

For $\rho = 0.5$, $\sigma_\epsilon = 0.2$ and number of z equals to 5, we can get a discrete set of possible values for z :

$$z = [0.5002 \quad 0.7072 \quad 1.0000 \quad 1.4140 \quad 1.9993] \quad (6)$$

we can also get the invariant distribution from $m \times m$ transition matrix:

$$\pi^{inv}(z) = [0.0145 \quad 0.2189 \quad 0.5333 \quad 0.2189 \quad 0.0145] \quad (7)$$

So the aggregate labor supply $N^s = 1.0338$

Step 4: Discretize the endogenous state variable

In this step, we discretize a into a grid with 500 points. At this time, I choose $a_{max} = 5$, and we will adjust this number later according to the binding constraint.

Step 5: Solving the model numerically

From Step 3, we know that $N^s = 1.0338$, thus $N_d = 1.0338$ due to market clear condition. Now let's guess $K = 2$, and using equation (3) and equation (4), we can calculate the value for r and w .


$$r_t = \alpha K_t^{\alpha-1} N_t^{1-\alpha} + 1 - \delta \quad (8)$$

$$w_t = (1 - \alpha) K_t^\alpha N_t^{-\alpha} \quad (9)$$


Please see the Appendix for Matlab code.

Step 6: Analyze the results

- The steady state interest rate I get is $r = 1.0928$, while in the complete market case $r^{CM} = 1/\beta = 1.0101$. So interest rate in the incomplete market is higher. Why???
- Below is the policy functions for m productivity series:



c. This time we take asset holding as wealth(why?), and the Lorenz curve is:



The gini index is smaller comparing with gini index in Hugget model.

Step 7: Alternative way of coding

Solving the value function on a coarse grid, and using the result as a starting value. Then use policy function iteration.

Please see appendix.

Appendix: Matlab code

Way 1

```
alpha=1/3;
```

```
beta=0.99;
s=2;
delta=0.025;

%%%%question 3%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
m=5;
rho=0.5;
sigma=0.2;
d=3;

[z,zprob] =TAUCHEN(m,rho,sigma,d);
z=exp(z);
pi=zprob^1000;
pz=pi(1,:);
ns=pz*z;
%%%%question 4%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
a_min=0;
a_max=300;
a_num=100;
a=linspace(a_min,a_max,a_num);
%%%%question 5%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
nd=ns;
k_max=100;
k_min=50;
d=1;
while d>=0.001;

k_guess=(k_max+k_min)/2;
r=alpha*k_guess^(alpha-1)*nd^(1-alpha)+1-delta;
w=(1-alpha)*k_guess^alpha*nd^(-alpha);

%consumption fn
cons=bsxfun(@minus,r*a',a);
cons=bsxfun(@plus,cons,permute(w*z,[2 3 1]));
%return fn
ret=cons.^(1-s)/(1-s);
ret(cons<0)=-Inf;
%value fn and policy fn
v_guess=zeros(m,a_num);
v_tol = 1;
while v_tol >.0001;
% CONSTRUCT RETURN + EXPECTED CONTINUATION VALUE

vf=bsxfun(@plus,ret,permute(beta*zprob*v_guess,[3,2,1]));
```

```
% CHOOSE HIGHEST VALUE (ASSOCIATED WITH a' CHOICE)
[vfn,pol_indx]=max(vf,[],2);
v_tol=max(abs(vfn(:)-v_guess(:)));
v_guess=shiftdim(vfn,2);
end;
% KEEP DECISION RULE
pol_indx=permute(pol_indx, [3 1 2]);
pol_fn=a(pol_indx);
% SET UP INITITAL DISTRIBUTION
Mu=ones(m,a_num)/(m*a_num);

% ITERATE OVER DISTRIBUTIONS
m_tol=1;
while m_tol>0.0001
[z_ind, a_ind, mass] = find(Mu > 0); % find non-zero indices

MuNew = zeros(size(Mu));

for ii = 1:length(z_ind)
apr_ind = pol_indx(z_ind(ii), a_ind(ii)); % which a prime does the policy fn prescribe
MuNew(:, apr_ind) = MuNew(:, apr_ind) +(zprob(z_ind(ii),:)*Mu(z_ind(ii),a_ind(ii)))';
% which mass of households goes to which exogenous state?
end
m_tol=max(max(abs(MuNew-Mu)));
Mu=MuNew;
end

aggsav=Mu(:).*pol_fn(:);
d=abs(k_guess-aggsav);
if k_guess>aggsav
k_min=k_guess;
end
if k_guess<aggsav;
k_max=k_guess;
end
d;
end

%%%%%%question 6
plot(a,pol_fn(1,:),a,pol_fn(2,:),a,pol_fn(3,:),a,pol_fn(4,:),a,pol_fn(5,:)),legend('b','r','g','m','k')

%gini
p=[Mu(1,:);Mu(2,:);Mu(3,:);Mu(4,:);Mu(5,:)];
```

```
wealth=[a;a;a;a;a];
wg=gini(p,wealth,true);
title(['wealth gini index=',num2str(wg)]);
```

way 2

```
%%%%%%%%parameters%%%%%%%%
alpha=1/3;
beta=0.99;
s=2;
delta=0.025;
k=30;

%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
m=5;
rho=0.5;
sigma=0.2;
d=3;

[z,zprob] =TAUCHEN(m,rho,sigma,d);
z=exp(z);
pi=zprob^1000;
pz=pi(1,:);
ns=pz*z;
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
a_min=0;
a_max=300;
a_num=100;
a=linspace(a_min,a_max,a_num);

r=alpha*k_guess^(alpha-1)*nd^(1-alpha)+1-delta;
w=(1-alpha)*k_guess^alpha*nd^(-alpha);

%consumption fn
cons=bsxfun(@minus,r*a',a);
cons=bsxfun(@plus,cons,permute(w*z,[2 3 1]));
%return fn
ret=cons.^(1-s)/(1-s);
ret(cons<0)=-Inf;
%value fn and policy fn
v_guess=zeros(m,a_num);
```



```
% CONSTRUCT RETURN + EXPECTED CONTINUATION VALUE
v_tol=1;

while v_tol>1e-8

vf=bsxfun(@plus,ret,permute(beta*zprob*v_guess,[3,2,1]));
% CHOOSE HIGHEST VALUE (ASSOCIATED WITH a' CHOICE)
[vfn,pol_indx]=max(vf,[],2);
pol_indx=shiftdim(pol_indx,2);
pol_fn=a(pol_indx);
vfn=shiftdim(vfn,2);

Q = makeQmatrix(pol_indx,zprob);
u=bsxfun(@minus,r*a,pol_fn);
u=u+repmat(z*w,[1 a_num]);
ret=u.^(1-s)/(1-s);
ret(u<0)=-Inf;

u=ret(:);
w_vec=v_guess(:);
for ii=1:k
w_new=u+beta*Q*w_vec;
w_vec=w_new;
end

v_guess=w;

v_tol=max(abs(vfn(:)-v_guess(:)));
end

%%%%%%question 6
plot(a,pol_fn(1,:),a,pol_fn(2,:),a,pol_fn(3,:),a,pol_fn(4,:),a,pol_fn(5,:)),legend(

%gini
p=[Mu(1,:);Mu(2,:);Mu(3,:);Mu(4,:);Mu(5,:)];
wealth=[a;a;a;a;a];
wg=gini(p,wealth,true);
title(['wealth gini index=',num2str(wg)]);
```