

SCORING


- In the Designer, add a label to keep score.
- You can add or subtract from the score when the user hits a wall or finds the Gold!

label

Score: 0

```
when Ball1 .CollidedWith
 other
do
    o if
                GoldSprite
                                    get other
                             then
                                Score . Text to
                                                             Score -
                                                                       Text -
    else
    call Ball1 		■ .MoveTo
                                 set Score ▼ . Text ▼ to
                                                             Score -
                                                                       Text ▼
                           10
```

Move the
Notifier.ShowChooseDialog
block to another if-then block
to test when the game is over.







TIMER

If you want to set a timer so the user only has a certain amount of time to complete the maze, you can add a Clock component and a Label to keep track of time.





The **Clock.Timer** event fires every second (or you can set a different interval). Subtract one from the time left each second. When the time left is zero, end the game!





LEVELS

For a challenge, increase difficulty as the game is played longer.

You can add a label that keeps track of the level.



When the user reaches the gold, increase the level by 1.

```
when Ball1 .CollidedWith other do if GoldSprite = get other then set Level . Text to to Level . Text + 1

call Ball1 .MoveTo x 10 y 10
```

Now, you can use an **if-then** block to do something different depending on which level the user is on.

```
acceleration by something
when AccelerometerSensor1 - AccelerationChanged
                                                   bigger than 1 so the ball moves
                 zAccel
 xAccel
        yAccel
                                                   faster when titling.
do
    🔯 if
                get global level -
                                = 2
          set Ball1 . X to
    then
                                  Ball1 ▼ . X ▼
                                                                    get xAccel -
          set Ball1 . Y to
                                Ball1 . Y
                                                             1.25
                                                                        get yAccel -
```

And set a level to mark the end of the game. Here, if the user gets to level 4, they win!

```
then call Notifier1 .ShowChooseDialog
message
title
button1Text
button2Text
cancelable
false
```

For example, multiply



MULTIPLE LIVES

You can give the player a certain amount of lives to try to get through the maze.

When the user collides with a wall, subtract 1 from lives.


You can add a label that keeps track of the lives.

Ves. Lives: 5

Click on the blue gear icon to add else to the

Add an else to the if-then block.

if block!



Then add another **if-then** block to test when lives equals 0. That will also end the game, so use the **Notifier.ShowChooseDialog** block to tell the user.

```
call Notifier1 .ShowChooseDialog

message

title

button1Text

button2Text

cancelable

false
```



SOUNDS

You can play sounds when the user collides with walls or gold!

