Living Documentation

# **Table of Contents**

1. Introduction	 1
2. Summary	 2
3. Features	 3
3.1. Cukedoctor Converter	 3
3.1.1. Scenario: Convert features output into documentation	 3
3.2. Ordering	 4
3.2.1. Scenario: Default ordering	 5
3.2.2. Scenario: Custom ordering	 6
3.3. Enrich features	 8
3.3.1. Scenario: DocSting enrichment	 8
3.3.2. Scenario: Comments enrichment	 9

## **Chapter 1. Introduction**

Cukedoctor is a **Living documentation** tool which integrates Cucumber and Asciidoctor in order to convert your *BDD* tests results into an awesome documentation.

Here are some design principles:

- Living documentation should be readable and highlight your software features;
  - Most bdd tools generate reports and not a truly documentation.
- Cukedoctor **do not** introduce a new API that you need to learn, instead it operates on top of cucumber json output files;
  - In the 'worst case' to enhance your documentation you will need to know a bit of asciidoc markup.

In the subsequent chapters you will see a documentation which is generated by the output of Cukedoctor's BDD tests, a real bdd living documentation.

# Chapter 2. Summary

Scenarios			Steps							Features: 3	
Passed	Failed	Total	Passed	Failed	Skippe d	Pendin g	Undefi ned	Missin g	Total	Durati on	Status
Cukedoctor Converter											
1	0	1	3	0	0	0	0	0	3	02s 257ms	passed
Ordering											
2	0	2	6	0	0	0	0	0	6	073ms	passed
Enrich features											
2	0	2	6	0	0	0	0	0	6	080ms	passed
Totals											
5	0	5	15	0	0	0	0	0	15	02s 411ms	

## Chapter 3. Features

### 3.1. Cukedoctor Converter

In order to have awesome *living documentation*As a bdd developer
I want to use **Cukedoctor** to handle my cucumber reports

### 3.1.1. Scenario: Convert features output into documentation

#### Given

The following two features: d (324ms)

Feature: Feature1

Scenario: Scenario feature 1

Given scenario step

Feature: Feature2

Scenario: Scenario feature 2

Given scenario step

#### When

I convert their json output report using cukedoctor converter **★** (01s 931ms)

To generate cucumber .json output files just execute your *BDD* tests with **json** formatter, example:



@RunWith(Cucumber.class)
@CucumberOptions(plugin = {"json:target/cucumber.json"} )



**plugin** option replaced **format** option which was deprecated in newer cucumber versions.

#### Then

I should have awesome living documentation **▲** (002ms)

## **Documentation**

## **Summary**

S	cenario	os	Steps							Features: 2	
Passed	Failed	Total	Passed	Failed	Skippe d	Pendin g	Undefi ned	Missin g	Total	Durati on	Status
Feature1											
1	0	1	1	0	0	0	0	0	1	647ms	passed
Feature2											
1	0	1	1	0	0	0	0	0	1	000ms	passed
Totals											
2	0	2	2	0	0	0	0	0	2	647ms	

## **Features**

## Feature1

Scenario: Scenario feature 1

Given scenario step **d** (647ms)

## Feature2

Scenario: Scenario feature 2

Given scenario step **d** (000ms)

## 3.2. Ordering

In order to have features ordered in living documentation As a bdd developer I want to control the order of features in my documentation

## 3.2.1. Scenario: Default ordering

#### Given

The following two features: **★** (000ms)

Feature: Feature1

Scenario: Scenario feature 1

Given scenario step

Feature: Feature2

Scenario: Scenario feature 2

Given scenario step

#### When

I convert them using default order de (041ms)

#### Then

Features should be ordered by name in resulting documentation documentation (000ms)

## Feature1

Scenario: Scenario feature 1

Given

scenario step 🛍 (647ms)

## Feature2

Scenario: Scenario feature 2

Given

scenario step **d** (000ms)

## 3.2.2. Scenario: Custom ordering

Given

The following two features: **★** (000ms)

#order: 2

Feature: Feature1

Scenario: Scenario feature 1

Given scenario step

#order: 1

Feature: Feature2

Scenario: Scenario feature 2

Given scenario step



Ordering is done using feature comment 'order:'

When

I convert them using comment order do (031ms)

Then

Features should be ordered respecting order comment **d** (000ms)

### Feature2

Scenario: Scenario feature 2

Given

scenario step de (000ms)

## Feature1

Scenario: Scenario feature 1

Given

scenario step 🛍 (313ms)

## 3.3. Enrich features

In order to have awesome *living documentation*As a bdd developer
I want to render asciidoc markup inside my features

### 3.3.1. Scenario: DocSting enrichment

Asciidoc markup can be used in feature **DocStrings**. To do so you need to enable it by using **cukector-dicrete** comment on the feature.

```
Given
  The following two features: d (000ms)
  Feature: Enrich feature
    Scenario: Render source code
      # cukedoctor-discrete
      Given the following source code in docstrings
   [source, java]
    public int sum(int x, int y){
    int result = x + y;
    return result; (1)
    <1> We can have callouts in living documentation
    Scenario: Render table
      # cukedoctor-discrete
      Given the following table
    |===
    Cell in column 1, row 1 | Cell in column 2, row 1
    | Cell in column 1, row 2 | Cell in column 2, row 2
    Cell in column 1, row 3 | Cell in column 2, row 3
    |===
  11 11 11
```

When

I convert docstring enriched json output using cukedoctor converter docstring enriched json output using cukedoctor converter (043ms)

Then

DocString asciidoc output must be rendered in my documentation **d** (000ms)

# Discrete class feature Scenario: Render source code Given the following source code de (267ms) public int sum(int x, int y){ int result = x + y; return result; 1 } 1 We can have callouts in living documentation> Scenario: Render table Given the following table do (000ms) Cell in column 1, row 1 Cell in column 2, row 1 Cell in column 1, row 2 Cell in column 2, row 2 Cell in column 1, row 3 Cell in column 2, row 3

### 3.3.2. Scenario: Comments enrichment

Asciidoc markup can be used in feature comments. To do so you need to surround asciidoc markup by **curly brackets**;.

```
Feature: Calculator

Scenario: Adding numbers
You can *asciidoc markup* in _feature_ #description#.

NOTE: This is a very important feature!

#{IMPORTANT: Asciidoc markup inside *steps* must be surrounded by *curly brackets*.}

Given I have numbers 1 and 2

# {NOTE: Steps comments are placed *before* each steps so this comment is for the *WHEN* step.}

When I sum the numbers

# {* this is a list of itens inside a feature step}

# {* there is no multiline comment in gherkin}

# {** second level list item}
Then I should have 3 as result
```

#### When

I convert enriched feature json output using cukedoctor **d** (036ms)

#### Then

Asciidoc markup on comments must be rendered in my documentation **★** (000ms)

## **Calculator**

### Scenario: Adding numbers

You can use **asciidoc markup** in *feature* description.



This is a very important feature!

#### Given

I have numbers 1 and 2 d (114ms)



Asciidoc markup inside **steps** must be surrounded by **curly brackets**.

#### When

I sum the numbers d (000ms)



Steps comments are placed **before** each steps so this comment is for the **WHEN** step.

#### Then

I should have 3 as result **★** (001ms)

second level list item

this is a list of itens inside a feature step there is no multiline comment in gherkin