

Anveshan Website Build Guide

A design and development reference for the team. Architecture, data patterns, per-page specs, and UI rules — everything in one place.

Next.js

Tailwind CSS

TypeScript

HTML/CSS/JS

DIRECTION Editorial-minimal · Indigo accent

TEAM Ashmit · Drrutiii · Sameer · Advik · Anish

VERSION 1.0 — May 2026

Design

Foundations

Everyone on the team should pull from the same values. Before building any page, set these up in your `tailwind.config.js` or as CSS variables. This is how the site stays visually consistent even though different people are building different pages.

Using AI tools? Always start your prompt with: *"I'm building a tech club website. Indigo accent only, white background, Tailwind CSS, no purple gradients, clean editorial style."* Otherwise you'll get generic output.

Color

```
// tailwind.config.js
colors: {
  accent:      '#4F46E5', // indigo-600 — the only accent
  'accent-light': '#EEF2FF', // for badge backgrounds
  base:        '#FAFAFA', // page background
  heading:     '#18181B', // zinc-900
  body:        '#52525B', // zinc-600
  muted:       '#A1A1AA', // zinc-400
}
```



accent
#4F46E5



accent-light
#EEF2FF



base
#FAFAFA



heading
#18181B



body
#52525B



muted
#A1A1AA

Typography

Two fonts only — add them via Google Fonts.

- **Display / Headings / Body:** `DM Sans` or `Syne`
- **Dates, Tags, Code snippets:** `JetBrains Mono`

Size scale matters more than font choice. Establish a clear H1 → body → caption ladder and stick to it across every page.

Spacing

If something looks cramped, add more padding. Whitespace is design — it's not wasted space. Sections should feel like they have room to exist.

Interactions

- **Hover:** Border-color shift or `scale(1.02)` — pick one and apply it site-wide.
- **Micro-interactions:** `transition: 150ms ease`
- **Layout shifts / page loads:** `transition: 300ms ease-out`
- Entry animations run once, fast. Never delay interaction.

Glassmorphism — use it once

Fine for one featured card or hero element. Not for every surface.

```
/* The glassmorphism recipe */  
.glass-card {  
  backdrop-filter: blur(12px);  
  background: rgba(255, 255, 255, 0.6);  
  border: 1px solid rgba(255, 255, 255, 0.3);  
  box-shadow: 0 4px 24px rgba(0, 0, 0, 0.06);  
}
```

Data Pattern — Everyone Must Follow

Instead of hardcoding text inside your components, put your data in a separate JS/JSON file and loop through it. This means: to update content, you edit one file. Your component doesn't change. It also means your teammate can easily add new events, members, or blogs without touching any code logic.

Folder structure

```
src/  
├─ data/  
│   ├── events.js      ← Sameer edits this  
│   ├── members.js     ← Advik edits this  
│   └── blogs.js       ← Anish edits this  
└─ components/  
    ├── EventCard.tsx  
    ├── MemberCard.tsx  
    └── BlogCard.tsx
```

Example — events.js

```
// src/data/events.js  
export const events = [  
  {  
    id: 1,  
    title: "ML Workshop",  
    date: "2025-08-10",  
    description: "Hands-on intro to scikit-learn.",  
    tag: "upcoming", // "upcoming" or "past"  
    image: "/images/events/ml-workshop.jpg"  
  },  
  {  
    id: 2,  
    title: "Hackathon 3.0",  
    date: "2025-06-01",  
    description: "24-hour build sprint.",  
    tag: "past",  
    image: "/images/events/hackathon.jpg"  
  }  
]
```

How to use it in a page

```
// app/events/page.tsx
import { events } from '@data/events'

export default function EventsPage() {
  const upcoming = events.filter(e => e.tag === 'upcoming')
  const past      = events.filter(e => e.tag === 'past')

  return (
    <>
      <section>
        <h2>Upcoming</h2>
        {upcoming.map(event => (
          <EventCard key={event.id} {...event} />
        ))}
      </section>
      <section>
        <h2>Past</h2>
        {past.map(event => (
          <EventCard key={event.id} {...event} />
        ))}
      </section>
    </>
  )
}
```

Same pattern for: members, blogs, projects. Data lives in `/src/data/`. Components in `/components/`. Pages just import and render.

Per-Page Guide

Ashmit — Landing Page, Loader, Footer

app/page.tsx · Hero.tsx · Loader.tsx · Footer.tsx

Loader

Keep it under 1.5 seconds. A pulsing indigo bracket `{ }` or a thin progress bar across the top is enough. Don't build a cinematic intro — it annoys users on repeat visits.

Hero

Large display text, a strong subline, two buttons, and a floating preview card for depth. Layout:

```
[Big Headline — 2 lines max, text-6xl+]
[One-line subline describing the club]
[Button: Join Us] [Button: Explore →]
[Floating stats card or event preview]
```

- One **filled button** (indigo bg) + one **ghost button** (indigo outline)
- Below the fold: render `<EventsPreview />`, `<MembersPreview />`, `<BlogsPreview />` — 3 items max each, with a "View All →" link

Footer

Three columns: Logo + tagline / Quick links / Social icons. `border-t border-zinc-200` as separator. No gradients.

Use an editorial grid — not everything needs to be center-aligned. Avoid the wall-of-text layout.

[Full-width headline — large, left-aligned]

[Left: 2–3 short paragraphs] [Right: stat or image]

[Mission card] [Vision card] (side by side)

[Timeline or founding story]

For background texture — a subtle dot grid works well at `opacity-30` or lower. It's atmosphere, not content:

```
background-image: radial-gradient(circle, #e0e7ff 1px, transparent 1px);
background-size: 24px 24px;
```

Cards for Mission/Vision: `bg-white border border-zinc-200 rounded-2xl p-8`. No glassmorphism here.

Use the data pattern from Section 02. Filter by `tag: "upcoming"` vs `tag: "past"`.

EventCard props

```
{ title, date, description, image, tag }
```

Visual distinction

- **Upcoming:** White card, indigo left-border (`border-l-4 border-indigo-600`), full opacity
- **Past:** Same card, `opacity-60`, no left-border, grayscale image (`filter grayscale`)

Card layout

Image on top (16:9, `object-cover`), then title, then date in monospace (`font-mono text-sm text-zinc-400`), then 2-line description (`line-clamp-2`).

```
/* Grid */  
className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-6"
```


members.js shape

```
{
  id: 1,
  name: "Anveshan Lead",
  role: "President",
  group: "Core Team", // "Core Team" | "Technical" | "Design" | "Operations"
  avatar: "/images/members/lead.jpg",
  github: "https://github.com/...",
  linkedin: "https://linkedin.com/..."
}
```

Grouping logic

```
const groups = ['Core Team', 'Technical', 'Design', 'Operations']

groups.map(group => (
  <section key={group}>
    <h3>{group}</h3>
    <div className="grid grid-cols-2 md:grid-cols-4 gap-6">
      {members
        .filter(m => m.group === group)
        .map(m => <MemberCard key={m.id} {...m} />)}
    </div>
  </section>
))
```

MemberCard: Square avatar (`aspect-square object-cover rounded-xl`), name, role in muted text, two icon links. Hover: `ring-2 ring-indigo-500` on the avatar. No bios.

blogs.js shape

```
{
  id: 1,
  title: "Getting Started with CNNs",
  author: "Anish K.",
  date: "2025-07-15",
  tags: ["ML", "Deep Learning"],
  excerpt: "A beginner's walkthrough of CNNs...",
  slug: "intro-cnns"
}
```

Feed layout

Stacked list, not a grid. Each item: large title (hover underline in indigo) → `author · date` in monospace muted text → indigo tags → 2-line excerpt.

```
/* Tag badge */
className="bg-indigo-50 text-indigo-600 text-xs font-mono px-2 py-1 rounded"
```

Reading page — `app/blogs/[slug]/page.tsx`

Center the content, `max-w-2xl mx-auto`, `text-lg leading-relaxed`. No animations on the article itself — just clean readable text. Code snippets: `bg-zinc-900 text-zinc-100`.

What to Avoid

Don't do this	Why
gradient backgrounds (purple/violet)	Looks like every AI-generated site ever
Inter or Roboto as the only font	Generic — use what's specified above
Glassmorphism on every card	Use it once, on one hero element
More than one accent color	Kills visual cohesion across pages
Animations that fire on every scroll	Gets annoying fast, hurts performance
Different border-radius values per page	Inconsistent — pick <code>rounded-xl</code> everywhere
Hardcoded text in JSX components	Edit one data file, not five component files
Images without fixed aspect ratio	Cards break on different screen sizes

Final Checklist

Before calling a page done, ask yourself:

- Does all content come from the `/src/data/` file, not hardcoded in JSX?
- Is every repeated UI element (card, badge, button) a shared component?
- Are you only using `#4F46E5` as the accent color?
- Does the page look consistent with the rest of the site (same spacing, font scale, border-radius)?
- Would a stranger understand what this club does within 5 seconds on the landing page?
- Would a CS student want to screenshot this for their portfolio?

That last question is the bar. If yes, ship it.