ABSTRACT

The Online Coffee Shop is a comprehensive real-time web application designed to digitize and simplify the traditional coffee ordering process. It provides users with a convenient platform to browse a wide range of coffee beverages and snacks, customize their orders, and complete transactions seamlessly from any device. The main objective of the system is to enhance the customer experience through an efficient, responsive, and visually appealing online ordering environment.

The frontend of the application is built using React.js, which enables the creation of a highly interactive and dynamic user interface. Users can navigate between pages, explore the menu, add or remove items from their cart, and proceed through the checkout process effortlessly. State management techniques are implemented to maintain real-time updates between user actions and UI components, ensuring a smooth browsing and purchasing experience.

On the backend, the system employs Node.js and Express.js to manage server-side logic, handle API requests, and ensure secure communication between the client and the database. The backend services are responsible for authentication, order handling, and user data management. The application's data is stored in MongoDB, a NoSQL database that efficiently manages collections of users, products, and orders. It provides fast data retrieval and scalability to accommodate an increasing number of customers and transactions.

Security and reliability are key considerations in this system. The integration of JWT-based authentication ensures that user information and transactions are securely processed. Additionally, RESTful APIs are designed for modular communication between frontend and backend services, improving maintainability and scalability.

The Online Coffee Shop project showcases the effective combination of full-stack web development, database integration, and real-time application design. It demonstrates how modern technologies can be used to automate everyday business operations, enhance customer engagement, and promote digital transformation within the café industry.

INTRODUCTION

Objective:

The objective of this project is to develop a responsive and user-friendly café ordering web application that allows users to browse coffee products, add them to their cart, and place online orders easily. The system also includes an admin panel for managing products, users, and orders efficiently.

Scope:

The project offers the following features:

- User authentication (Login & Registration)
- Role-based access for Admin and User
- Product browsing with descriptions and prices
- Add to cart and checkout functionality
- Order tracking and management
- Admin control over products and orders
- Responsive and mobile-friendly design

Technology Stack:

- **Frontend:** HTML, CSS, JavaScript, React.js
- **Backend:** Node.js, Express.js
- **Database:** MongoDB
- **Hosting Platform:**
  - Frontend: Vercel
  - Backend: Render

User Roles:

- **Admin:**
  - Manage menu items
  - View and update orders
  - Manage users
- **User:**
  - Register/login
  - Browse menu and add to cart
  - Place and track orders

METHODOLOGY

System Architecture:

This project follows the **MERN Stack architecture (MongoDB, Express, React, Node.js)**. Frontend (React) communicates with Backend (Express) through RESTful APIs, which in turn interacts with MongoDB for data storage.

Unique Selling Point:

A seamless and modern café web app that enables users to place online coffee orders, with real-time order management and an intuitive admin dashboard for efficient café operations.

Folder Structure:

cafe_oli/

│

├── backend/

│ ├── server.js

│ ├── routes/

│ ├── controllers/

│ ├── models/

│ ├── config/

│

└── frontend/

├── src/

│ ├── components/

│ ├── pages/

│ ├── context/

│ ├── App.js

│ ├── index.js

IMPLEMENTATION

Key Modules:

- **Authentication:**
  Secure login and registration with password hashing (bcrypt) and JWT tokens.
- **Routing:**
  Backend routes using Express; frontend navigation using React Router.
- **API Integration:**
  Axios used for API calls between frontend and backend.
- **State Management:**
  Implemented using React Context API for user and cart states.

Code Highlights:

Example 1: User Login (AuthContext.js)

```
import API_URL from '../config';

import React, { useState, useEffect } from 'react';

import { Container, Row, Col, Button, Card } from 'react-bootstrap';

import { Link } from 'react-router-dom';

import { FaCoffee, FaHeart, FaStar, FaClock, FaShoppingCart } from 'react-icons/fa';



function Home() {

 const [cursorPosition, setCursorPosition] = useState({ x: 0, y: 0 });



 useEffect(() => {

  const handleMouseMove = (e) => {

   setCursorPosition({ x: e.clientX, y: e.clientY });

  };



  window.addEventListener('mousemove', handleMouseMove);

  return () => window.removeEventListener('mousemove', handleMouseMove);
```

```
  }, []);


  return (
    <div style={{ cursor: 'none' }}>
      {/* Custom Coffee Bean Cursor */}
      <div style={{
        position: 'fixed',
        left: cursorPosition.x,
        top: cursorPosition.y,
        transform: 'translate(-50%, -50%)',
        pointerEvents: 'none',
        zIndex: 9999,
        transition: 'transform 0.05s ease-out'
      }}>
        <div style={{
          width: '32px',
          height: '44px',
          background: 'linear-gradient(145deg, #8B6F47 0%, #6B4E31 25%, #3D2817 50%, #2A1810 75%, #1A0F0A 100%)',
          borderRadius: '48% 52% 48% 52% / 62% 58% 42% 38%',
          boxShadow: `
            0 2px 4px rgba(0, 0, 0, 0.4),
            0 4px 8px rgba(0, 0, 0, 0.3),
            0 6px 12px rgba(0, 0, 0, 0.2),
            inset -3px -3px 6px rgba(0, 0, 0, 0.5),
```

```
          inset 2px 2px 4px rgba(139, 111, 71, 0.3)
        `,
        position: 'relative',
        animation: 'rotateCursor 4s infinite linear',
        filter: 'drop-shadow(0 2px 3px rgba(0, 0, 0, 0.4))'
      }}>
        {/* Center crease */}
        <div style={{
          position: 'absolute',
          top: '50%',
          left: '50%',
          transform: 'translate(-50%, -50%)',
          width: '4px',
          height: '26px',
          background: 'linear-gradient(to bottom, rgba(0, 0, 0, 0.1), rgba(0, 0, 0, 0.6), rgba(0, 0, 0, 0.1))',
          borderRadius: '2px',
          boxShadow: 'inset 0 0 2px rgba(0, 0, 0, 0.8), inset 1px 0 1px rgba(0, 0, 0, 0.5)'
        }}></div>
        {/* Highlight on top */}
        <div style={{
          position: 'absolute',
          top: '20%',
          left: '25%',
          width: '10px',
```

```
        height: '8px',
        background: 'radial-gradient(circle, rgba(180, 140, 90, 0.4), transparent)',
        borderRadius: '50%',
        filter: 'blur(1px)'
      }}></div>
      {/* Secondary highlight */}
      <div style={{
        position: 'absolute',
        top: '60%',
        right: '25%',
        width: '6px',
        height: '6px',
        background: 'radial-gradient(circle, rgba(139, 111, 71, 0.3), transparent)',
        borderRadius: '50%',
        filter: 'blur(1px)'
      }}></div>
    </div>
  </div>

  <section className="hero-section" style={{
    position: 'relative',
    overflow: 'hidden',
    background: 'linear-gradient(135deg, #2C1810 0%, #1A0F0A 50%, #0D0705 100%)',
    minHeight: '100vh',
```

```
  display: 'flex',
  alignItems: 'center'
}}>
  {/* Dark overlay with opacity */}
  <div style={{
    position: 'absolute',
    top: 0,
    left: 0,
    right: 0,
    bottom: 0,
    background: 'rgba(0, 0, 0, 0.3)',
    zIndex: 1
  }}></div>

  <Container style={{ position: 'relative', zIndex: 3 }}>
    <Row className="align-items-center">
      <Col md={6}>
        <h1 style={{
          fontFamily: "'Playfair Display', serif",
          fontSize: '4.5rem',
          fontWeight: '700',
          color: '#F5E6D3',
          marginBottom: '1.5rem',
          lineHeight: '1.2',
```

```
    textShadow: '2px 2px 8px rgba(0, 0, 0, 0.5)',
    animation: 'fadeInDown 1s ease'
  }}>
    Discover The Art Of Perfect Coffee
  </h1>
  <p style={{
    fontSize: '1.3rem',
    color: '#D4B896',
    marginBottom: '2rem',
    lineHeight: '1.8',
    animation: 'fadeInUp 1s ease 0.3s backwards'
  }}>
    Experience the rich and bold flavors of our exquisite coffee blends, crafted by masters. Your perfect cup is waiting for you.
  </p>
  <div style={{
    display: 'flex',
    gap: '1rem',
    flexWrap: 'wrap',
    animation: 'fadeInUp 1s ease 0.5s backwards'
  }}>
    <Link to="/order">
      <Button style={{
        background: 'linear-gradient(135deg, #D4B896 0%, #A0826D 100%)',
        border: 'none',
```

```
    color: '#1A0F0A',
    padding: '1rem 2.5rem',
    borderRadius: '50px',
    fontWeight: '600',
    fontSize: '1.1rem',
    boxShadow: '0 5px 20px rgba(212, 184, 150, 0.4)',
    transition: 'all 0.3s ease'
   }}
   onMouseEnter={(e) => {
    e.target.style.transform = 'translateY(-3px)';
    e.target.style.boxShadow = '0 8px 30px rgba(212, 184, 150, 0.6)';
   }}
   onMouseLeave={(e) => {
    e.target.style.transform = 'translateY(0)';
    e.target.style.boxShadow = '0 5px 20px rgba(212, 184, 150, 0.4)';
   }}
   >
    Order Now
   </Button>
  </Link>
  <Link to="/menu">
   <Button style={{
    background: 'transparent',
    border: '2px solid #D4B896',
```

```
      color: '#D4B896',
      padding: '1rem 2.5rem',
      borderRadius: '50px',
      fontWeight: '600',
      fontSize: '1.1rem',
      transition: 'all 0.3s ease'
    }}
    onMouseEnter={(e) => {
      e.target.style.background = 'rgba(212, 184, 150, 0.1)';
      e.target.style.transform = 'translateY(-3px)';
    }}
    onMouseLeave={(e) => {
      e.target.style.background = 'transparent';
      e.target.style.transform = 'translateY(0)';
    }}
    >
      Explore Menu
    </Button>
  </Link>
</div>

{/* Statistics with icons */}
<Row className="mt-5 g-4">
  <Col xs={4}>
```

```
  <div style={{
    textAlign: 'center',
    animation: 'fadeInUp 1s ease 0.7s backwards'
  }}>
    <div style={{
      fontSize: '2.5rem',
      fontWeight: '700',
      color: '#D4B896',
      fontFamily: "'Playfair Display', serif"
    }}>500+</div>
    <div style={{
      fontSize: '0.9rem',
      color: '#A0826D',
      marginTop: '0.5rem'
    }}>Premium Blends</div>
  </div>
</Col>
<Col xs={4}>
  <div style={{
    textAlign: 'center',
    animation: 'fadeInUp 1s ease 0.9s backwards'
  }}>
    <div style={{
      fontSize: '2.5rem',
```

```
        fontWeight: '700',
        color: '#D4B896',
        fontFamily: "'Playfair Display', serif"
      }}>20+</div>
      <div style={{
        fontSize: '0.9rem',
        color: '#A0826D',
        marginTop: '0.5rem'
      }}>Years Experience</div>
    </div>
  </Col>
  <Col xs={4}>
    <div style={{
      textAlign: 'center',
      animation: 'fadeInUp 1s ease 1.1s backwards'
    }}>
      <div style={{
        fontSize: '2.5rem',
        fontWeight: '700',
        color: '#D4B896',
        fontFamily: "'Playfair Display', serif"
      }}>25K+</div>
      <div style={{
        fontSize: '0.9rem',
```

```
                color: '#A0826D',
                marginTop: '0.5rem'
              }}>Happy Customers</div>
            </div>
          </Col>
        </Row>
      </Col>
      <Col md={6} className="text-center">
        <div style={{
          position: 'relative',
          animation: 'fadeInRight 1s ease 0.5s backwards'
        }}>
          <img
            src="https://images.unsplash.com/photo-1495474472287-4d71bcdd2085?w=600&h=600&fit=crop"
            alt="Coffee Haven"
            style={{
              width: '100%',
              maxWidth: '500px',
              borderRadius: '30px',
              boxShadow: '0 30px 80px rgba(0, 0, 0, 0.6)',
              border: '8px solid rgba(212, 184, 150, 0.2)'
            }}
          />
        </div>
```

```
          </Col>

        </Row>









    {/* Featured Items Section */}

    <section style={{ background: 'linear-gradient(135deg, rgba(139, 69, 19, 0.05) 0%, rgba(111, 78, 55, 0.05) 100%)', padding: '5rem 0' }}>

      <Container>

        <h2 className="section-title">Our Specialties</h2>

        <Row className="g-4 align-items-center">

          <Col md={4}>

            <div className="menu-card text-center p-3">

              <img

                src="https://images.unsplash.com/photo-1509042239860-f550ce710b93?w=400&h=300&fit=crop"

                alt="Artisan Coffee"

                style={{ width: '100%', borderRadius: '15px', marginBottom: '1rem' }}

              />

              <h4 style={{ color: '#654321', fontFamily: "'Playfair Display', serif" }}>Artisan Coffee</h4>

              <p style={{ color: '#6F4E37' }}>Handcrafted perfection in every cup</p>

            </div>

          </Col>

          <Col md={4}>
```

```
            <div className="menu-card text-center p-3">
              <img
                src="https://images.unsplash.com/photo-1486427944299-
d1955d23e34d?w=400&h=300&fit=crop"
                alt="Fresh Pastries"
                style={{ width: '100%', borderRadius: '15px', marginBottom: '1rem' }}
              />
              <h4 style={{ color: '#654321', fontFamily: "'Playfair Display', serif" }}>Fresh
Pastries</h4>
              <p style={{ color: '#6F4E37' }}>Baked with love every morning</p>
            </div>
          </Col>
          <Col md={4}>
            <div className="menu-card text-center p-3">
              <img
                src="https://images.unsplash.com/photo-1551024506-
0bccd828d307?w=400&h=300&fit=crop"
                alt="Desserts"
                style={{ width: '100%', borderRadius: '15px', marginBottom: '1rem' }}
              />
              <h4 style={{ color: '#654321', fontFamily: "'Playfair Display', serif" }}>Decadent
Desserts</h4>
              <p style={{ color: '#6F4E37' }}>Sweet endings to perfect moments</p>
            </div>
          </Col>
        </Row>
```

```
      </Container>
    </section>

    {/* Ambiance Section */}
    <Container className="py-5">
      <Row className="align-items-center g-5">
        <Col md={6}>
          <img
            src="https://images.unsplash.com/photo-1453614512568-
c4024d13c247?w=600&h=400&fit=crop"
            alt="Cozy Cafe Interior"
            style={{
              width: '100%',
              borderRadius: '30px',
              boxShadow: '0 20px 60px rgba(139, 69, 19, 0.3)'
            }}
          />
        </Col>
        <Col md={6}>
          <h2 className="section-title" style={{ textAlign: 'left' }}>A Place to Relax</h2>
          <p style={{ fontSize: '1.2rem', color: '#6F4E37', lineHeight: '1.8' }}>
            Step into Coffee Haven and experience the perfect blend of comfort and flavor.
            Our cozy atmosphere, combined with the aroma of freshly brewed coffee,
            creates an inviting space where you can unwind, work, or catch up with friends.
          </p>
```

```
          <p style={{ fontSize: '1.2rem', color: '#6F4E37', lineHeight: '1.8' }}>
            Every corner is designed with you in mind, from our comfortable seating
            to our warm lighting that makes every visit feel like coming home.
          </p>
        </Col>
      </Row>
    </Container>

    {/* Owner Section */}
    <section style={{ background: 'linear-gradient(135deg, rgba(139, 69, 19, 0.05) 0%,
rgba(111, 78, 55, 0.05) 100%)', padding: '5rem 0' }}>
      <Container>
        <h2 className="section-title">Meet Our Owner</h2>
        <Row className="align-items-center justify-content-center">
          <Col md={8} lg={6}>
            <div className="menu-card p-4 text-center">
              <img
                src="/1738660775049.jpg"
                alt="Rishi Jayanath - Owner"
                style={{
                  width: '200px',
                  height: '200px',
                  borderRadius: '50%',
                  objectFit: 'cover',
                  margin: '0 auto 2rem',
```

```
                boxShadow: '0 10px 30px rgba(139, 69, 19, 0.3)',
                border: '5px solid #D4B896'
              }}
              onError={(e) => {
                e.target.src = 'https://images.unsplash.com/photo-1438761681033-6461ffad8d80?w=400&h=400&fit=crop';
              }}
            />
            <h3 style={{ fontFamily: "'Playfair Display', serif", color: '#654321', fontSize: '2rem', marginBottom: '1rem' }}>
              Rishi Jayanath A
            </h3>
            <p style={{ fontSize: '1.2rem', color: '#8B4513', marginBottom: '1.5rem', fontWeight: '500' }}>
              Founder & Owner
            </p>
            <p style={{ fontSize: '1.1rem', color: '#6F4E37', lineHeight: '1.8' }}>
              Welcome to Coffee Haven! I'm passionate about creating a warm, inviting space where every cup tells a story and every visit feels like home. Our commitment to quality and community drives everything we do.
            </p>
          </div>
        </Col>
      </Row>
    </Container>
  </section>
```

```
{/* Contact Section - Get in Touch with Us */}
<section style={{
  background: 'linear-gradient(135deg, #2C1810 0%, #1A0F0A 100%)',
  padding: '5rem 0',
  position: 'relative'
}}>
  <Container>
    <div style={{ textAlign: 'center', marginBottom: '4rem' }}>
      {/* Scroll Icon */}
      <div style={{
        display: 'flex',
        justifyContent: 'center',
        marginBottom: '2rem'
      }}>
        <div style={{
          width: '30px',
          height: '50px',
          border: '3px solid #D4B896',
          borderRadius: '25px',
          display: 'flex',
          justifyContent: 'center',
          paddingTop: '10px',
          position: 'relative'
```

```
          }}>
            <div style={{
              width: '6px',
              height: '10px',
              borderRadius: '3px',
              background: '#D4B896',
              animation: 'scrollDown 2s infinite'
            }}></div>
          </div>
        </div>

        <h2 style={{
          fontFamily: "'Playfair Display', serif",
          fontSize: '3.5rem',
          color: '#F5E6D3',
          marginBottom: '1rem',
          fontWeight: '700'
        }}>
          Get in Touch with Us
        </h2>
        <p style={{ fontSize: '1.3rem', color: '#D4B896', maxWidth: '700px', margin: '0 auto'
}}>
          Have questions or special requests? We'd love to hear from you!
        </p>
      </div>
```

```
        <Row className="justify-content-center g-4">
          <Col md={5}>
            <div style={{
              padding: '3rem 2rem',
              background: 'linear-gradient(135deg, rgba(212, 184, 150, 0.1) 0%, rgba(160, 130, 109, 0.1) 100%)',
              border: '2px solid #D4B896',
              borderRadius: '20px',
              transition: 'all 0.3s ease',
              textAlign: 'center',
              backdropFilter: 'blur(10px)'
            }}
            onMouseEnter={(e) => {
              e.currentTarget.style.transform = 'translateY(-10px)';
              e.currentTarget.style.boxShadow = '0 20px 40px rgba(212, 184, 150, 0.3)';
            }}
            onMouseLeave={(e) => {
              e.currentTarget.style.transform = 'translateY(0)';
              e.currentTarget.style.boxShadow = 'none';
            }}
            >
              <div style={{ fontSize: '3.5rem', marginBottom: '1.5rem' }}>📞</div>
              <h4 style={{
                color: '#F5E6D3',
```

```
      fontFamily: "'Playfair Display', serif",
      marginBottom: '1.5rem',
      fontSize: '1.8rem'
    }}>
      Call Us
    </h4>
    <a
      href="tel:+918590380395"
      style={{
        fontSize: '1.4rem',
        color: '#D4B896',
        textDecoration: 'none',
        fontWeight: '600',
        transition: 'color 0.3s ease'
      }}
      onMouseEnter={(e) => e.target.style.color = '#F5E6D3'}
      onMouseLeave={(e) => e.target.style.color = '#D4B896'}
    >
      +91 8281780799
    </a>
  </div>
</Col>
<Col md={5}>
  <div style={{
```

```
            padding: '3rem 2rem',
            background: 'linear-gradient(135deg, rgba(212, 184, 150, 0.1) 0%, rgba(160, 130, 109, 0.1) 100%)',
            border: '2px solid #D4B896',
            borderRadius: '20px',
            transition: 'all 0.3s ease',
            textAlign: 'center',
            backdropFilter: 'blur(10px)'
          }}
          onMouseEnter={(e) => {
            e.currentTarget.style.transform = 'translateY(-10px)';
            e.currentTarget.style.boxShadow = '0 20px 40px rgba(212, 184, 150, 0.3)';
          }}
          onMouseLeave={(e) => {
            e.currentTarget.style.transform = 'translateY(0)';
            e.currentTarget.style.boxShadow = 'none';
          }}
          >
            <div style={{ fontSize: '3.5rem', marginBottom: '1.5rem' }}>✉</div>
            <h4 style={{
              color: '#F5E6D3',
              fontFamily: "'Playfair Display', serif",
              marginBottom: '1.5rem',
              fontSize: '1.8rem'
            }}>
```

```
            Email Us
          </h4>
          <a
            href="mailto:rishijayanath@karunya.edu.in"
            style={{
              fontSize: '1.2rem',
              color: '#D4B896',
              textDecoration: 'none',
              fontWeight: '600',
              wordBreak: 'break-word',
              transition: 'color 0.3s ease'
            }}
            onMouseEnter={(e) => e.target.style.color = '#F5E6D3'}
            onMouseLeave={(e) => e.target.style.color = '#D4B896'}
          >
            rishijayanath@karunya.edu.in
          </a>
        </div>
      </Col>
    </Row>
  </Container>
</section>

<style>{`
```

```
        @keyframes rotateCursor {
          0% { transform: rotate(0deg); }
          100% { transform: rotate(360deg); }
        }
      `}</style>
    </div>
  );
}

export default Home;
```

Example 2: Orders (orders.js)

```
import API_URL from '../config';
import React, { useState, useEffect } from 'react';
import { Container, Row, Col, Card, Badge, Form, Button } from 'react-bootstrap';
import axios from 'axios';
import { FaSearch } from 'react-icons/fa';

function Orders() {
  const [orders, setOrders] = useState([]);
  const [filteredOrders, setFilteredOrders] = useState([]);
  const [searchEmail, setSearchEmail] = useState('');
  const [isLoading, setIsLoading] = useState(false);

  useEffect(() => {
```

```
  fetchAllOrders();
}, []);

const fetchAllOrders = async () => {
  setIsLoading(true);
  try {
    const response = await axios.get('S{API_URL}/api/orders');
    if (response.data.success) {
      setOrders(response.data.orders);
      setFilteredOrders(response.data.orders);
    }
  } catch (error) {
    console.error('Error fetching orders:', error);
  } finally {
    setIsLoading(false);
  }
};

const searchOrdersByEmail = async (e) => {
  e.preventDefault();
  if (!searchEmail.trim()) {
    setFilteredOrders(orders);
    return;
  }
```

```
  setIsLoading(true);
  try {
    const response = await axios.get(`S{API_URL}/api/orders/user/${searchEmail}`);
    if (response.data.success) {
      setFilteredOrders(response.data.orders);
    }
  } catch (error) {
    console.error('Error searching orders:', error);
    setFilteredOrders([]);
  } finally {
    setIsLoading(false);
  }
};

const getStatusBadge = (status) => {
  const statusColors = {
    pending: 'warning',
    preparing: 'info',
    ready: 'success',
    delivered: 'primary',
    cancelled: 'danger'
  };
```

```
  return (
    <Badge bg={statusColors[status] || 'secondary'} className="px-3 py-2">
      {status.charAt(0).toUpperCase() + status.slice(1)}
    </Badge>
  );
};

const formatDate = (dateString) => {
  const date = new Date(dateString);
  return date.toLocaleDateString('en-US', {
    year: 'numeric',
    month: 'long',
    day: 'numeric',
    hour: '2-digit',
    minute: '2-digit'
  });
};

return (
  <Container className="py-5">
    <h1 className="section-title">My Orders</h1>

    <div className="order-form mb-5">
      <Form onSubmit={searchOrdersByEmail}>
```

```
        <Row className="align-items-center">
          <Col md={8}>
            <Form.Group>
              <Form.Label style={{ color: '#6F4E37', fontWeight: '500' }}>
                Search by Email Address
              </Form.Label>
              <Form.Control
                type="email"
                placeholder="Enter your email to view your orders"
                value={searchEmail}
                onChange={(e) => setSearchEmail(e.target.value)}
              />
            </Form.Group>
          </Col>
          <Col md={4}>
            <Button type="submit" className="btn-cafe w-100" style={{ marginTop: '32px'
}}>
              <FaSearch className="me-2" />
              Search Orders
            </Button>
          </Col>
        </Row>
      </Form>

      {searchEmail && (
```

```
    <Button
      className="btn-outline-cafe mt-3"
      onClick={() => {
        setSearchEmail('');
        fetchAllOrders();
      }}
    >
      View All Orders
    </Button>
  )}
</div>

{isLoading ? (
  <div className="text-center py-5">
    <div className="loading">
      <div className="coffee-cup"></div>
    </div>
    <p style={{ color: '#6F4E37', marginTop: '2rem' }}>Loading orders...</p>
  </div>
) : filteredOrders.length === 0 ? (
  <div className="text-center py-5">
    <h3 style={{ color: '#6F4E37' }}>
      {searchEmail ? 'No orders found for this email' : 'No orders yet'}
    </h3>
```

```
    <p style={{ color: '#8B4513' }}>
      {searchEmail ? 'Try a different email address' : 'Start ordering from our menu!'}
    </p>
  </div>
) : (
  <Row className="g-4">
    {filteredOrders.map(order => (
      <Col key={order._id} lg={12}>
        <Card className="menu-card">
          <Card.Body className="p-4">
            <Row>
              <Col md={8}>
                <div className="d-flex justify-content-between align-items-start mb-3">
                  <div>
                    <h4 style={{ fontFamily: "'Playfair Display', serif", color: '#654321' }}>
                      Order #{order._id.slice(-8).toUpperCase()}
                    </h4>
                    <p style={{ color: '#6F4E37', marginBottom: '0.5rem' }}>
                      <strong>Customer:</strong> {order.userName}
                    </p>
                    <p style={{ color: '#6F4E37', marginBottom: '0.5rem' }}>
                      <strong>Email:</strong> {order.userEmail}
                    </p>
                    <p style={{ color: '#6F4E37', marginBottom: '0.5rem' }}>
```

```
      <strong>Phone:</strong> {order.userPhone}
    </p>
    <p style={{ color: '#6F4E37', marginBottom: '0.5rem' }}>
      <strong>Date:</strong> {formatDate(order.orderDate)}
    </p>
  </div>
  {getStatusBadge(order.status)}
</div>

<div className="mb-3">
  <h5 style={{ color: '#654321', marginBottom: '1rem' }}>Order Items:</h5>
  {order.items.map((item, index) => (
    <div key={index} className="d-flex justify-content-between mb-2">
      <span style={{ color: '#6F4E37' }}>
        {item.name} x {item.quantity}
      </span>
      <span style={{ color: '#8B4513', fontWeight: '600' }}>
        ₹{(item.price * item.quantity)}
      </span>
    </div>
  ))}
</div>

{order.deliveryAddress && (
```

```
                <p style={{ color: '#6F4E37', marginBottom: '0.5rem' }}>
                  <strong>Delivery Address:</strong> {order.deliveryAddress}
                </p>
              )}

              {order.notes && (
                <p style={{ color: '#6F4E37', marginBottom: '0' }}>
                  <strong>Notes:</strong> {order.notes}
                </p>
              )}
            </Col>

            <Col md={4}>
              <div
                className="p-3"
                style={{
                  background: 'linear-gradient(135deg, rgba(139, 69, 19, 0.1) 0%, rgba(111, 78, 55, 0.1) 100%)',
                  borderRadius: '15px'
                }}
              >
                <h5 style={{ color: '#654321', marginBottom: '1rem' }}>Bill Summary</h5>
                <div className="d-flex justify-content-between mb-2">
                  <span style={{ color: '#6F4E37' }}>Subtotal:</span>
                  <span style={{ color: '#654321', fontWeight: '600' }}>
```

```
                ₹{Math.round(order.subtotal)}
              </span>
            </div>
            <div className="d-flex justify-content-between mb-2">
              <span style={{ color: '#6F4E37' }}>Tax:</span>
              <span style={{ color: '#654321', fontWeight: '600' }}>
                ₹{Math.round(order.tax)}
              </span>
            </div>
            <hr style={{ borderColor: '#D4B896' }} />
            <div className="d-flex justify-content-between">
              <strong style={{ fontSize: '1.2rem', color: '#654321' }}>Total:</strong>
              <strong style={{ fontSize: '1.2rem', color: '#8B4513' }}>
                ₹{Math.round(order.total)}
              </strong>
            </div>
          </div>
        </Col>
      </Row>
    </Card.Body>
  </Card>
</Col>
))}
</Row>
```

```
      )}
    </Container>
  );
}
```

export default Orders;


RESULTS AND DISCUSSION

Best Practices Followed:

- **Modular and reusable components**
- **Centralized error handling**
- **Environment-based configuration**
- **JWT-based authentication**
- **Secure password hashing with bcrypt**

Screenshots with Description

1. **Homepage**



Displays coffee items with descriptions and prices. Users can add items to their cart.

2. **Login / Register Page**

3. **User Dashboard**

Enables user authentication using email and password. JWT used for secure sessions.



Welcome to School Management System

Streamline school management, class organization, and add students and faculty. Seamlessly track attendance, assess performance, and provide feedback. Access records, view marks, and communicate effortlessly.

LOGIN

LOGIN AS GUEST

Don't have an account? Sign up

Admin

Login as an administrator to access the dashboard to manage app data.

Student

Login as a student to explore course materials and assignments.

Teacher

Login as a teacher to create courses, assignments, and track student progress.

Admin Dashboard

Total Students
1

Total Classes
1

Total Teachers
0

Fees Collection
$23,000

No Notices to Show Right Now

1. 🌐 **Hosting Link:**
   https://coffee-haven-frontend.onrender.com
2. 💻 **GitHub Repository:**
   https://github.com/rishijayanath24-cpu/Online_coffee_shop/tree/main
3. 📺 **YouTube Demo Video**

   https://youtu.be/XUHVspZrn3M