Edit 1

```
.cont { /*  this will style the class of items called "content" which is paragraphs*/
    color:#ff8a1B;
}
```

```
.content { /*  this will style the class of items called "content" which is paragraphs*/
    color:#ff8a1B;
}
```

Edit 2

```php
echo "<label for='First name'>Fname</label>";
echo "<input type='text' name='firstname' placeholder='Enter your first name.' required>";
echo "<br>";
```

```php
echo "<label for='Fname'>First name</label>";
echo "<input type='text' name='Fname' placeholder='Enter your first name.' required>";
echo "<br>";
```

Edit 3

```
61          $stmt = $conn->prepare($sql);
62          $stmt->bind_param(1, $post["email"]); // bin
63          //hash the password
64          $hpswd = password_hash($post["password"],  a
65          $stmt->bind_param(2, $hpswd);
66          $stmt->bind_param(3, $post["fname"]);
67          $stmt->bind_param(4, $post["lname"]);
68          $stmt->bind_param(5, $post["address"]);
69
```

↓

```
60          $sql = "insert into customer (email, pas
61          $stmt = $conn->prepare($sql);
62          $stmt->bindParam(1, $post["email"]); //
63          //hash the password
64          $hpswd = password_hash($post["password"]
65          $stmt->bindParam(2, $hpswd);
66          $stmt->bindParam(3, $post["fname"]);
67          $stmt->bindParam(4, $post["lname"]);
68          $stmt->bindParam(5, $post["address"]);
```

Edit 4

```
6    $stmt = $conn->prepare($sql);//prepares
7    $stmt->bindParam("1", $email);
8    $stmt->execute();//run the sql code
```

```
6    $stmt = $conn->prepare($sql);//prepares
7    $stmt->bindParam(1, $email);
8    $stmt->execute();//run the sql code
```

Edit 5

```
9       if(!only_user(dbconnect_insert(), $_POST["email"])) {
10
11          if (reg_user(dbconnect_insert(), $_POST["email"] )) {
12              auditor(dbconnect_insert(), getnewuserid(dbconnect_ins
```

```
9       if(!only_user(dbconnect_insert(), $_POST["email"])) {
10
11          if (reg_user(dbconnect_insert(), $_POST )) {
12              auditor(dbconnect_insert(), getnewuserid(dbconnect_ins
13              $_SESSION["email"] = "USER WAS CREATED SUCCESSFULLY";
```

Edit 6

```
58  function reg_user($conn, $post){ // finish this
59          try{
60              $sql = "insert into customer (email, password, fname, lname, address) values (?, ?, ?, ?, ?)";
61              $stmt = $conn->prepare($sql);
62              $stmt->bindParam(1, $post['email']); // binds param for security
63              //hash the password
64              $hpswd = password_hash($post["password"], algo: PASSWORD_DEFAULT); //has the password - using pr
65              $stmt->bindParam(2, $hpswd);
66              $stmt->bindParam(3, $post["fname"]);
67              $stmt->bindParam(4, $post["lname"]);
68              $stmt->bindParam(5, $post["address"]);
69
```

↓

```
60              $sql = "insert into customer (email, password, Fname, Lname, address) values (?, ?, ?, ?, ?)";
61              $stmt = $conn->prepare($sql);
62              $stmt->bindParam(1, $post['email']); // binds param for security
63              //hash the password
64              $hpswd = password_hash($post["password"], algo: PASSWORD_DEFAULT); //has the password - using prebuilt
65              $stmt->bindParam(2, $hpswd);
66              $stmt->bindParam(3, $post["Fname"]);
67              $stmt->bindParam(4, $post["Lname"]);
68              $stmt->bindParam(5, $post["address"]);
69
```

Edit 7

	#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1	CustomerID	int			No	*None*		AUTO_INCREMENT	Change Drop More
☐	2	email	text	utf8mb4_0900_ai_ci		No	*None*			Change Drop More
☐	3	Fname	text	utf8mb4_0900_ai_ci		No	*None*			Change Drop More
☐	4	Lname	text	utf8mb4_0900_ai_ci		No	*None*			Change Drop More
☐	5	Password	text	utf8mb4_0900_ai_ci		No	*None*			Change Drop More
☐	6	Address	text	utf8mb4_0900_ai_ci		No	*None*			Change Drop More
☐	7	LoyaltyPts	int			No	*None*			Change Drop More

	#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1	CustomerID	int			No	*None*		AUTO_INCREMENT	Change Drop More
☐	2	email	text	utf8mb4_0900_ai_ci		No	*None*			Change Drop More
☐	3	Fname	text	utf8mb4_0900_ai_ci		No	*None*			Change Drop More
☐	4	Lname	text	utf8mb4_0900_ai_ci		No	*None*			Change Drop More
☐	5	Password	text	utf8mb4_0900_ai_ci		No	*None*			Change Drop More
☐	6	Address	text	utf8mb4_0900_ai_ci		No	*None*			Change Drop More

Edit 8

```
// require_once"assets/dbconn.php"
// require_once "assets/common.php";
```

```
require_once"assets/dbconn.php";
require_once "assets/common.php";
```

Edit 9

```
$stmt = $conn->prepare($sql); //prepares
$stmt->bindParam( param: 1,  &var: $_POST[$email]); //binds the parameters to execute
$stmt->execute(); //run the sql code
```

```
$stmt = $conn->prepare($sql); //prepares
$stmt->bindParam( param: 1,  &var: $_POST["email"]); //binds the parameters to execute
$stmt->execute(); //run the sql code
```

Edit 10

```
echo "<label for='email'>Email</label>";
echo "<input type='text' name='email' id='User_ID' placeholder='Enter your email.' required>"; # asks for user email
echo "<br>";
```

```
echo "<label for='email'>Email</label>";
echo "<input type='text' name='email' id='CustomerID' placeholder='Enter your email.' required>"; # asks for user email
echo "<br>";
```

((And replaced every other instance of User_id to CustomerID)

Edit 11

```
3
4   auditor(dbconnect_insert(), getnewuserid(dbconnect_insert(), $_POST['email']), code: "reg", long: "User logged out"); # logout message
5
```

↓

```
3
4   #auditor(dbconnect_insert(), getnewuserid(dbconnect_insert(), $_POST['email']), "reg", "User logged out"); # logout message
5
```

Edit 12

```php
<?php
require_once "assets/dbconn.php"; # accesses the database
require_once "assets/common.php"; # access the subprograms
```

```php
<?php
session_start();
require_once "assets/dbconn.php"; # accesses the database
require_once "assets/common.php"; # access the subprograms
```

Edit 13

	#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1	ProducerID	int			No	*None*		AUTO_INCREMENT	Change Drop More
☐	2	email	int			No	*None*			Change Drop More
☐	3	Fname	int			No	*None*			Change Drop More
☐	4	Lname	int			No	*None*			Change Drop More
☐	5	Password	int			No	*None*			Change Drop More

	#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1	ProducerID	int			No	*None*		AUTO_INCREMENT	Change Drop More
☐	2	email	text	utf8mb4_0900_ai_ci		No	*None*			Change Drop More
☐	3	Fname	text	utf8mb4_0900_ai_ci		No	*None*			Change Drop More
☐	4	Lname	text	utf8mb4_0900_ai_ci		No	*None*			Change Drop More
☐	5	Password	text	utf8mb4_0900_ai_ci		No	*None*			Change Drop More

Edit 14

```php
if(!isset($_SESSION["user"]) and !isset($_SESSION["Puser"])){
    echo "<li class='linkbox'> <a href='login.php'>Login</a></li>"; # link to the login page
    echo "<li class='linkbox'> <a href='register.php'>Register</a></li>"; # link to the regist
    echo "<li class='linkbox'> <a href='Slogin.php'>Staff Login</a></li>"; # link to the logir
    echo "<li class='linkbox'> <a href='Sregister.php'>Staff Registration</a></li>"; # link to

} if($_SESSION["Puser"]){
    echo "<li class='linkbox'> <a href='logout.php'>Logout</a></li>";

} else {
    echo "<li class='linkbox'> <a href='order.php'>Order</a></li>"; # link to
    echo "<li class='linkbox'> <a href='logout.php'>Logout</a></li>"; # link to logout page
}
```

```php
if(!isset($_SESSION["user"]) and !isset($_SESSION["Puser"])){
    echo "<li class='linkbox'> <a href='login.php'>Login</a></li>"; # link to the login page
    echo "<li class='linkbox'> <a href='register.php'>Register</a></li>"; # link to the register page
    echo "<li class='linkbox'> <a href='Slogin.php'>Staff Login</a></li>"; # link to the login page
    echo "<li class='linkbox'> <a href='Sregister.php'>Staff Registration</a></li>"; # link to the register page

} elseif(isset($_SESSION["Puser"])){
    echo "<li class='linkbox'> <a href='logout.php'>Logout</a></li>";
} else {
    echo "<li class='linkbox'> <a href='order.php'>Order</a></li>"; # link to
    echo "<li class='linkbox'> <a href='logout.php'>Logout</a></li>"; # link to logout page
}
```

Edit 15

4	Pdesc	text	utf8mb4_0900_ai_ci	No	*None*	Change	Drop	More
5	Price	tinyint		No	*None*	Change	Drop	More
6	Stock	int		No	*None*	Change	Drop	More

```
echo "<input type='boolean' name='Price' placeholder='Enter product price' required>"
```

5	Price	float		No	*None*	Change	Drop	More

```
echo "<input type='float' name='Price' placeholder='Enter product price' required>";
```

Edit 16

```
20        var_dump($usr);
21        exit;
22        header( header: "Location: index.php"); //redirect on success
23        exit;
```

```
20        header( header: "Location: index.php"); //redirect on success
21        exit;
22    } else {
```

Edit 17

```
12        exit;
13    } elseif($_SERVER["Request_METHOD"] === "POST") {
14        if (isset($_POST['Productdelete'])) {
```

```
12        exit;
13    } elseif($_SERVER["REQUEST_METHOD"] === "POST") {
```

Edit 18

```
48        echo usermessage();
```

```
47
48        echo user_message();
49        echo "<br>";
```

Edit 19

```
209
210     $stmt->bind_param(1, $_SESSION["ProducerID"]);
211     $stmt->execute();
212     $result = $stmt->fetchAll(PDO::FETCH_ASSOC);
```

```
209
210     $stmt->execute([$_SESSION["ProducerID"]]);
211     $result = $stmt->fetchAll(PDO::FETCH_ASSOC)
```

Edit 20

```
ce, b.Stock s.Fname FROM
y filling gaps
```

```
b.Stock, s.Fname
illing gaps
```

```php
    foreach ($products as $product) {}

    echo "<form action='' method='post'>";

    echo "<tr>";
        echo "<td> Producer: " . $product['Fname'] . "</td>";
        echo "<td> Name: " . $product['Pname'] . "</td>";
        echo "<td> Description:" . $product['Pdesc'] . "</td>";
        echo "<td> Price:" . $product['Price'] . "</td>";
        echo "<td> Stock: " . $product['Stock'] . "</td>";
        echo "<td><input type='hidden' name='ProductID' value=" . $product['ProductID'] . ">
            <input type ='submit' name ='Productdelete' value = 'Delete Product'/>;
            <input type ='submit' name ='productchange' value = 'Change Product'></td>";

        echo "</tr>";
        echo "</form>";

}
```

Edit 21

```php
    foreach ($products as $product) {

        echo "<tr>";
        echo "<form action='' method='post'>";

        echo "<td> Producer: " . $product['Fname'] . "</td>";
        echo "<td> Name: " . $product['Pname'] . "</td>";
        echo "<td> Description:" . $product['Pdesc'] . "</td>";
        echo "<td> Price:" . $product['Price'] . "</td>";
        echo "<td> Stock: " . $product['Stock'] . "</td>";
        echo "<td><input type='hidden' name='ProductID' value=" . $product['ProductID'] . ">
            <input type ='submit' name ='Productdelete' value = 'Delete Product'/>;
            <input type ='submit' name ='productchange' value = 'Change Product'>
        </td>";

    echo "</form>";
    echo "</tr>";
    }
    echo "</table>";
}
```

Edit 22

```
234
235     $stmt->execute([$_SESSION["CustomerID"]]);
```

```
234
235     $stmt->execute();
236     $result = $stmt->fet
```

Edit 23

```
.ProducerID WHERE b.ProducerID = ? ORDER BY b
```

Removed where statement

```
ucerID = s.ProducerID ORDER BY b.ProductID ASC";
```

Edit 24

```
elseif ($_SERVER["REQUEST_METHOD"] == "POST") {
    $usr = product_buy2(dbconnect_insert(), $conn);
}
```

```
if ($_SERVER["REQUEST_METHOD"] == "POST" && isset($_POST['Productbuy'])) {
    $productID = intval($_POST['ProductID']);
    product_buy($conn, $productID);
}
```

Edit 25