


6 NOT USED
A6.1 —



5. TILE CLEANER: DETERDEK, BY FILA SURFACE CARE PRODUCTS - NO SUBSTITUTIONS ALLOWED
CAN BE ORDERED BY EUROWEST, CROSSVILLE, OR DIRECT FROM MANUFACTURER: FILA/DETERDEK
POST INSTALLATION CLEANING REQUIRED ON ALL FLOOR TILE INSTALLATIONS PRIOR TO RESTAURANT TURN OVER.

APPLY CLEANER PER MANUFACTURER'S WRITTEN INSTRUCTIONS.
REFERENCE: McDONALD'S PROJECT MANUAL - SECTION 09300 TILING INTERIOR.
6. GROUT COLOR AND MANUFACTURER AS INDICATED ON SHEET A1.0 AND INTERIOR DECOR. DRAWINGS.

GENERAL FINISH NOTES:

1. ALL FINISH SURFACES OF WALL AND CEILING MATERIALS SHALL BE CLASS B AND SHALL BE A FIVE MIN. SPREAD RATING OF 26 TO 75 AND A SMOKE DENSITY OF 450 MAX. (PER IBC TABLE 803.9).
2. DECORATIVE MATERIALS SHALL BE FLAME RETARDANT AND MEET THE CRITERIA OF NFPA 701.
3. DECORATIVE MATERIAL SHALL NOT CONCEAL EXITS, EXIT LIGHTS, ALARM STATIONS, HOSE CABINETS, AND EXTINGUISHER LOCATIONS
4. WHEN BUILDING TYPE IS A NON-COMBUSTIBLE CATEGORY, ALL PLYWOOD SHALL BE FIRE RETARDANT TREATED.
5. A. FRP OVER CEMENT BD BEHIND 3-COMP SINK TO HGT OF BACK SPLASH
B. TILE WAINSCOT TO 6' A.F.F. OVER CEMENT BD. OVER EXT GRADE PLYWOOD (NOTE 4) AT MOP SINKS
6. PROVIDE CEMENT BOARD BACKER OR EQUIVALENT AT ALL TILE LOCATIONS.
7. PROVIDE VAPOR BARRIER BEHIND PLYWOOD AT WALLS AND BEHIND GYP. AT CEILING

* SEE CEILING PLAN FOR HEIGHTS & LAYOUTS
** VVC ON EXTERIOR WALL ASSEMBLIES TO BE PERFORMED



SHEET NO.	TITLE	DRAWN BY	DATE
A6.1	2019 STANDARD BUILDING — BB20 4597F10—WOOD/WOOD	DIA 2019..11	
FINISH SCHEDULES	DESCRIPTION	REVIEWED BY	DATE ISSUED
	WOOD BEARING WALLS W/FIBER CEMENT SIDING & CI WOOD ROOF TRUSS FRAMING FIBER CEMENT PANEL/BATTEN/ALPOLIC PANEL/BRICK EXT. FINISH	KD	01/23/20
	SITE ID	SITE ADDRESS	RJ#19175
	015--0071	805 SOUTH 7TH STREET, KANSAS CITY, KS	
©2020 McDonald's USA, LLC			
McDonald's USA, LLC			
These drawings and specifications are the confidential and proprietary property of McDonald's USA, LLC and shall not be copied or reproduced without written authorization. The contract conjunction with its issue date and is not suitable for use on a project other than the one indicated on the title block. Any reference to another project number, drawing or specification number is for informational purposes only. Reproduction of the contract documents for reuse on another project is not authorized.			
ARCHITECTURE & PLANNING 12400 PORTLAND AVENUE, SUITE 100 BURNSVILLE, MN 55337 EMAIL: DAKOTA@PACIFICCRESTDESIGN.COM PHONE: (952) 292-4042 FAX: (952) 292-4043			
reprise DESIGN Architecture, INC. Signature _____ Date 12/03/20 Registration Number 111115320			
I hereby certify that my design, specification or report was prepared by me or under my direct supervision and that I am a duly registered State of Minnesota Professional Engineer.			
B	12/03/20	SERVICE AREA OPTIMIZATION	DIA
A	11/13/20	USDO SAO SET REVIEW	DIA
A	05/05/20	CIVIL & PLAN REVIEW COMMENTS	DIA
.	01/23/20	PERMIT SET	DIA
REV	01/13/20	USDO PROGRESS SET REVIEW	BY