```
User (<u>u_id</u>, Username, Password)
Fan (<u>u id</u>, name, DOB, block_end_date, national_ID)
System_Admin (<u>u_id</u>)
Associative_Manager (u_id, Name)
Representative (<u>u_id</u>, <u>c_id</u>,Name)
Representative.c_id references Club.c_id
Manager (<u>u_id,s_id</u>,Name)
Manager.s_id references Stadium.s_id
Block (<u>Fan_id</u>, system_admin_id)
       -----
Block.Fan_id references Fan.u_id
Block.system_admin_id reference System_Admin.u_id
Match (<u>match_id</u>, ending_time, allowed_attendees, starting_time, u_id,s_id)
Match.u_id references Associative_Manager.u_id
Match.s_id references Stadium.s_id
Host (c_id, match_id)
     -----
Host.c_id references Club.c_id
Host.match_id references Match.match_id
Guest (c_id, match_id)
Guest.c_id references Club.c_id
Guest.match_id references Match.match_id
```

Club (<u>c_id</u>,Location,Name)

Stadium (<u>s_id</u>,name,Location,Status,Capacity)

 $Requests_Permission \\ (permission_status,starting_time,ending_time,\underline{r_id},\underline{manager_id},\underline{club_id},\underline{stadium_id})$

Requests_Permission.r_id references Representative.u_id Requests_Permission.manager_id references Manager.u_id Requests_Permission.club_id references Club.c_id Requests_Permission.stadium_id references Stadium.s_id

Ticket (status ,t_id, match_id, u_id)

Ticket.match_id references Match.match_id Ticket.u_id references Fan.u_id