October 2022

Science Olympiad at the University of Texas at Austin

Solar Power B

Aishwarya Ganesh^{1,*}

¹University of Texas at Austin, B.S. Astronomy & Physics '22

Directions:


- 1. In order to earn full credit, correct significant figures and units must be included in the answer, unless stated otherwise.
- 2. Teams will have 50 minutes to complete the exam.

*email: aishwaryaganesh99@utexas.edu

- 1. (1.00 pts) An aluminum plate has a circular hole in the middle. What happens to the size of the hole as the plate is heated up?
- A) Increases
- O B) Decreases
- O C) Stays the same
- O D) Increases the top half of the hole
- O E) More information is required

2. (1.00 pts)

Use the figure below to answer the next 2 questions, where a thermodynamic system begins at the initial state X and travels along the path shown in the P-V diagram.



From X \rightarrow Y, Δ U> 0 and

- \bigcirc A) Q < 0 and W = 0
- B) Q < 0 and W > 0
- O C) Q > 0 and W < 0</p>
- \bigcirc D) Q > 0 and W = 0
- E) Q > 0 and W > 0

3. (1.00 pts) From $Y \rightarrow Z$, $\Delta U > 0$ and

\bigcirc A) W<0&Q=0
O B) W = 0 & Q < 0
O W = 0 & Q > 0
\bigcirc D) W > 0 & Q = 0
○ E) W>0&Q>0
4. (1.00 pts) The average kinetic energy of molecules in an ideal gas at temperature T is E. What is the average kinetic energy of molecules in an ideal gas if the temperature is doubled?
O A) 2/√E
О в) E
O C) √2E
D) 2E
○ E) 4E
5. (1.00 pts) A container filled with an ideal gas has a temperature T. What happens to the pressure of the container when the temperature doubles?
A) Doubles
O B) Quadruples
O C) Triples
O) Decreased to one half
O E) Decreased to one fourth
6. (1.00 pts) Which type of heat transfer describes the internal transfer of heat through vibrations of atoms and molecules?
O N Committee
O A) Convection
B) Radiation
B) RadiationC) Conduction
O B) Radiation
B) RadiationC) Conduction
B) RadiationC) ConductionD) Advection
B) RadiationC) ConductionD) Advection
 B) Radiation C) Conduction D) Advection E) Diffusion 7. (1.00 pts) Two scientists perform an experiment to identify the boiling point of an unknown substance. The first scientist measures 120°C and the second scientist measures 250°F. Which
B) Radiation C) Conduction D) Advection E) Diffusion 7. (1.00 pts) Two scientists perform an experiment to identify the boiling point of an unknown substance. The first scientist measures 120°C and the second scientist measures 250°F. Which measurement is higher and by how much?
B) Radiation C) Conduction D) Advection E) Diffusion 7. (1.00 pts) Two scientists perform an experiment to identify the boiling point of an unknown substance. The first scientist measures 120°C and the second scientist measures 250°F. Which measurement is higher and by how much?
 B) Radiation C) Conduction D) Advection E) Diffusion 7. (1.00 pts) Two scientists perform an experiment to identify the boiling point of an unknown substance. The first scientist measures 120°C and the second scientist measures 250°F. Which measurement is higher and by how much? A) 250°F is the higher temperature by 2°C B) 250°F is the higher temperature by 2°F
B) Radiation C) Conduction D) Advection E) Diffusion 7. (1.00 pts) Two scientists perform an experiment to identify the boiling point of an unknown substance. The first scientist measures 120°C and the second scientist measures 250°F. Which measurement is higher and by how much? A) 250°F is the higher temperature by 2°C B) 250°F is the higher temperature by 2°C C) 120°C is the higher temperature by 2°C
B) Radiation C) Conduction D) Advection E) Diffusion 7. (1.00 pts) Two scientists perform an experiment to identify the boiling point of an unknown substance. The first scientist measures 120°C and the second scientist measures 250°F. Which measurement is higher and by how much? A) 250°F is the higher temperature by 2°C B) 250°F is the higher temperature by 2°F C) 120°C is the higher temperature by 2°F D) 120°C is the higher temperature by 2°F
B) Radiation C) Conduction D) Advection E) Diffusion 7. (1.00 pts) Two scientists perform an experiment to identify the boiling point of an unknown substance. The first scientist measures 120°C and the second scientist measures 250°F. Which measurement is higher and by how much? A) 250°F is the higher temperature by 2°C B) 250°F is the higher temperature by 2°F C) 120°C is the higher temperature by 2°F D) 120°C is the higher temperature by 2°F
B) Radiation C) Conduction D) Advection E) Diffusion 7. (1.00 pts) Two scientists perform an experiment to identify the boiling point of an unknown substance. The first scientist measures 120°C and the second scientist measures 250°F. Which measurement is higher and by how much? A) 250°F is the higher temperature by 2°C B) 250°F is the higher temperature by 2°F C) 120°C is the higher temperature by 2°C D) 120°C is the higher temperature by 2°F E) They are both the same temperature.
 B) Radiation C) Conduction D) Advection E) Diffusion 7. (1.00 pts) Two scientists perform an experiment to identify the boiling point of an unknown substance. The first scientist measures 120°C and the second scientist measures 250°F. Which measurement is higher and by how much? A) 250°F is the higher temperature by 2°C B) 250°F is the higher temperature by 2°F C) 120°C is the higher temperature by 2°C D) 120°C is the higher temperature by 2°F E) They are both the same temperature. 8. (3.00 pts) Choose all of the following elements that can be used in this process to create N-type semiconductors.
 B) Radiation C) Conduction D) Advection E) Diffusion 7. (1.00 pts) Two scientists perform an experiment to identify the boiling point of an unknown substance. The first scientist measures 120°C and the second scientist measures 250°F. Which measurement is higher and by how much? A) 250°F is the higher temperature by 2°C B) 250°F is the higher temperature by 2°F C) 120°C is the higher temperature by 2°F D) 120°C is the higher temperature by 2°F E) They are both the same temperature. 8. (3.00 pts) Choose all of the following elements that can be used in this process to create N-type semiconductors. (Mark ALL correct answers) A) Arsenic
O B) Radiation C C) Conduction D) Advection E) Diffusion 7. (1.00 pts) Two scientists perform an experiment to identify the boiling point of an unknown substance. The first scientist measures 120°C and the second scientist measures 250°F. Which measurement is higher and by how much? A) 250°F is the higher temperature by 2°C B) 250°F is the higher temperature by 2°F C) 120°C is the higher temperature by 2°C D) 120°C is the higher temperature by 2°F E) They are both the same temperature. 8. (3.00 pts) Choose all of the following elements that can be used in this process to create N-type semiconductors. (Mark ALL correct answers) A) Arsenic B) Antimony
 B) Radiation C) Conduction D) Advection E) Diffusion 7. (1.00 pts) Two scientists perform an experiment to identify the boiling point of an unknown substance. The first scientist measures 120°C and the second scientist measures 250°F. Which measurement is higher and by how much? A) 250°F is the higher temperature by 2°C B) 250°F is the higher temperature by 2°F C) 120°C is the higher temperature by 2°F E) They are both the same temperature. 8. (3.00 pts) Choose all of the following elements that can be used in this process to create N-type semiconductors. (Mark ALL correct answers) A) Arsenic B) Antimony C) Boron


What is the name of the process that adds impurities to pure semiconductors in order to alter its electrical properties?

9. (1.00 pts)

Doping
10. (1.00 pts) This is the main source of energy for humans:
 A) Natural gas B) Oil C) Waves in the ocean D) The Sun E) Nuclear power plants
11. (1.00 pts) Energy is created when wind blows into a turbine and turns the
 A) blades that connect to a gearbox. B) generators that are placed underground. C) drains that irrigate wetlands. D) towers that maintain farms
12. (3.00 pts) Which of the following are greenhouse gases? Choose multiple answers.
(Mark ALL correct answers) A) Carbon Monoxide B) Methane C) Helium D) Sulfur Hexafluoride E) Nitrogen F) Nitrous Oxide
13. (1.00 pts) Fill in the blank with the term or phrase best paired with the following definition: the highest rate at which a potentially renewable resource can be used indefinitely without reducing its available supply.
sustainable yield
14. (1.00 pts) Geothermal energy is made from the production of high pressure and the breakdown of underground elements.
radioactive
15. (1.00 pts) Greenhouses use solar heating to collect the sun's energy.
A) activeB) passive
16. (1.00 pts) What substance allows solar power plants to provide 24 hours of power, even when the sun is not shining?
salt
17. (2.00 pts) The Investment Tax Credit (ITC) offers a financial incentive for the use of power by allowing a federal tax deduction of% of the cost of installation.
solar 26

18. (4.00 pts) Wind and solar power are both examples of resources (hint: be more specific than renewable)
perpetual
19. (1.00 pts) force is ultimately responsible for the energy obtained by tides.
Gravitational
20. (1.00 pts) A tidal range of at least how many feet is required to economically produce tidal energy?
 ○ A) 5 ○ B) 8 ○ C) 10 ○ D) 12 ○ E) 17
21. (4.00 pts) Contrary to what the common phrase "Reuse, Reduce, Recycle" suggests, there are actually 5 "Rs" of waste management. Fill in the missing terms in order of the 5 Rs hierarchy:
Refuse Repurpose
22. (2.00 pts) The combustion of fossil fuels during electricity production results in large amounts of wasted heat. As a result, power plants can become more efficient by installing a CHP unit that utilizes this heat for other functions. This practice of utilizing the otherwise wasted heat created in power plants is called:
(Mark ALL correct answers) ☑ A) Distributed generation
☑ B) Recycled energy☐ C) Thermal-electrical conservation
☑ D) Cogeneration ☐ E) Coefficiency
E) Coefficiently
23. (1.00 pts) Because hydropower does not burn material to create energy, this process prevents the pollution of the atmosphere
True
24. (1.00 pts) When an object has a temperature of 0°C, it no longer has thermal energy.
○ True ● False
25. (1.00 pts) Solar panels provide a method for passive heating.
○ True ● False
26. (1.00 pts) Specific heat describes the amount of energy needed to reduce the temperature of a substance of 1 kg by 1 degree.
○ True ● False
27. (1.00 pts) Like many other heating systems, GHP systems generate heat rather than transferring it.

○ True ● False
28. (1.00 pts) Once built, the energy created by wind turbines results in no greenhouse gas emissions.
● True ○ False
29. (1.00 pts) Hydrolysis is the process of the breakdown of water into gaseous hydrogen and oxygen.
○ True ● False
30. (1.00 pts) Check whether the events in the fuel cell for each corresponding letter are true or false.
D E
Part A describes hydrogen entering the side of the electrode with the negative terminal True O False
31. (1.00 pts) Part B describes oxygen entering the cell on the side with the positive electrode.
○ True ● False
32. (1.00 pts) Part D is the negative electrode, and part E is the positive electrode.
True False
33. (1.00 pts) An open system gains and loses energy due to its surroundings.
● True ○ False
34. (1.00 pts) Label the parts of the closed cycle system. Given is a word bank with all the terms needed to fill in the diagram.



43. (1.00 pts) What is part 10?

	10
	Word Bank: circulation pump, condenser, evaporator, waste water, surface water, turbine, line to grid, waste water, deep water, generator
	What is part 1?
	'
surface water	
35. (1.00 pts)	What is part 2?
evaporator	
36. (1.00 pts)	What is part 3?
waste water	
37. (1.00 pts)	What is part 4?
A subting	
turbine	
38. (1.00 pts)	What is part 5?
generator	
39. (1.00 pts)	What is part 6?
line to grid	
40. (1.00 pts)	What is part 7?
waste water	
41. (1.00 pts)	What is part 8?
condenser	
42. (1.00 pts)	What is part 9?
deep water	

deep water


52. (1.00 pts) What is part 9?

circulation pump 44. (1.00 pts) Label the parts for the open cycle system. Given is a word bank with the correct terms for each number. Word Bank: generator, surface water, vacuum chamber, desalinated water, vacuum pump, waste water, deep water, condenser, line to grid, turbine What is part 1? surface water **45. (1.00 pts)** What is part 2? vacuum chamber **46. (1.00 pts)** What is part 3? turbine **47. (1.00 pts)** What is part 4? generator 48. (1.00 pts) What is part 5? line to grid **49. (1.00 pts)** What is part 6? desalinated water **50. (1.00 pts)** What is part 7? condenser **51. (1.00 pts)** What is part 8?

waste water
53. (1.00 pts) What is part 10?
vacuum pump
54. (1.00 pts) Which law states that energy cannot be created or destroyed?
A) First law of thermodynamics
O B) Second law of thermodynamics
C) Third law of thermodynamicsD) Fourth law of thermodynamics
55. (1.00 pts) What is the most abundant fossil fuel on Earth?
A) Coal
O B) Natural gas
O C) Crude
O D) Wood
O E) Petroleum
56. (1.00 pts) A transducer is a device that converts energy to energy.
chemical electrical
57. (3.00 pts) A copper pipe with a diameter of 20 mm has a convective heat transfer coefficient of $h=6W/m^2K$. Find the convection per meter of the pipe when the external temperature is 80°C and the surroundings are at 20°C. Round to the nearest tenth and give your answer in terms of W/m. Do not write the units in the answer space.
22.6
58. (1.00 pts) Convert 50°F to Celsius. Round to the nearest whole number and give your answer as an integer without units.
10
59. (1.00 pts) Which of the following relationships does not follow from the ideal gas law, where V = volume?
A) V C pressure
O B) V ∝ temperature
O D V x mass
O D) V ∝ mass
60. (1.00 pts)

Compressibility is a key determinant of how much work can be done on or by a gas, and can be defined as Z = PV/RT where V is the molar volume. Which of the following lines identifies an ideal gas?

2.0
1.5
N 10
0.5
0 200 400 600 P (atm)
O A) Dark blue
B) Light blue
O C) Orange
O D) Yellow
61. (1.00 pts) An ideal gas in a closed container initially has volume V, pressure P, and Kelvin temperature T. If the temperature is changed to 3T, which of the following pairs of pressure and
volume values is possible?
A) 3P and V
O B) P and V
O C) P and V/3
Op) P/3 and V
○ E) 3P and 3V
62. (1.00 pts) Which of the following is always a characteristic adiabatic process?
O A) The temperature does not change
O B) The internal energy does not change
O C) No work is done on or by the system
On The pressure does not change
No heat flows into or out of the system
C2 (4.00 sts) According to the kinetic theory of gazes when the absolute temporature of an ideal gaz devibles the average kinetic anarmy of the melecules of the gaz
63. (1.00 pts) According to the kinetic theory of gases, when the absolute temperature of an ideal gas doubles, the average kinetic energy of the molecules of the gas
O A) quadruples
B) doubles
O c) stays the same
Op) is cut in half
© E) is quartered
64. (1.00 pts) The theoretical Carnot efficiency of a heat engine operating between 600 °C and 100 °C is
O A) 16.7%
O B) 20.0%
O C) 42.7%
● D) 57.3%
O E) 83.3%
65 (1 00 pts) Examine the fluid flow echematic helow. By what process is the flowing gas transferring heat to the external cooler?



- O A) Convection
- O B) Conduction
- O C) Radiation
- O D) Successive rounds of expansive cooling and thermal contraction


66. (1.00 pts)

The work done during a gas expansion or contraction is related to pressure and change in volume. More specifically, "pressure" refers to pressure of the ______ while change in volume refers to change in volume of the _____.

- O A) System, system
- O B) System, surroundings
- C) Surroundings, system
- O D) Surroundings, surroundings

67. (1.00 pts)

Imagine that a gas is weighed down by a piston with weight on it, as below. Which of the following scenarios would produce the maximum magnitude of work done BY the gas? Assume all are realistically possible. Hint: draw out each process on a PV diagram if you need to.



- O A) Removing all of the weight all at once to let the gas fully expand
- B) Removing an infinitesimally small amount of weight little by little until all of the weight is removed and the gas has fully expanded
- O C) None of the above; both would produce the same magnitude of work

68. (1.00 pts)

There are two kinds of commonly used heat capacities in gaseous thermodynamic problems. C_p refers to the heat capacity at constant pressure. C_v refers to the heat capacity at constant volume. For a given amount of a gas which is being heated, which is higher, its C_v or C_p ?

- \bigcirc A) Cv, because gas requires more energy to become hotter when constrained by a constant volume
- Cp, because some heat would be lost to expansion work
- O Cp, because some heat would be lost to contraction work
- O D) Cv, because a constant volume would lead to more gas particles colliding as it expands

69. (1.00 pts) Doping is the process that adds impurities to pure semiconductors in order to alter its electrical properties.			
True False			

© 2020 - powered by Scilympiad (https://scilympiad.com)

Support (/ut-invite/Support) | Contact (/ut-invite/Home/Contact)