Instructions (shown before students start the test)

Welcome to Dynamic Planet at UT Regionals! You will have 50 minutes to take this test.

Per Texas Science Olympiad rules, you must have printed notes for this event. If you are communicating with your partner through a voice or video call, please start it before you begin the test itself.

Significant time spent outside of the browser window is grounds for a penalty or disqualification per TSO policies.

Introduction (shown after students start the test)

5. (1.00 pts)

Welcome to Dynamic Planet at UT Regionals! You will have 50 minutes to take this test.

Per Texas Science Olympiad rules, you must have printed notes for this event. If you are communicating with your partner through a voice or video call, please start it before you begin the test itself.

Significant time spent outside of the browser window is grounds for a penalty or disqualification per TSO policies.

What is an advantage of making a water sampling bottle out of plastic instead of metal

O A) It allows for data collection at a deeper depth do to metallic thermal properties

C) It allows for a lower contamination of the water sample that is being gathered
On There is no advantage, scientists as moving away from the use of plastic
O E) All but d are correct
6. (1.00 pts) Where are internal waves most likely to form?
A) Near the bettem of the water column
A) Near the bottom of the water column D) In arroan of interference between intersecting your trains.
B) In areas of interference between intersecting wave trains On Alexa the companyation depth
C) Along the compensation depth
On Where there are enclosed bodies of water
O E) Near the surface around 100 m in depth
O F) Along the pycnocline
7. (1.00 pts) What is the result of the process of caballing?
Overturned stratification of the ocean in a particular area
O B) A water mass with a lower oxygen content than all surrounding water masses
O C) A water mass with a lower salinity than the water mass it rests on top of
O D) A water mass less dense than the two that came together to form it
○ E) A water mass denser than the two that came together to form it
8. (1.00 pts) What property is shared by tombolos, barrier islands, deltas, and tidal deltas?
A) they all form as a direct result of tidal action
O B) They all form due to longshore currents
C) They are all erosional features
On All of them are largely composed of sediment particles less than 2 mm in diameter
C E) They all form where rivers meet oceans
9. (1.00 pts) Which of the following is a mechanism that transfers energy from the equator to the poles?
c. (1.00 pts) While of the following to a most latitude and one of the equation to the poster.
Ocean Surface currents
B) The meridional overturning circulation
O C) Hurricanes
Op) the global wind system
© E) All of the above
O F) None of the above
10. (1.00 pts) Why is the meteorological equator not in the same location as the geographic equator?
O A) a. The world's oceans are not evenly distributed, with more water in the northern hemisphere than the southern, dragging the meteorological equator north
O B) b. The world's oceans are not evenly distributed, with more water in the southern hemisphere than the norther, dragging the meteorological equator north
O c) c. The world's oceans are not evenly distributed, with more water in the northern hemisphere than the southern, dragging the meteorological equator south
O D) d. The world's oceans are not evenly distributed, with more water in the southern hemisphere than the norther, dragging the meteorological equator south
E) e. The thermal output of the midocean ridges is larger in the north than the south, dragging the meteorological equator north
F) f. The thermal output of the midocean ridges is larger in the south than the north, dragging the meteorological equator north

11. (1.00 pts) Which of the following is NOT true about the vertical structure of the ocean?

 \bigcirc B) It eliminates the need for a messenger

At the find landudes, the structure is neterogenous during the entire year, with the mixed layer changing thickness depending on the season	
O B) the thickness of the surface layer depends on the latitude	
O C) The are latitudes that lack distinct thermoclines during some portions of the year	
O D) At a latitude near the equator, the temperature of the ocean around 2000 m is significantly warmer than the same depth near the latitude of Seattle, Washington	
O E) Near the equator, there is very little seasonal variation in the thickness of the mixed layer	
O F) None of these	
12. (1.00 pts) Which of the following is true about tsunamis?	
A) The majority of underwater earthquakes cause tsunamis	
Tsunami wave speed is the same in all portions of the deep ocean	
C) The occurrence of tsunamis is generally evenly distributed between the world's oceans	
 D) The height of a tsunami is related only to the size of the earthquake or disturbance that triggered it 	
○ E) None of these	
13 (1.00 nts) Which of the following is true regarding subpolar curse?	
13. (1.00 pts) Which of the following is true regarding subpolar gyres?	
O A) They form around areas of low pressure	
They rotate counterclockwise in the northern hemisphere	
 C) They contain a lower amount of biologic activity compared to the surrounding ocean in general 	
O D) A and B above only	
O E) All of the above	
○ F) None of the above	
,	
14. (1.00 pts) Where in the ocean would the tidal range during a spring tide be the same as the tidal range during a neap tide?	
O A) At the amphidromic points	
O B) In the centers of all gyres	
O C) Anywhere with mixed tides	
O D) At the antipodes	
O E) Nowhere	
15. (1.00 pts) Which location is likely to be the least effected by an El Nino event?	
O A) The coast along the Gulf of Mexico	
O B) The northeastern coast of the United States	
O C) Southeastern Asia	
Op) Off the shore of Peru	
E) All of these would be effected by El Nino	
16. (1.00 pts) What process is responsible for the generation of a longshore current?	
O A) Wind blowing parallel to the coastline	
O B) Wind blowing perpendicular to the coastline	
O C) Wave motion and backwash	
O D) Deep ocean currents encountering the continent	
O E) None of these	
17. (1.00 pts) If you drilled a core from the middle of an atoll, what would you find?	

O B) A layer of volcanic rock on top of a layer of coral
C) A layer of salt on top of a layer of coral
O D) A layer of limestone on top of a layer of volcanic rock
O E) Any of these would be possible, depending on the atoll
18. (1.00 pts) Which of the following is true about the elements in the ocean that can be described as scavenged elements?
O A) An example of a scavenged element is strontium
O B) They are often attached to the surfaces of particles, sinking quickly out of the water column
O C) These elements are more depleted in the deep water of the Indian and Pacific Ocean than in the deep water of the Atlantic Ocean
O D) B and C above
○ E) All of the above
○ F) None of the above
19. (1.00 pts) Which of the following elements is significantly more abundant in the continental crust than in the oceanic crust, influencing where it enters the ocean system?
O A) Iron
O B) Magnesium
O C) Calcium
Opportassium
O E) All of these occur in the same amounts in both crustal types
20. (1.00 pts) Which of the following does not match the device with the function of the device?
○ A) Secchi disk - water clarity
 A) Secchi disk - water clarity B) Radiometer- information regarding surface temperature
Radiometer- information regarding surface temperature
 B) Radiometer- information regarding surface temperature C) Reversing thermometer - temperature at depth
 B) Radiometer- information regarding surface temperature C) Reversing thermometer - temperature at depth D) Salinometer - Salinity
 B) Radiometer- information regarding surface temperature C) Reversing thermometer - temperature at depth D) Salinometer - Salinity
B) Radiometer- information regarding surface temperature C) Reversing thermometer - temperature at depth D) Salinometer - Salinity E) Echo sounder- speed of sound in the ocean
B) Radiometer- information regarding surface temperature C) Reversing thermometer - temperature at depth D) Salinometer - Salinity E) Echo sounder- speed of sound in the ocean 21. (1.00 pts) Which of the following is generally true about upwelling and downwelling in the ocean?
B) Radiometer- information regarding surface temperature C) Reversing thermometer - temperature at depth D) Salinometer - Salinity E) Echo sounder- speed of sound in the ocean 21. (1.00 pts) Which of the following is generally true about upwelling and downwelling in the ocean? A) Generally speaking, either in the large scale or the small scale, currents diverging from a central location leads to downwelling
B) Radiometer- information regarding surface temperature C) Reversing thermometer - temperature at depth D) Salinometer - Salinity E) Echo sounder- speed of sound in the ocean 21. (1.00 pts) Which of the following is generally true about upwelling and downwelling in the ocean? A) Generally speaking, either in the large scale or the small scale, currents diverging from a central location leads to downwelling B) b. Generally speaking, either in the large scale or the small scale, currents diverging from a central location leads to upwelling
B) Radiometer- information regarding surface temperature C) Reversing thermometer - temperature at depth D) Salinometer - Salinity E) Echo sounder- speed of sound in the ocean 21. (1.00 pts) Which of the following is generally true about upwelling and downwelling in the ocean? A) Generally speaking, either in the large scale or the small scale, currents diverging from a central location leads to downwelling B) b. Generally speaking, either in the large scale or the small scale, currents diverging from a central location leads to upwelling C) c. Upwelling can bring more nutrient poor water to the surface along coastlines and in other locations that it occurs
B) Radiometer- information regarding surface temperature C) Reversing thermometer - temperature at depth D) Salinometer - Salinity E) Echo sounder- speed of sound in the ocean 21. (1.00 pts) Which of the following is generally true about upwelling and downwelling in the ocean? A) Generally speaking, either in the large scale or the small scale, currents diverging from a central location leads to downwelling B) b. Generally speaking, either in the large scale or the small scale, currents diverging from a central location leads to upwelling C) c. Upwelling can bring more nutrient poor water to the surface along coastlines and in other locations that it occurs D) d. Downwelling can bring more nutrient poor water to the surface along coastlines and in other locations that it occurs
B) Radiometer- information regarding surface temperature C) Reversing thermometer - temperature at depth D) Salinometer - Salinity E) Echo sounder- speed of sound in the ocean 21. (1.00 pts) Which of the following is generally true about upwelling and downwelling in the ocean? A) Generally speaking, either in the large scale or the small scale, currents diverging from a central location leads to downwelling B) b. Generally speaking, either in the large scale or the small scale, currents diverging from a central location leads to upwelling C) c. Upwelling can bring more nutrient poor water to the surface along coastlines and in other locations that it occurs D) d. Downwelling can bring more nutrient poor water to the surface along coastlines and in other locations that it occurs E) There is little pattern to upwelling and downwelling in the ocean
B) Radiometer- information regarding surface temperature C) Reversing thermometer - temperature at depth D) Salinometer - Salinity E) Echo sounder- speed of sound in the ocean 21. (1.00 pts) Which of the following is generally true about upwelling and downwelling in the ocean? A) Generally speaking, either in the large scale or the small scale, currents diverging from a central location leads to downwelling B) b. Generally speaking, either in the large scale or the small scale, currents diverging from a central location leads to upwelling C) c. Upwelling can bring more nutrient poor water to the surface along coastlines and in other locations that it occurs D) d. Downwelling can bring more nutrient poor water to the surface along coastlines and in other locations that it occurs E) There is little pattern to upwelling and downwelling in the ocean
B) Radiometer- information regarding surface temperature C) Reversing thermometer - temperature at depth D) Salinometer - Salinity E) Echo sounder- speed of sound in the ocean 21. (1.00 pts) Which of the following is generally true about upwelling and downwelling in the ocean? A) Generally speaking, either in the large scale or the small scale, currents diverging from a central location leads to downwelling B) b. Generally speaking, either in the large scale or the small scale, currents diverging from a central location leads to upwelling C) c. Upwelling can bring more nutrient poor water to the surface along coastlines and in other locations that it occurs D) d. Downwelling can bring more nutrient poor water to the surface along coastlines and in other locations that it occurs E) There is little pattern to upwelling and downwelling in the ocean F) None of these
B) Radiometer- information regarding surface temperature C) Reversing thermometer - temperature at depth D) Salinometer - Salinity E) Echo sounder- speed of sound in the ocean 21. (1.00 pts) Which of the following is generally true about upwelling and downwelling in the ocean? A) Generally speaking, either in the large scale or the small scale, currents diverging from a central location leads to downwelling B) b. Generally speaking, either in the large scale or the small scale, currents diverging from a central location leads to upwelling C) c. Upwelling can bring more nutrient poor water to the surface along coastlines and in other locations that it occurs D) d. Downwelling can bring more nutrient poor water to the surface along coastlines and in other locations that it occurs E) There is little pattern to upwelling and downwelling in the ocean F) None of these
B) Radiometer- information regarding surface temperature C) Reversing thermometer - temperature at depth D) Salinometer - Salinity E) Echo sounder- speed of sound in the ocean 21. (1.00 pts) Which of the following is generally true about upwelling and downwelling in the ocean? A) Generally speaking, either in the large scale or the small scale, currents diverging from a central location leads to downwelling B) b. Generally speaking, either in the large scale or the small scale, currents diverging from a central location leads to upwelling C) c. Upwelling can bring more nutrient poor water to the surface along coastlines and in other locations that it occurs D) d. Downwelling can bring more nutrient poor water to the surface along coastlines and in other locations that it occurs E) There is little pattern to upwelling and downwelling in the ocean F) None of these 22. (1.00 pts) 22) The atmosphere gets a lot denser in the lowest portion of the atmosphere as a result of gravity. Why isn't this the case in the ocean? A) a. The ocean is thinner, so the deepest portions of the ocean don't experience the same gradient than the atmosphere
B) Radiometer- information regarding surface temperature C) Reversing thermometer - temperature at depth D) Salinometer - Salinity E) Echo sounder- speed of sound in the ocean 21. (1.00 pts) Which of the following is generally true about upwelling and downwelling in the ocean? A) Generally speaking, either in the large scale or the small scale, currents diverging from a central location leads to downwelling B) b. Generally speaking, either in the large scale or the small scale, currents diverging from a central location leads to upwelling C) c. Upwelling can bring more nutrient poor water to the surface along coastlines and in other locations that it occurs D) d. Downwelling can bring more nutrient poor water to the surface along coastlines and in other locations that it occurs E) There is little pattern to upwelling and downwelling in the ocean F) None of these 22. (1.00 pts) 22) The atmosphere gets a lot denser in the lowest portion of the atmosphere as a result of gravity. Why isn't this the case in the ocean? A) a. The ocean is thinner, so the deepest portions of the ocean don't experience the same gradient than the atmosphere B) b. The ocean is closer to the earth's core, changing the interaction with gravity
B) Radiometer- information regarding surface temperature C) Reversing thermometer - temperature at depth D) Salinometer - Salinity E) Echo sounder- speed of sound in the ocean 21. (1.00 pts) Which of the following is generally true about upwelling and downwelling in the ocean? A) Generally speaking, either in the large scale or the small scale, currents diverging from a central location leads to downwelling B) b. Generally speaking, either in the large scale or the small scale, currents diverging from a central location leads to upwelling C) c. Upwelling can bring more nutrient poor water to the surface along coastlines and in other locations that it occurs D) d. Downwelling can bring more nutrient poor water to the surface along coastlines and in other locations that it occurs E) There is little pattern to upwelling and downwelling in the ocean F) None of these 22. (1.00 pts) 22) The atmosphere gets a lot denser in the lowest portion of the atmosphere as a result of gravity. Why isn't this the case in the ocean? A) a. The ocean is thinner, so the deepest portions of the ocean don't experience the same gradient than the atmosphere B) b. The ocean is closer to the earth's core, changing the interaction with gravity C) c. The ocean is composed largely of water, which is largely incompressible limiting the degree to which density can increase, unlike air, which compresses readily

O A) A layer of coral on top of a layer of salt

23. (1.00 pts) 23) Because of the presence of the near the equator, there is a near-constant band of clouds and precipitation that leads to the region within a few degrees of the equator to have more precipitation than evaporation, decreasing the salinity of the ocean there
 A) Trade winds B) Doldrums C) Horse Latitudes D) Farrell Cell E) Hadley Cell F) None of these
24. (1.00 pts) 24) If the direction of the Earth's rotation was reversed (so as to rotate at the same speed but in the opposite direction), the effect on surface currents would be:
 A) a. Subtropical gyres would continue to rotate in the same direction, but the rotation of subpolar gyres would be reversed B) b. The western boundary currents would be even stronger than they are now, with the eastern boundary currents becoming even wider and weaker C) c. There would be intensification of the equatorial counter currents, but no influence on the eastern or western boundary currents D) d. The western boundary currents would be significantly weakened, while the eastern boundary currents would be strengthened E) All ocean currents would cease to operate in such a situation F) The ocean currents would be unaffected in such a situation
25. (1.00 pts) 25) The chain of seamounts that makes up the Emperor Seamount chain was formed by:
 A) a. A hot spot that is moving through the mantle under the Pacific plate B) b. A series of hot spots that have formed under the Pacific plate over time C) c. A hot spot that has remained in a fixed location while the Pacific plate moved over top of it D) d. An oceanic-oceanic convergence zone that is no longer active, with only remnant volcanism occurring now E) e. None of these
26. (1.00 pts) the closest analog to a submarine fan on land is a(n) where a river exits a mountain range and spreads out over the land, dropping sediments
 A) Alluvial fan B) discharge fan C) land delta D) subaerial fan E) None of these
27. (1.00 pts) In which of the following locations would it be unlikely to have an atoll form in time if there was a hot spot that produced a chain of volcanic islands?
 A) The Atlantic Ocean, near the Puerto Rico trench B) The Pacific ocean, near the Tonga trench C) The Southern Ocean, on the Scotia Plate D) The Mediterranean Sea, near Italy E) All of these would likely have atoll formation over time
28. (1.00 pts) 28) The ocean overturning circulation takes approximately years, meaning that since the ocean formed, the ocean could have overturned approximately times since its formation if it always overturned at the same rate.
O A) a. 100, 3.8 X 10 ⁴ 7 O B) b. 100, 4.5 X 10 ⁴ 7

O C) c. 1000, 3.8 X 10 ⁶
O D) d. 1000, 4.5 X 10^6
○ E) e. 10000, 3.8 X 10^5
O F) f. 10000, 4.5 X 10^5
29. (1.00 pts) Which of the following is the consequence of a passing tidal bore?
A) An abrupt change from flood tide to slack water
○ B) an abrupt increase in the water height
C) An abrupt change from ebb tide to slack water
O) An abrupt decrease in water height
○ E) An abrupt change in tidal resonance
○ F) None of these
30. (2.00 pts) Select all of the following features that are erosional features
(Mark ALL correct answers)
□ A) sea stacks
□ B) tombolos
C) Barrier islands
□ D) coastal terraces
□ E) spits
□ F) tidal deltas
31. (2.00 pts) 31) Which of the following is the correct action to take if you find yourself in a rip current?
O A) a. Swim toward shore as fast as you can, the current is too wide for you to swim out of
 A) a. Swim toward shore as fast as you can, the current is too wide for you to swim out of B) b. Let the current carry you out to sea, then allow a secondary current to carry you back
B) b. Let the current carry you out to sea, then allow a secondary current to carry you back C) c. Swim parallel to shore, sine the rip current is generally not that wide, you will be able to escape the current hen swim to shore D) d. The way to deal with a rip current depends on where you are: in some cases, you swim parallel to shore, in some case you swim toward shore.
B) b. Let the current carry you out to sea, then allow a secondary current to carry you back C) c. Swim parallel to shore, sine the rip current is generally not that wide, you will be able to escape the current hen swim to shore
B) b. Let the current carry you out to sea, then allow a secondary current to carry you back C) c. Swim parallel to shore, sine the rip current is generally not that wide, you will be able to escape the current hen swim to shore D) d. The way to deal with a rip current depends on where you are: in some cases, you swim parallel to shore, in some case you swim toward shore.
B) b. Let the current carry you out to sea, then allow a secondary current to carry you back C) c. Swim parallel to shore, sine the rip current is generally not that wide, you will be able to escape the current hen swim to shore D) d. The way to deal with a rip current depends on where you are: in some cases, you swim parallel to shore, in some case you swim toward shore.
B) b. Let the current carry you out to sea, then allow a secondary current to carry you back C) c. Swim parallel to shore, sine the rip current is generally not that wide, you will be able to escape the current hen swim to shore D) d. The way to deal with a rip current depends on where you are: in some cases, you swim parallel to shore, in some case you swim toward shore. E) None of these 32. (2.00 pts) Select all of the following that correctly match the feature with the portion of the ocean it would be found in
B) b. Let the current carry you out to sea, then allow a secondary current to carry you back C) c. Swim parallel to shore, sine the rip current is generally not that wide, you will be able to escape the current hen swim to shore D) d. The way to deal with a rip current depends on where you are: in some cases, you swim parallel to shore, in some case you swim toward shore. E) None of these 32. (2.00 pts) Select all of the following that correctly match the feature with the portion of the ocean it would be found in (Mark ALL correct answers) A) Manganese modules - continental shelf
B) b. Let the current carry you out to sea, then allow a secondary current to carry you back C) c. Swim parallel to shore, sine the rip current is generally not that wide, you will be able to escape the current hen swim to shore D) d. The way to deal with a rip current depends on where you are: in some cases, you swim parallel to shore, in some case you swim toward shore. E) None of these 32. (2.00 pts) Select all of the following that correctly match the feature with the portion of the ocean it would be found in (Mark ALL correct answers) A) Manganese modules - continental shelf B) Axial ridge - abyssal plain
B) b. Let the current carry you out to sea, then allow a secondary current to carry you back C) c. Swim parallel to shore, sine the rip current is generally not that wide, you will be able to escape the current hen swim to shore D) d. The way to deal with a rip current depends on where you are: in some cases, you swim parallel to shore, in some case you swim toward shore. E) None of these 32. (2.00 pts) Select all of the following that correctly match the feature with the portion of the ocean it would be found in (Mark ALL correct answers) A) Manganese modules - continental shelf B) Axial ridge - abyssal plain C) Fracture zone- continental slope
B) b. Let the current carry you out to sea, then allow a secondary current to carry you back C) c. Swim parallel to shore, sine the rip current is generally not that wide, you will be able to escape the current hen swim to shore D) d. The way to deal with a rip current depends on where you are: in some cases, you swim parallel to shore, in some case you swim toward shore. E) None of these 32. (2.00 pts) Select all of the following that correctly match the feature with the portion of the ocean it would be found in (Mark ALL correct answers) A) Manganese modules - continental shelf B) Axial ridge - abyssal plain C) Fracture zone- continental slope D) Submarine fans- continental rise
B b Let the current carry you out to sea, then allow a secondary current to carry you back C) c. Swim parallel to shore, sine the rip current is generally not that wide, you will be able to escape the current hen swim to shore D) d. The way to deal with a rip current depends on where you are: in some cases, you swim parallel to shore, in some case you swim toward shore. E) None of these 32. (2.00 pts) Select all of the following that correctly match the feature with the portion of the ocean it would be found in (Mark ALL correct answers) A) Manganese modules - continental shelf B) Axial ridge - abyssal plain C) Fracture zone- continental slope D) Submarine fans- continental shelf and continental slope E) Submarine Canyon- continental shelf and continental slope
B) b. Let the current carry you out to sea, then allow a secondary current to carry you back C) c. Swim parallel to shore, sine the rip current is generally not that wide, you will be able to escape the current hen swim to shore D) d. The way to deal with a rip current depends on where you are: in some cases, you swim parallel to shore, in some case you swim toward shore. E) None of these 32. (2.00 pts) Select all of the following that correctly match the feature with the portion of the ocean it would be found in (Mark ALL correct answers) A) Manganese modules - continental shelf B) Axial ridge - abyssal plain C) Fracture zone- continental slope D) Submarine fans- continental rise
B b Let the current carry you out to sea, then allow a secondary current to carry you back C) c. Swim parallel to shore, sine the rip current is generally not that wide, you will be able to escape the current hen swim to shore D) d. The way to deal with a rip current depends on where you are: in some cases, you swim parallel to shore, in some case you swim toward shore. E) None of these 32. (2.00 pts) Select all of the following that correctly match the feature with the portion of the ocean it would be found in (Mark ALL correct answers) A) Manganese modules - continental shelf B) Axial ridge - abyssal plain C) Fracture zone- continental slope D) Submarine fans- continental shelf and continental slope E) Submarine Canyon- continental shelf and continental slope
B) b. Let the current carry you out to sea, then allow a secondary current to carry you back C) c. Swim parallel to shore, sine the rip current is generally not that wide, you will be able to escape the current hen swim to shore D) d. The way to deal with a rip current depends on where you are: in some cases, you swim parallel to shore, in some case you swim toward shore. E) None of these 32. (2.00 pts) Select all of the following that correctly match the feature with the portion of the ocean it would be found in (Mark ALL correct answers) A) Manganese modules - continental shelf B) Axial ridge - abyssal plain C) Fracture zone- continental slope D) Submarine fans- continental shelf and continental slope E) Submarine Canyon- continental shelf and continental slope
B) b. Let the current carry you out to sea, then allow a secondary current to carry you back C) c. Swim parallel to shore, sine the rip current is generally not that wide, you will be able to escape the current hen swim to shore D) d. The way to deal with a rip current depends on where you are: in some cases, you swim parallel to shore, in some case you swim toward shore. E) None of these 32. (2.00 pts) Select all of the following that correctly match the feature with the portion of the ocean it would be found in (Mark ALL correct answers) A) Manganese modules - continental shelf B) Axial ridge - abyssal plain C) Fracture zone- continental slope D) Submarine fans- continental slope D) Submarine Canyon- continental shelf and continental slope F) shelf break- continental shelf
B) b. Let the current carry you out to sea, then allow a secondary current to carry you back C) c. Swim parallel to shore, sine the rip current is generally not that wide, you will be able to escape the current hen swim to shore D) d. The way to deal with a rip current depends on where you are: in some cases, you swim parallel to shore, in some case you swim toward shore. E) None of these 32. (2.00 pts) Select all of the following that correctly match the feature with the portion of the ocean it would be found in (Mark ALL correct answers) A) Manganese modules - continental shelf B) Axial ridge - abyssal plain C) Fracture zone- continental slope D) Submarine fans- continental slope D) Submarine Canyon- continental shelf and continental slope F) shelf break- continental shelf
B) b. Let the current carry you out to sea, then allow a secondary current to carry you back C) c. Swim parallel to shore, sine the rip current is generally not that wide, you will be able to escape the current hen swim to shore D) d. The way to deal with a rip current depends on where you are: in some cases, you swim parallel to shore, in some case you swim toward shore. E) None of these 32. (2.00 pts) Select all of the following that correctly match the feature with the portion of the ocean it would be found in (Mark ALL correct answers) A) Manganese modules - continental shelf B) Axial ridge - abyssal plain C) Fracture zone- continental slope D) Submarine fans- continental slope D) Submarine Canyon- continental shelf and continental slope F) shelf break- continental shelf
B) b. Let the current carry you out to sea, then allow a secondary current to carry you back C) c. Swim parallel to shore, sine the rip current is generally not that wide, you will be able to escape the current hen swim to shore D) d. The way to deal with a rip current depends on where you are: in some cases, you swim parallel to shore, in some case you swim toward shore. E) None of these 32. (2.00 pts) Select all of the following that correctly match the feature with the portion of the ocean it would be found in (Mark ALL correct answers) A) Manganese modules - continental shelf B) Axial ridge - abyssal plain C) Fracture zone- continental slope D) Submarine fans- continental slope D) Submarine Canyon- continental shelf and continental slope F) shelf break- continental shelf

O B) b. The younger, less dense plate subducts under the older heavier plate
O C) c. The older, more dense plate subducts under the younger lighter plate
Op) d. The younger, more dense plate subducts under the older lighter plate
O E) e. Neither plate subducts, pushing up to create large mountains instead
F) f. The plates both subduct creating a deep trench where they collided
34. (2.00 pts) 34) Select all of the following that can influence the height of ocean waves generated in deep water
(Mark ALL correct answers) A) a. The wind speed that is generating the waves B) b. The direction of the wind generating the waves
□ C) c. The temperature of the air above the generated waves
D) d. The duration the wind blows over the ocean
□ E) e. The fetch of the wind blowing over the ocean
☐ F) f. The salinity of the ocean where the waves are being generated
35. (2.00 pts) Select all of the following that are compounds in ocean water that do NOT follow the principle of constant proportions
(Mark ALL correct answers) A) Strontium B) Nitrate C) Sodium D) Potassium E) Phosphate F) Sulfate
36. (2.00 pts) 36) Select all of the coasts that would be described as emergent
(Mark ALL correct answers) A) a. A coast that is experiencing the effect of melting glaciers around the world B) b. A coast that is experiencing the effect of post-glacial rebound
C) c. A coast that is experiencing the effect of tectonic uplift
D) d. A coast that is experiencing the effect of adjustment of the coastline from increased compaction from flood control efforts reducing sediment deposition along the coast
□ E) e. A coast that is experiencing the effect of thermal expansion of water as a result of an increase in global temperature
37. (2.00 pts) 37) Which of the following is true of longshore transport (select all)?
(Mark ALL correct answers) A) a. It carries sediment and water perpendicular to the shore
□ B) b. It carries only water parallel to the shore
C) c. It carries sediment and water parallel to the shore

D) d. It can affect the shape and location of \barrier islands
□ E) e. It can be disturbed by groins and jetties
☐ F) None of these
38. (1.00 pts) The occurrence of which of the following elements in the ocean is generally associated with the deposition of dust from wind blown sediments?
O A) Magnesium
O B) Potassium
O C) aluminum
O D) Silicon
○ E) Manganese
O F) None of these
39. (1.00 pts) Which of the following is most likely to have a reverse estuary?
O A) An arid area
O B) A polar region
O C) A mid-latitude region along a passive margin
O D) A mid-latitude region along an active margin
O E) Along the equator
O F) None of these are more likely to have a reverse estuary than the others
(Mark ALL correct answers) A) a. The particles move in paths such that they move further horizontally than vertically B) b. The wave motion does not extend all the way to the bottom of the ocean C) c. Tidal waves can have their direction influenced by the Coriolis effect D) d. The tidal crest rotates clockwise around the ocean basin in the southern hemisphere E) e. Tidal crests do not move around ocean basins in any systematic manner
41. (1.00 pts) For each meters deep in the ocean one goes, the pressure increases by the equivalent of 1 atmosphere
O A) 5
O B) 10
O C) 15
O D) 18
O E) 20
O F) 25
42. (1.00 pts) Because of the Coriolis effect, there is a slight in the center of subtropical gyres, leading to
O A) Pile up of water, upwelling
O B) Deficit of water, downwelling
O Pile up of water, downwelling
O) Deficit of water, upwelling
O E) Increase in velocity, whirlpools
O F) Increase in velocity, eddies

43. (1.00 pts) vvnich of the following water masses is the most saline?
A) the North Atlantic Deep WaterB) The Antarctic Bottom Water
O C) The Antarctic Intermediate Water
On the South Atlantic Surface Water
○ E) The Mediterranean Intermediate Water
O F) All of these have the same salinity
44. (1.00 pts) the heat being introduced to the ocean along a mid-ocean ridges and other sources of volcanism is derived from:
○ A) The Sun
O B) Heat generated by asteroid impacts
O C) Heat generated by fusion of light elements in earth's core
On Heat generated by fission of radioactive elements throughout Earth's interior
○ E) A combination of the above
○ F) None of the above
45. (1.00 pts) Ocean basins open, grow, shrink, and close in a cyclic process referred to as:
O A) The Wilson Cycle
O B) The Supercontinent Cycle
O C) Continental Drift
On The Theory of Uniformitarianism
○ E) The Accretion Cycle
○ F) None of these
46. (1.00 pts) Because deep ocean wave speeds are dependent on wavelength, deep water waves will sort themselves by wavelength, in a process generally referred to as:
O A) Succession
O B) Precession
O C) Dispersion
OD) Wave training
O E) Dissociation
○ F) None of these
47. (1.00 pts) The is an effect that can influence regional sea level in the Atlantic through the reverse barometer effect
O A) South Atlantic Oscillation
O B) North Atlantic Oscillation
On Central Atlantic Oscillation
D) Eastern Atlantic Oscillation E) Western Atlantic Oscillation
F) None of these
48. (2.00 pts) The ocean currents carry a large amount of water)and therefore energy) throughout the ocean system, so why aren't ocean currents used as a source of energy?
(Mark ALL correct answers) A) They move too slow for them to be efficiently harnessed

☐ B) they occur over too broad an area to be of use

 D) the currents are unreliable and don't flow all the time E) The main surface currents are too far offshore to be useful
49. (2.00 pts) Which of the following is NOT a feature of a primary coast?
43. (2.00 pts) William of the following is No.1 a feature of a primary coast:
(Mark ALL correct answers) A) Deposits of limestone from ocean evaporation B) Sand dunes deposited from winds along the coast C) Sand produced by erosion of lava flows from a terrestrial volcano D) Sediment that has been highly transported by a longshore current and then redeposited E) A river dominated delta
50. (1.00 pts) 50) The polar regions tend to have a higher concentration of dissolved oxygen in their surface water because:
 A) a. There is a higher amount of biological activity producing oxygen through photosynthesis in those regions compared to the other portions of the ocean B) b. The atmosphere over the poles has a higher concentration of oxygen than in the atmosphere over the equator and mid-latitudes C) c. There is less biologic activity in the polar regions, so less oxygen gets used up by cellular respiration D) d. The higher wave action in the area leads to more bubble injection E) e. Gases dissolve more readily into colder water compared to warmer waters F) f. None of these
51. (3.00 pts) 51) Erosion generally works to make coastlines as a result of concentration of erosion on and away from
52. (1.00 pts) 52) The deepest places in all the oceans except the Ocean are formed along convergent plate boundaries
53. (1.00 pts) 53) can result in the formation of rogue waves, waves that are significantly higher than the average wave height
54. (1.00 pts) 54) The Ocean has the most well-studied water mass structure of all the oceans because of the easy differentiation between the various water masses and the shape of the basin.
55. (1.00 pts)
55) The of a chemical in the ocean that is a conservative element is typically much, much greater than the time it takes the ocean to turnover
EC (4.00 mts)
56. (1.00 pts) 56) The nature of slip during along transform faults near mid-ocean ridges provided important confirmation of some elements of the theory of plate tectonics

C) The energy that could be generated from the ocean currents with our current technology is worth less than it would cost to capture it

57. (1.00 pts) can be used to measure the depth of the ocean by pulsing the ocean with compressive waves and measuring the travel time for the wave to travel from the surface, to the seafloor and back.
58. (1.00 pts) 58) The theory of was an important precursor to the modern theory of plate tectonics which was confirmed after measurements of magnetic reversals along the mid-ocean ridges
59. (1.00 pts) 59) If the dominant movement of water is toward the shore, there will be overall along the coast
60. (2.00 pts) 60) The in the South Atlantic is a warm current, serving the same function in the gyre as the in the North Atlantic.
61. (1.00 pts) reefs are separated from the island they surround by a shallow lagoon
62. (1.00 pts) 62) The Chlorinity of a sample is 20 ppt. This means that the salinity of the sample is ppt, rounded to one decimal place.
63. (1.00 pts) 63) The continental shelf, continental slope and continental rise are all underlain by crust.
64. (3.00 pts) 64) There are cyclic variations in the arrangement of tidal bulges that are related to the angle between the at zenith and the Earth's equator (which takes 18.6 years to cycle). In Equilibrium tidal theory, if they Moon and Sun are both directly overhead of the equator, the entire planet would experience tides, with tidal range decreasing with latitude.
65. (1.00 pts) 65) The three-layer structure is fundamentally, with forces of gravity and buoyancy returning the system to its current arrangement when it is disturbed
66. (1.00 pts) 66) The tide generating forces used in equilibrium tidal theory and dynamic tidal theory are different, leading to the difference in their predictions of tidal behaviors
○ True ○ False

67. (1.00 pts)	The oceans store a large volume of carbon dioxide and this storage will remain unaffected as the temperature increases as a result of global climate change
O True O	False
68. (1.00 pts)	68) Tsunami generation is evenly distributed throughout the ocean basins
O True O	False
69. (1.00 pts)	69) The variation in spreading rate along mid-ocean ridges can strongly influence the kind of topography they develop
O True O	False
70. (1.00 pts)	70) Satellite imaging can be used to view the bottom of the ocean directly
O True O	False
71. (1.00 pts)	71) Satellite imaging can be used to gain useful information about the bottom of the ocean
O True O	False
72. (1.00 pts)	72) Rip currents are formed where two currents come together and are forced to flow out to sea
O True O	False
73. (1.00 pts)	73) Unlike the Mediterranean water in the Atlantic, there is no noticeable water mass that can be traced to the Red Sea in the Indian Ocean
O True O	False
74. (1.00 pts) 74) Because t	he speed of sound in the ocean varies within the ocean, there is a minimum velocity zone, in which sound waves can get stuck and travel for thousands of kilometers
O True O	False
75. (1.00 pts)	75) The pH of the ocean increases with depth, leading to the CCD occurring at (on average) about 4.5 km depth
O True O	False
76. (1.00 pts)	76) Collapses along the continental slope having been linked to the occurrence of tsunamis
O True O	False
77. (1.00 pts)	77) A tidal delta is another term for a tide-dominated delta
O True O	False
78. (1.00 pts)	78) Human activities have little to no influence on the shape of our coastlines
O True O	False
79 (1 00 nts)	79) Wayes break randomly as they approach shore, with no relationship existing to predict the behavior of wayes approaching the shore

○ True ○ False
80. (1.00 pts) 80) The principle of the continuity of flow says that since the volume of the ocean is roughly the same at all times, there must be ocean currents in the ocean
○ True ○ False
81. (10.00 pts) 81) Based on the following diagram, answer the following questions:
a. Where is there most likely a hotspot? How did you come to this conclusion?
b. What feature or features is/are likely found along line C? Why do you think this?
c. You are making assumptions based on limited information. Provide four pieces of information that could be gathered by a scientific study that would help verify your conclusions
Key for symbols
Island Seamount Active Volcano Extinct Volcano B1 B2 B3 B4 A4 A5 A6 AA7

Congratulations on taking this test! Wishing you the best of luck on your future tests! If you have any feedback about any of the exams at this tournament, please let us know through this form: https://tinyurl.com/utreg21feedback (https://tinyurl.com/utreg21feedback)

© 2021 - powered by Scilympiad (https://scilympiad.com) | Tournaments (/Tours.html)

 $Terms\ of\ Use\ (/ToS.html)\ |\ Privacy\ (/Privacy.html)\ |\ Cookie\ Policy\ (/Cookie\ Policy.html)\ |\ Support\ (/tx/Support)\ |\ Contact\ (/tx/Home/Contact)\ |\ Cookie\ Policy\ (/Cookie\ Policy\ (/tx/Support\ (/tx/Support\$