



1. Controller dosen



The screenshot shows the Visual Studio Code interface with the 'Dosen.php' file open in the editor. The Explorer sidebar on the left shows the project structure, with 'app > Controllers > Dosen.php' selected. The editor displays the following PHP code:


```
1 <?php
2
3 namespace App\Controllers;
4
5 use App\Controllers\BaseController;
6 use CodeIgniter\HTTP\ResponseInterface;
7
8 class Dosen extends BaseController
9 {
10     public function index()
11     {
12         $dosen = [
13             [
14                 "nidn" => "001",
15                 "nama" => "Dr. Andi",
16                 "matkul" => "Pemrograman Web"
17             ],
18             [
19                 "nidn" => "002",
20                 "nama" => "Dr. Budi",
21                 "matkul" => "Artificial Intelligence"
22             ]
23         ];
24
25         return $this->response->setJSON($dosen);
26     }
27 }
28
```

2.controller mahasiswa



```
2
3 namespace App\Controllers;
4
5 use CodeIgniter\RESTful\ResourceController;
6
7 class Mahasiswa extends ResourceController
8 {
9     public function index()
10     {
11         return $this->respond([
12             [
13                 "nim" => "23001",
14                 "nama" => "Amal"
15             ],
16             [
17                 "nim" => "23002",
18                 "nama" => "Budi"
19             ]
20         ]);
21     }
22
23     public function show($id = null)
24     {
25         return $this->respond([
26             [
27                 "nim" => $id,
28                 "nama" => "Mahasiswa ". $id
29             ]
30         ]);
31     }
32
33     public function create()
34     {
35         return $this->respondCreated([
36             "pesan" => "Data berhasil ditambah"
37         ]);
38     }
39
40     public function update($id = null)
41     {
42         return $this->respond([
43             "pesan" => "Data ". $id. " berhasil diupdate"
44         ]);
45     }
46
47     public function delete($id = null)
48     {
49         return $this->respondDeleted([
50             "pesan" => "Data ". $id. " berhasil dihapus"
51         ]);
52     }
53 }
```

3.route



The screenshot shows a code editor with three tabs at the top: 'Dosen.php', 'Mahasiswa.php', and 'Routes.php'. The 'Routes.php' tab is active. The breadcrumb navigation shows 'app > Config > Routes.php'. The code in the editor is as follows:

```
1  <?php
2
3  use CodeIgniter\Router\RouteCollection;
4
5  /** @var RouteCollection $routes */
6  $routes->get('/', 'Home::index');
7  $routes->get('/dosen', 'Dosen::index');
8  $routes->resource('mahasiswa');
9
```

Uji coba.
get

GET http://localhost:8080/n

No environment

http://localhost:8080/mahasiswa/

Save

Share

GET

http://localhost:8080/mahasiswa/

Send

Docs

Params

Authorization

Headers 7

Body

Scripts

Tests

Settings

Cookies

Query Params

Key	Value	Description	Bulk Edit	...
Key	Value	Description		

Body

Cookies

Headers 6

Test Results

🕒

200 OK

116 ms

277 B

🌐

...

{ } JSON

Preview

Visualize

...

1

2

3

4

5

6

7

8

9

10

[

{

"nim": "23001",

"nama": "Amal"

},

{

"nim": "23002",

"nama": "Budi"

}

]

Post

POST http://localhost:8080/

No environment

http://localhost:8080/mahasiswa/

Save

Share

POST

http://localhost:8080/mahasiswa/

Send

Docs

Params

Authorization

Headers 8

Body

Scripts

Tests

Settings

Cookies

Query Params

Key	Value	Description	Bulk Edit	...
Key	Value	Description		

Body

Cookies

Headers 6

Test Results

201 Created

122 ms

255 B

...

{ } JSON

Preview

Visualize

...

1 {

2 |

3 }

"pesan": "Data berhasil ditambah"

Delete

http://localhost:8080/mahasiswa/1

SaveShare

DELETE

http://localhost:8080/mahasiswa/1

Send

Docs

Params

Authorization

Headers7

Body

Scripts

Tests

Settings

Cookies

Query Params

Key	Value	Description	Bulk Edit	...
Key	Value	Description		

Body

Cookies

Headers6

Test Results

200 OK • 112 ms • 251 B • ...

{ } JSON

Preview

Visualize

1 {

2 |

3 }

"pesan": "Data 1 berhasil dihapus"