Custom Document

FEATURE-ORIENTED DOMAIN ANALYSIS (FODA)

Team 20, Aeolus Software
Andy Huynh
Andreas Sideris
Humna Saeed
Christopher Ludwig
Owen Johnson

November 7, 2026

Contents

1 Glossary **ii**

2 Abbreviations and Acronyms **ii**

3 General **1**
3.1 Introduction 1
3.2 Purpose of Document 1

4 Commonalities **2**

5 Variabilities **3**
Var-1: Health 3
Var-2: Enemy Health 3

6 Relationship between Commonalities and Variabilities **4**

7 Generative AI Use Disclosure **6**
7.1 AI Tools Used 6
7.2 How and Where Used 6
7.3 Verification of AI-Generated Content 6

List of Tables

1 Revision History i

Table 1: Revision History

Date	Developer(s)	Change
November 05, 2026	Andy	First draft of FODA template
November 07, 2026	Andy	Second draft of FODA template

1 Glossary

Term	Definition	Section

2 Abbreviations and Acronyms

Abbreviation	Description	Section

3 General

– Some small blurb about the general section, might not need it. Skip to Introduction

3.1 Introduction

– The Introduction... yeah [1] – For reference example

3.2 Purpose of Document

– Why are we making this document in the first place

4 Commonalities

[list of commonalities (the things that all games have) —SS]

5 Variabilities

[list of variabilities (the variation points between games) —SS]
[list of parameters of variation (the possible values for each of the variabilities) —SS]
[the binding time for each variability - pre-compilation time, compile time, runtime. Pre-compilation means that you are using tools, like model driven development tools to customize the application. Compile time means that the binding happens during the build process, like with conditional compilation. Runtime means that the binding happens during live execution. If you allow the user to change the variabilities while running your game, then your binding time is runtime. —SS]

Var-1: Health

Variable	Health
Type	$\mathbb{Z}^+$
Parameter	Intervals between 50, 100, 150
Description	The player health. A resource and condition value that determines whether the game continues or not depending on if the values reaches zero.
Binding Time	runtime

Var-2: Enemy Health

Variable	Enemy Health
Type	$\mathbb{Z}^+$
Parameter	Intervals between 20, 60, 90
Description	The enemy health. A condition value that determines whether the enemy is defeated or not depending on if the values reaches zero.
Binding Time	runtime

Reference Examples (Please remove later) Var-2: Health Var-2: Enemy Health

6 Relationship between Commonalities and Variabilities

[the relationship between commonalities and variabilities - examples of relationships are when picking one variabilities means you cannot pick another one (the variabilities are mutually exclusive). For instance, if you have a variability between a command line interface and a gui, once you pick command line interface, any variabilities related to graphics are not options —SS]

References

[1] Aeolus Software (https://github.com/Aeolus-Software), "Realmforge system requirements specification," https://github.com/Aeolus-Software/RealmForge/blob/main/pdfs/SRS/SRS.pdf, Aeolus Software, 2026.

7 Generative AI Use Disclosure

7.1 AI Tools Used

- Microsoft Co-pilot

7.2 How and Where Used

Microsft Co-pilot was used for LaTeX debugging and generating of small code snippets to help enhance the template building process. On occasions whenever there was an unknown LaTeX error, Co-pilot was used to give suggestions or error analysis to unknown the problem.

7.3 Verification of AI-Generated Content

Appendix