

Mars 2040 Optimization: Assignment 1, Section B

Eric D. Ward, Parker D. Vascik, Samuel Wald

March 2, 2016

1 Project Proposal

1.1 Project Introduction

Our team has decided to do optimization on the Mars 2040 project that Eric worked on in Spring 2015 as the SDM term project. This project generated a model of a Mars outpost architecture including the Transportation Logistics, Surface Habitation, ISRU and Exploration aspects. The model was run through a Tradespace exploration to identify architectures that minimized the IMLEO (initial mass to low-earth orbit, i.e. the total payload launched from the Earth surface each synodic period) while attempting to maximize the Scientific Value as defined as the crew-hours per synodic period available for exploration and research, multiplied by a rank scoring of the landing sites based on an independent study performed early on in the term.

We only have one modification to the model currently planned; to make a small improvement on the utility metric for this project. Instead of using the more subjective site scoring from the SDM term project, we will formalize the utility as suggested by Ward et. al.[1] to consider quantitative scientific value.

Since the tradespace exploration has already been performed, we will focus this project on more in depth aspects. We will re-run the tradespace exploration with the improved utility metric on the same design space as setup by the SDM term project. From that point, we will select and baseline the architectures in the fuzzy pareto-optimal region, as defined by Smaling and deWeck[2]. This should give us approximately 300 baseline architectures. as the starting point for our optimization.

The first portion of our optimization will focus on technology road-mapping. We will convert some of the parameters in existing model into design variables, based on the possibilities for technological development. For example, we might take the $LOX/LH_2 I_{sp}$ from a parameterized 448 [seconds] and turn it into a variable across the range of (448, 480) that we could correlate with a development cost estimate for the improvement in I_{sp} . Once we do this for multiple technologies, we can run an optimization of development spending across the portfolio of technologies for the baselined architectures and determine where the money would be best spent in order to improve the future exploration campaign.

If the first portion goes well, and time permits, we would also like to investigate the build-up campaign as well. With a baselined technology capability roadmap, we could

run through the 300 candidate architectures from a null-infrastructure to the full 20 person outpost, looking for a sub-game perfect campaign that would optimize not only the steady-state re-supply missions, but the entire campaign from the beginning.

1.2 Formal Problem Statement

To optimize the improvements to a campaign to setup a permanently inhabited outpost on the surface of Mars from a technology development budget, **by** altering the design variables associated with technological performance across pre-selected architectures, **using** systems design optimization methodologies.

1.3 Design Variables, Parameters, Constraints, Bounds and Objectives

Objective Function

$$\text{minimize } J(\mathbf{x}) = \begin{bmatrix} CampaignUtility \\ ResupplyCost \\ TechnologyDevelopmentCost \end{bmatrix}$$

Design Variables

$$\mathbf{x} = \begin{bmatrix} Isp_{LH_2} \\ Isp_{NTR} \\ \alpha_{ISRU} \end{bmatrix} = \begin{bmatrix} LH_2Isp \\ NuclearThermalRocketIsp \\ ISRUefficiency \end{bmatrix}$$

Parameters

More text.

Constraints

More text.

Bounds

More text.




Figure 1: Block Diagram of Model from the Mars2040 Project Spring 2015

2 N^2 Diagram

More text.

3 Block Diagram

Figure ?? shows the model layout from the Mars 2040 SDM term project from the Spring term of 2015. This will be the starting point for our model for MSDO. Throughout the semester, the model may require some modifications based on the changes in scope (going from a tradespace exploration to a development optimization.) However, we feel like this arrangement does a good job setting up the project, and the changes will not likely require massive rearrangements.

References

- [1] Eric D. Ward, Ryan R. Webb, Olivier L. deWeck, *A Method to Evaluate Architectural Comparisons for a Campaign to Explore the Surface of Mars*. Manuscript submitted for publication, Acta Astronautica. 2016.
- [2] Smaling R., de Weck O., "Assessing Risks and Opportunities of Technology Infusion in System Design", *Systems Engineering*, 10 (1), 1-25, Spring 2007

A Master Table