Mapbox GL JS

🔍 Search

GUIDES   ⌄

API REFERENCE   ⌄

EXAMPLES

PLUGINS AND FRAMEWORKS

STYLE SPECIFICATION   ⌄

TUTORIALS ⧉

TROUBLESHOOTING ⧉

Display a map on a webpage

Ready to get started?   **Sign Up**

Create a free account to start building with Mapbox.

This example uses `mapboxgl.Map` to initialize a Mapbox map inside an HTML element on a webpage.

You can use the `map` `parameters` `style`, `center`, and `zoom` to define the initial appearance of the map.

The string value for `accessToken` should be a valid [access token](#) from a Mapbox user account.

Mapbox GL unsupported

Mapbox GL requires [WebGL support](#). Please check that you are using a supported browser and that [WebGL is enabled](#).

```html
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title>Display a map on a webpage</title>
<meta name="viewport" content="initial-scale=1,maximum-scale=1,user-scalable=no">
<link href="https://api.mapbox.com/mapbox-gl-js/v2.15.0/mapbox-gl.css"
  rel="stylesheet">
<script src="https://api.mapbox.com/mapbox-gl-js/v2.15.0/mapbox-gl.js"></script>
<style>
body { margin: 0; padding: 0; }
#map { position: absolute; top: 0; bottom: 0; width: 100%; }
</style>
</head>
<body>
<div id="map"></div>
<script>
  // TO MAKE THE MAP APPEAR YOU MUST
  // ADD YOUR ACCESS TOKEN FROM
  // https://account.mapbox.com
  mapboxgl.accessToken = 'YOUR_MAPBOX_ACCESS_TOKEN';
    const map = new mapboxgl.Map({
        container: 'map', // container ID
        // Choose from Mapbox's core styles, or make your own style with Mapbox
          Studio
        style: 'mapbox://styles/mapbox/streets-v12', // style URL
        center: [-74.5, 40], // starting position [lng, lat]
        zoom: 9 // starting zoom
    });
</script>

</body>
</html>
```

Ready to get started?

Create a free account to start building with Mapbox.

Sign Up

[Join the Mapbox Developers Discord Community](#) →

Share your feedback

IRONPDF **Free for development. Licenses from $749**
https://ironpdf.com/licensing/