Environmental Sustainability

Dr. Pradeep Kumar Kayshap Assistant Professor, VIT Bhopal

Ecosystems Earth-life Support System

Lithosphere - solid earth

Atmosphere – gases (the air)



Hydrosphere - all water

Biosphere - all life

Ecosystems Earth-life Support System

Biosphere


Biosphere is the region on earth where life exist. Biosphere includes lower atmosphere, near surface part of lithosphere and

hydrosphere.

Biosphere is the part of earth where life exists.

Life sustaining resources (air, water, food) are withdrawn from biosphere & the waste produces is also discharged in biosphere.

Biosphere supplies all requisites of life like food, air, light, heat, habitats.



EcologyEcology

Various kinds of life-supporting systems like forests, grasslands, oceans, lakes, rivers, mountains, deserts, and estuaries show wide variations in their structural composition and functions.

The term Ecology was coined by Earnst Haeckel in 1869. It is derived from the Greek words Oikos- home + logos- study. So ecology deals with the study of organisms in their natural home interacting with their surroundings.

We must have basic units to study Ecology

EcologyEcology


One such unit was first used by A. G. Tansley in 1935 – Ecosystem. The system resulting from the integration of all living and non-living factors of the environment. For e.g.- Earth as "Giant Ecosystem".

An ecosystem is a group of biotic communities of species interacting with one another and with their non-living environment exchanging energy and matter. Now ecology is often defined as the study of ecosystems.

Ecosystem is the smallest unit of biosphere that has all characteristic to sustain life. An ecosystem is the natural grouping of nutrients, minerals, plants, animals and their waste linked together by flow of food, nutrients and energy from one part of system to another part.

The common to all ecosystems is not physical structure (size, variation of boarders etc.) but the existence of the processes (flow of energy and the cycling of chemical elements).

Ecosystems Classification



Ecosystems Components

Every ecosystem has two components:

1) Abiotic Component

2) Biotic Component

Abiotic Component

It is the non-living component of ecosystems and includes physical and chemical factors too.

Physical factors like soil, temperature, light & water

- > Chemical factors are inorganic and organic substances.
- The inorganic substance includes C, H, N, K, P, S, and many more.
- They are involved in the mineral/nutrient cycle.
- > The organic substances are carbohydrates, lipids, proteins, and humus.

Ecosystems Components

Biotic Component

It includes the living component of the ecosystems. It is made up of many different populations of species that are interdependent on each other in the ecosystem.

These organisms have different nutritional behavior and status in the ecosystems and are accordingly known as Producers or Consumers, based on how they get their food

1) Producers 2) Consumers

Producers

They are mainly the green plants, which can synthesize their food themselves by making use of carbon dioxide present in the air and water in the presence of sunlight by involving chlorophyll, the green pigment present in the leaves, through the process of photosynthesis.

Ecosystems Components

Consumers

All organisms which get their organic food by feeding upon other organisms are called consumers, which are of the following types.

- (1) Herbivores (plant eaters): Primary consumers
- (2) Carnivores (meat eaters): Secondary/tertiary consumers
- (3) Omnivores: **Organisms that feed on other plants and animals for nutrition.**
- (4) Detritivores: **An organism that eats dead or decaying plants or animals** as food.

Decomposers: They derive their nutrition by breaking down the complex organic molecules to simpler organic compounds and ultimately into inorganic nutrients. *Various bacteria and fungi are decomposers.*

Ecosystems Functional Attributes

Every ecosystem has functional attributes.


- (i) Food chain/food webs
- (ii) Trophic structure
- (ii) Energy flow
- (iii) Cycling of nutrients (Biogeochemical cycles)
- (iv) Primary and Secondary production
- (v) Ecosystem development and regulation

Ecosystems Food Chain

The sequence of eating and being eaten in an ecosystem is known as food chain.

Some common examples of simple food chains are:


- Grass → grasshopper → Frog → Snake → Hawk (Grassland ecosystem)
- Phytoplanktons → water fleas → small fish → Tuna (Pond ecosystem)
- Lichens → reindeer → Man (Arctic tundra)





Ecosystems Food Web

The food web is a network of food chains where different types of organisms are connected at different trophic levels. So there are a number of options for eating and being eaten at each trophic level.

Isolated food chains don't exist because organisms have varied eating habits and eat different material. As a result cross-feeding relationship a food chain is a part of large and more complex feeding system in an ecosystem which is called food web.








Ecosystems Trophic Structure

The producers and consumers are arranged in the ecosystem in a definite manner and their interaction along with population size are expressed together as a **trophic structure**.


Each food level is known as the trophic level and the amount of living matter at each trophic level at a given time is known as standing crop or standing biomass.

Trophic Levels



Science Facts met

Ecosystems Energy Flow




Ecosystems Nutrient Cycling: Phosphorus Cycle

Phosphorus is an essential nutrient for animals and plants. It plays a critical role in cell development and is a key component of molecules that store energy, such as ATP (adenosine triphosphate), DNA and lipids (fats and oils). Insufficient phosphorus in the soil can result in a decreased crop yield.

The reservoir of phosphorus lies in the rocks, fossils, etc. It is excavated by man for using it as a fertilizer. Phosphorous is an essential nutrient for aquatic ecosystems and water quality. *The phosphorus enters the cycle through erosion and mining activity.*

Ecosystems Nutrient Cycling: Phosphorus Cycle

Over time, rain and weathering cause rocks to release phosphate ions and other minerals. This inorganic phosphate is then distributed in soils and water.




@ Copyright, 2013. University of Waikato. All rights reserved.

Plants take up inorganic phosphate from the soil. The plants may then be consumed by animals. Once in the plant or animal, the phosphate is incorporated into organic molecules such as DNA.

Ecosystems Nutrient Cycling: Phosphorus Cycle

When the plant or animal dies, it decays, and the organic phosphate is returned to the soil. Within the soil, organic forms of phosphate can be made available to plants by bacteria that break down organic matter to inorganic forms of phosphorus. This process is known as mineralization.



© Copyright, 2013. University of Waikato. All rights reserved.

Phosphorus in soil can end up in waterways and eventually oceans. Once there, it can be incorporated into sediments over time.


Nutrient Cycling: Carbon Cycle

The circulation of carbon on earth in which atmospheric carbon dioxide is converted to organic nutrients through photosynthesis and is again converted back to the inorganic state by respiration, decay, or combustion. *The atmosphere, the oceans, vegetation, rocks, and soil forms the major carbon reserve of our planet.*

Role of Primary Producers (Photosynthesis and Cellular Respiration)

Carbon is present in the air as carbon dioxide is absorbed by plants, the primary producers to produce food in the form of carbohydrates by a process called photosynthesis. *This forms the foundation of the carbon cycle.*

Respiration by plants returns carbon dioxide to the atmosphere, thus once again contributing to the cycle in a different manner.



Nutrient Cycling: Carbon Cycle

Role of Primary Consumers (Carbon Fixation and Cellular Respiration): The primary consumers such as cows and horses use plants as their food, and carbon gets accumulated and fixed into their bodies in the form of organic carbon, a process known as carbon fixation

Respiration by animals releases carbon dioxide back to the atmosphere.

Role of Detritus Feeders (Decomposition)


Once plants and animals die, the fixed organic carbon is released back into the atmosphere as carbon dioxide gas through decomposition by the detritus feeders.

Carbon Cycle Sunlight CO2 in the atmosphere Photosynthesis by producers Fossil fuel combustion Plant respiration Animal respiration Carbon fixation by consumers Decomposition Fossils and fossil fuels Science Facts not

EcosystemsNutrient Cycling: Carbon Cycle

Role of Fossils and Fossil Fuels (Combustion)

The carbon that is leftover in the body of the dead organisms after decay becomes fossil fuels over many years, which on combustion releases the carbon stored in them back to the atmosphere thus completing the cycle.




Nutrient Cycling: Nitrogen Cycle

The nitrogen Cycle is a biogeochemical process through which nitrogen is converted into many forms, consecutively passing from the atmosphere to the soil to organisms and back into the atmosphere. It involves several processes such as *nitrogen fixation*, *nitrification*, *assimilation*,

denitrification

Nitrogen Fixation: Atmospheric nitrogen (N_2) which is primarily available in an inert form, is converted into the usable form - ammonia (NH_3) .

During the process of Nitrogen fixation, the inert form of nitrogen gas is deposited into soils from the atmosphere and surface waters, mainly through precipitation.




Nutrient Cycling: Nitrogen Cycle

Nitrification: Ammonia is converted into **nitrate by the presence of bacteria in the soil.** Nitrites are formed by the oxidation of ammonia with the help of *Nitrosomonas* bacteria species. Later, the produced nitrites are converted into nitrates by *Nitrobacter*. **This conversion is very important**

as ammonia gas is toxic for plants.


Assimilation: Primary producers plants take in the nitrogen compounds from the soil with the help of their roots, which are available in the form of nitrite ions and nitrate ions. They are used in the formation of plant and animal proteins. This way, it enters the food web when the primary consumers eat the plants.



Nutrient Cycling: Nitrogen Cycle

Ammonification: When plants or animals die, the nitrogen present in the organic matter is released back into the soil. The decomposers, namely bacteria or fungi present in the soil, convert the organic matter back into ammonium. This process of decomposition produces ammonia, which is further used for other biological processes.

Denitrification: Denitrification is the process in which nitrogen compounds make their way back into the atmosphere by converting nitrate (NO₃-) into gaseous nitrogen. This process of the nitrogen cycle is the final stage and occurs in the absence of oxygen




Ecosystems Service

Ecosystem Services are the direct and indirect contributions ecosystems (known as natural capital) provide for human wellbeing and quality of life.

Provisioning – These are tangible goods that people can harvest from the environment such as *food, wood and fibre, water and fuel.*

Regulating – These are regulating services that occur in the ecosystem that lead to benefits such as climate regulation, flood management, and water filtration.




Ecosystems Service

Ecosystem Services are the direct and indirect contributions ecosystems (known as natural capital) provide for human wellbeing and quality of life.

Cultural – These include ways in which nature impacts people's health and well-being through recreational and educational benefits as well as improving mental health and building spiritual connections.

Supporting – Ecosystems could not function without supporting services, such as the nutrient cycle, soil formation and habitat provision for biodiversity, forming the basis for the other three types of services.



Biodiversity Hotspots

A **biodiversity hotspot** is a biogeographic region with significant levels of biodiversity that is threatened with destruction.


These are the areas that are extremely rich in biodiversity, have high level of endemism and are constant threat of species extinction and habitat destruction.

To qualify as a biodiversity hotspots on Norman Myers 2000 edition of the hotspot map, a region must meet two criteria-

- 1) Must contain more than 0.5% or 1500 species of vascular plants as endemics.
- 2) <u>It has lost at least 75% of its original vegetation</u>.


Around the world 36 areas qualify under this definition.

Biodiversity Hotspots



biodiversity hotspots.

India is one of the "Hotspots countries". Three hotspots in India are: The Western Ghats and the Indo-Burma region, and Eastern Himalayas which have been included amongst the top eight most important hotspots.



Eastern Himalayas: They display an ultra-varied topography that fosters species diversity and endemism. There are numerous deep and semi-isolated valleys in Sikkim that are extremely rich in endemic plant species. In an area of 7298 Km² of Sikkim about 4250 plant species are found of which 60% are endemic.

Western Ghats: It extends along a 17,000 Km² strip of forests in Maharashtra, Karnataka, Tamil Nadu, and Kerala and has 40% of the total endemic plant species. 62% of amphibians and 50% of lizards are endemic to the Western Ghats.


India has 2.4 % of world's total area.

1% of the forest area

7.31% of Earth's biodiversity.

India has 16.1% of world human population and 15.1% of cattle population








Recorded Number of Plant Species in India



	Taxonomic Group	India	World	Percentage	
	Algae	6,500	40,000	16.25	1
	Fungi	14,500	72,000	11.80	
	Lichens	2,021	17,000	12.00	THE STATE OF
	Bryophyta	2,850	16,000	17.80	
	Pteridophyta	1,135	13,000	08.46	
	Gymnosperms	64	750	08.53	TO AMP TO THE
www.hlasek.com Osmunda regalis 6356	Angiosperms	17,500	2,50,000	07.00	





Loss of biodiversity

"HIPPO"

Habitat Loss

Invasive Species

Poaching

Pollution

Over population



Habitat Loss


This occurs when a particular area is converted from usable to unusable habitat.

Industrial activities, agriculture, aquaculture, mining, deforestation, and water extraction are all central causes of habitat loss.

Habitat fragmentation, the loss of large units of habitat, is also a serious threat to biodiversity.



Habitat Loss



Above is a chart that shows how much each human activities effects wildlife and loss of habitats.

Invasive Species

The species within any given ecosystem can be broadly described as either endemic or alien

- Endemic species are those which are <u>native</u> to a defined geographic region (e.g. koalas in Australia)
- Alien species are those that have been <u>transferred</u> from their natural habitat to a new environment

If an introduced alien species should have a detrimental effect on the pre-existing food chains, it is classified as *invasive*.

Invasive species typically threaten the biodiversity of the ecosystem.

Invasive Species

When an animal, plant, or microbe moves into a new area, it can affect the resident (endemic) species *in several different ways*.

The new species can

- > Parasitize or predate upon residents
- > Hybridize with them,
- ➤ Compete with them for food
- > Bring unfamiliar diseases
- ➤ Modify habitats
- > Disrupt important interactions.

Invasive Species

Brown tree snake in Guam



Brown tree snake in Guam: Native to Australia, the snake was accidentally transported to Guam in ship cargo following World War II. Because Guam had basically no predators to keep the snake population in check, it rapidly multiplied and caused the extinction of most of the resident bird species.

Poaching

Illegal hunting (killing)

OR

Illegally removing a species from its habitat







Story of Blue Whale



It is the world's largest animal. When fully grown, it could be 30 m long and weigh the equivalent of 25 elephant.

Pollution

Water, Air and Ground Pollution

Water: Pesticides, Fertilizers,

Pesticide= chemicals used to kill a pest (rodent, insect, fungus, etc.)

Runoff with rainwater puts it into local water systems.

Disrupts aquatic food chains

Fertilizers: Runoff into lakes

Causes rapid algae growth (algae bloom)

Algae blocks sunlight and....

Plants die (less oxygen)

Decomposers break down dead plants (& use up oxygen)


No oxygen is available to other animals and they "suffocate"











Air Pollution

Air Pollution: Pollutants released into the air usually from burning fossil fuels


Global warming
Ozone depletion
Acid Rain
Carbon Monoxide poisoning

 Ground Pollution: Soil becomes polluted when air pollutants drift to the ground or when water leaves pollutants behind as it flows through the soil.





Over Population



Population Density


INHABITANTS PER SQUARE MILE INHABITANTS PER SQUARE KILOMETER

Under 2 Under 1 2-25 1-10 25-60 10-25 60-125 25-50 125-250 50-100 Over 250 Over 100



Eckert Equal-Area Projection

Over Population



Global biodiversity decline is best understood as too many people consuming and producing too much, thus displacing other species

Conservation of Biodiversity

Important strategies for biodiversity conservation:

All the varieties of food, timber plants, livestock, microbes, and agricultural animals should be conserved.

- All the economically important organisms should be identified and conserved.
- Unique ecosystems should be preserved first.
- Poaching and hunting of wild animals should be prevented.
- The reserves and protected areas should be developed carefully.
- The levels of pollutants should be reduced in the environment.
- Deforestation should be strictly prohibited.
- Environmental laws should be followed strictly.
- The useful and endangered species of plants and animals should be conserved in their nature as well as artificial habitats.
- Public awareness should be created regarding biodiversity conservation and its importance.

Conservation of Biodiversity

Wildlife life conservation in protected habitat can be done by following approaches:

- 1) In-situ conservation
- 2) Ex-situ conservation

In-situ Conservation of Biodiversity

Conservation of species in a natural ecosystem or in the man-made ecosystem (artificial ecosystem)

Conserving a species in its own environment by creating national parks or wildlife sanctuaries.

In-situ or on-site conservation is the conservation of wild flora and fauna and **not to domesticated animals and plants** because conservation is possible by the protection of the population in nature.

Protection of the population in nature is done by declaring the *area as a protected area*.

Three types of protected areas-

- (i) Wildlife Sanctuaries;
- (ii) National Park;
- (iii) Biosphere Reserves
- 420 Wildlife Sanctuaries, 80 National Park, 14 Biosphere, and 120 botanical gardens are reserved in India, and they are covering about 4% of total geographical area.

Biosphere Reserves

In January 1989, 274 biosphere reserves had been established in 74 countries out of which 14 proposed sites found place in India.

S.No.	Biosphere Reserve	State
1.	Nilgiris	Tamil Nadu, Kerala and Karanataka
2.	Namdapha	Arunachal Pradesh
3.	Nanda Devi, Uttarakhand	Uttar Pradesh
4.	(Valley of flowers)	Uttar Pradesh
5.	Andamans	Andamans & Nicobar
6.	Gulf of Mannar	Tamil Nadu
7.	Kaziranga	Assam
8.	Sunderbans	West Bengal
9.	Thar desert	Rajasthan
10.	Manas	Assam
11.	Kanha	Madhya Padesh
12.	Nokrek	Meghalaya
13.	Little Rann of Kutch	Gujrat
14.	Great Nicobar Island	Andamans & Nicobar

Protected Areas

Gir Sanctuary: Asiatic Lion

Western Ghat: Diverse forest

Bhimasankar: Rich flora

Nilgiri Hills: Indian Elephant

Chilika Lake: Coastal Ecosystem

Sunderban: Mangrove forest

Ex-situ Conservation of Biodiversity

Ex-situ or off-site conservation means conservation of species particularly endangered species away from their natural habitat under human supervision.

Many rare species or species having small remaining population are protected by this strategy.

For e.g.- Zoo, Aquarium, Botanical garden, Seed Bank, Gene Bank

Ex-situ Conservation of Biodiversity

Important gene bank/seed bank facilities in India.

- (I) National Bureau of Plant Genetic Resources (NBPGR)
- (II) National Bureau of Animal Genetic Resources (NBAGR)
- (III) National Facility for Plant Tissue Culture Repository(NFPTCR).

Inspiring Story: Jadav Payeng



Jadav went on to plant saplings and seeds along a dry sandbar by the Brahmaputra in Assam, creating a forest that stands at 550 hectares today on the island of Majuli near Jorhat. He is known as the 'Forest Man of India', a moniker that was conferred on him in April 2012 by Jawaharlal Nehru University.

People travel from across the globe to see his forest that is visited by 120 species of birds, including migratory ones; and elephants, rhinos, and tigers that visit from Kaziranga National Park.

Link:

https://www.youtube.com/watch?v=HkZDSqyE1

do

Source: The Hindu newspaper




Beej Bachao Andolan

This movement began in the Himalayan foothills. The members have collected seeds of diverse crops in Garhwal. The movement has successfully conserved hundreds of local rice varieties, rajma, pulses, millets, vegetables, spices and herbs. Many different varieties are being grown as an outcome of this program


in local farmer's fields. This has also been supported by local women's groups who felt these varieties were better than those provided by the green revolution. In contrast,

men who were interested in cash returns in a short time found it difficult to appreciate the benefits of growing indigenous varieties.



Chipko Andolon?

Beej Bachao Andolan



How it helps to sustain the Biodiversity?