



PHP Zero to Hero Full Cheat Sheet

(CODE CRAFT ZOBAER)

✓ 1. PHP Basics

`<?php`

`echo "Hello, World!";`

`?>`

- `<?php ... ?>`: PHP tag to write PHP code.
- `echo`: Used to print output to the browser.
- Statements end with a semicolon ;.



2. Variables and Data Types

`$name = "Zobaer"; // String`

`$age = 22; // Integer`

`$height = 5.9; // Float`

`$isStudent = true; // Boolean`

- Variable starts with \$
- PHP is loosely typed (no need to define type)



3. Data Types

TYPE	EXAMPLE
STRING	"Zobaer"
INTEGER	220
FLOAT	3.14
BOOLEAN	true/false
ARRAY	[1, 2, 3]
NULL	NULL

4. Operators

Arithmetic:

`$a + $b;`

`$a - $b;`

`$a * $b;`

`$a / $b;`

`$a % $b;`

Comparison:

`$a == $b // equal`

`$a === $b // identical (value + type)`

`$a != $b // not equal`

Logical:

`($a > 0) && ($b < 10)`

`($a > 0) || ($b < 10)`

`!($a == $b)`

5. Control Structures

If-Else:

```
if ($age >= 18) {  
    echo "Adult";  
} else {  
    echo "Minor";  
}
```

Switch:

```
switch($color) {  
    case "red": echo "Red"; break;  
    default: echo "No Match";  
}
```

Loops:

For:

```
for ($i = 0; $i < 5; $i++) {
```

```
    echo $i;
}
```

While:

```
$i = 0;
while ($i < 5) {
    echo $i++;
}
```

Foreach:

```
$colors = ["Red", "Green"];
foreach ($colors as $color) {
    echo $color;
}
```

6. Functions

```
function greet($name) {
    return "Hello $name";
}
```

```
echo greet("Zobaer");
```

- Use function keyword
 - Can return values using return
-

7. Arrays

Indexed Array:

```
$fruits = ["Apple", "Banana"];
echo $fruits[0]; // Apple
```

Associative Array:

```
$person = ["name" => "Zobaer", "age" => 22];
echo $person["name"];
```

Looping:

```
foreach ($person as $key => $value) {  
    echo "$key: $value\n";  
}
```

8. Forms (GET and POST)

HTML Form:

```
<form method="post" action="welcome.php">  
    Name: <input type="text" name="username">  
    <input type="submit">  
</form>
```

PHP:

```
$name = $_POST['username'];  
echo "Welcome $name";
```

9. Cookies and Sessions

Cookie:

```
setcookie("user", "Zobaer", time()+3600); // Expires in 1 hour  
echo $_COOKIE["user"];
```

Session:

```
session_start();  
$_SESSION["id"] = 101;  
echo $_SESSION["id"];
```

10. File Handling

```
$file = fopen("test.txt", "r");  
$content = fread($file, filesize("test.txt"));  
fclose($file);  
echo $content;
```

- Modes: "r" (read), "w" (write), "a" (append)
-

11. MySQL with PHP

Connect:

```
$conn = mysqli_connect("localhost", "root", "password", "mydb");
```

Insert:

```
$sql = "INSERT INTO users (name) VALUES ('Zobaer')";  
mysqli_query($conn, $sql);
```

Fetch:

```
$result = mysqli_query($conn, "SELECT * FROM users");  
while ($row = mysqli_fetch_assoc($result)) {  
    echo $row['name'];  
}
```

12. Security Basics

- Always sanitize form input:

```
$name = htmlspecialchars($_POST["name"]);
```

- Use `mysqli_real_escape_string` before database insert.
 - Never trust user input.
-

13. Debugging

```
var_dump($variable); // Shows full structure  
print_r($array);    // Prints readable array  
error_reporting(E_ALL);  
ini_set('display_errors', 1);
```

14. Superglobals

Variable	Use
<code>\$_GET</code>	Data from URL/query string
<code>\$_POST</code>	Data from form
<code>\$_REQUEST</code>	Data from GET or POST
<code>\$_SESSION</code>	User session variables

Variable	Use
\$_COOKIE	Browser cookies
\$_SERVER	Server info like host, IP etc.
\$_FILES	File uploads