

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by text input ☐ CSS

```

        </a>
        <span class="float-end">1 year ago</span>
    </div>
    <h1>Hello Again World</h1>
    <div class="card-body">
        <p class="card-text">
            <div class="content">Hello World! This is my second post. Or is
it?</div>
                </p>
        </div>
            <div class="like-post">
                <button type="submit" class="like-count" data-
post-id="7">
                    <span class="far fa-heart me-1"></span>0
                </button>

```

[Check](#)

Press the Message Filtering button to collapse the filtering options and error/warning/info counts.

[Message Filtering](#)

Errors (7) · [Hide all errors](#) · [Show all errors](#)

- ☒ Element `form` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
- ☒ An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`. (2)
- ☒ No `p` element in scope but a `p` end tag seen. (4)

Warnings (10) · [Hide all warnings](#) · [Show all warnings](#)

- ☒ The `type` attribute is unnecessary for JavaScript resources. (2)
- ☒ Section lacks heading. Consider using `h2` - `h6` elements to add identifying headings to all sections, or else use a `div` element instead for any cases where no heading is needed. (4)

- 3 ☒ Consider using the `h1` element as a top-level heading only (all `h1` elements are treated as top-level headings by many screen readers and other tools). (4)

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 20, column 9; to line 20, column 39](#)

```
>< <script type="text/javascript"><
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 24, column 9; to line 24, column 81](#)

```
>< <script type="text/javascript" src=http://127.0.0.1:8000/js/app.js
defer></scri
```

3. **Error** Element `form` not allowed as child of element `ul` in this context.
(Suppressing further errors from this subtree.)

[From line 41, column 19; to line 41, column 59](#)

```
<form class="d-flex" action="/dashboard"><
```

Contexts in which element `form` may be used:

Where [flow content](#) is expected.

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

4. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 42, column 21; to line 42, column 123](#)

```
<input type="hidden" name="_token"
value="7RoJXnwh8e76H5nYDqycQn18o9b5nAoX0BV80zqG" autocomplete="off">
```

5. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 72, column 11; to line 72, column 39](#)

```
<section id="search-section"><
```

6. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 124, column 68; to line 124, column 170](#)

```
">      <input type="hidden" name="_token"
value="7RoJXnwh8e76H5nYDqycQn18o9b5nAoX0BV80zqG" autocomplete="off">
```

7. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 117, column 9; to line 117, column 32](#)

```
<..... <section id="myfriends">..... <.....
```

8. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

[From line 172, column 9; to line 172, column 12](#)

```
>..... <h1>Hello
```

9. **Error** No `p` element in scope but a `p` end tag seen.

[From line 176, column 29; to line 176, column 32](#)

```
</p>.....
```

10. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

[From line 197, column 9; to line 197, column 12](#)

```
>..... <h1>Exciti
```

11. **Error** No `p` element in scope but a `p` end tag seen.

[From line 201, column 29; to line 201, column 32](#)

```
</p>.....
```

12. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

[From line 222, column 9; to line 222, column 12](#)

```
>..... <h1>Hello
```

13. **Error** No `p` element in scope but a `p` end tag seen.

[From line 226, column 29; to line 226, column 32](#)

```
</p>.....
```

14. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

[From line 247, column 9; to line 247, column 12](#)

```
><      <h1>Exciti
```

15. **Error** No `p` element in scope but a `p` end tag seen.

[From line 251, column 29; to line 251, column 32](#)

```
</p><
```

16. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 82, column 1; to line 82, column 22](#)

```
<<<<<section id="profile"><      <
```

17. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 78, column 11; to line 78, column 32](#)

```
<section id="content"><
```

Document checking completed.

Source

```
1. <
2. <!DOCTYPE html><
3. <html lang="en"><
4.   <head><
5.     <meta charset="utf-8"><
6.     <meta http-equiv="X-UA-Compatible" content="IE=edge"><
7.     <meta name="viewport" content="width=device-width, initial-scale=1"><
8. <
9.   <!-- CSRF Token --><
10.   <meta name="csrf-token"
content="7RoJXnwh8e76H5nYDqycQn18o9b5nAoX0BV80zqG"><
11. <
12.   <title>Y</title><
13. <
14.   <!-- Styles --><
15.   <link href="http://127.0.0.1:8000/css/milligram.min.css"
rel="stylesheet"><
16.   <link href="http://127.0.0.1:8000/css/app.css" rel="stylesheet"><
17.   <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.3/css/all.min.css"><
18.   <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.14.6/dist/umd/popper.min.js">
```

```

</script><
19.     <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min
.js"></script><
20.         <script type="text/javascript"><
21.             // Fix for Firefox autofocus CSS bug<
22.             // See: http://stackoverflow.com/questions/18943276/html-5-
autofocus-messes-up-css-loading/18945951#18945951<
23.         </script><
24.         <script type="text/javascript" src=http://127.0.0.1:8000/js/app.js
defer></script><
25.     </head><
26.     <body><
27.         <nav class="navbar navbar-expand-lg bg-dark" data-bs-theme="dark"><
28.             <div class="container-fluid"><
29.                 <a class="navbar-brand"
href="http://127.0.0.1:8000/dashboard">Y!</a><
31.                 <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarColor02" aria-
controls="navbarColor02" aria-expanded="false" aria-label="Toggle
navigation"><
32.                     <span class="navbar-toggler-icon"></span><
33.                 </button><
34.                 <div class="collapse navbar-collapse" id="navbarColor02"><
35.                     <ul class="navbar-nav me-auto"><
36.                         <li class="nav-item"><
37.                             <a class="nav-link active"
href="http://127.0.0.1:8000/dashboard">Home<
38.                             <span class="visually-hidden">(current)</span><
39.                             </a><
40.                         </li><
41.                         <form class="d-flex" action="/dashboard"><
42.                             <input type="hidden" name="_token"
value="7RoJXnwh8e76H5nYDqycQn18o9b5nAoX0BV80zqG" autocomplete="off">
<label for="search-input"><
43.                                 <span class="visually-hidden">Search</span><
44.                                 <input id="search-input" class="form-control me-sm-2"
name="query" type="search" placeholder="Search"><
45.                                 </label><
46.                                 <button class="btn btn-secondary my-2 my-sm-0"
type="submit">Search</button><
47.                             </form><
48.                             <li class="nav-item"><
49.                                 <a class="nav-link"
href="http://127.0.0.1:8000/messages">Messages</a><
50.                             </li><
51.                             <li class="nav-item"><
52.                                 <a class="nav-link"
href="http://127.0.0.1:8000/groups">Groups</a><
53.                             </li><
54.                             <li class="nav-item"><
55.                                 <a class="nav-link"
href="http://127.0.0.1:8000/profile/1">John</a><
56.                             </li><
57.                             <li class="nav-item
dropdown"><
58.                                 <a class="nav-link dropdown-toggle" data-bs-
toggle="dropdown" href="#" role="button" aria-haspopup="true" aria-
expanded="false">See also</a><
59.                                 <div class="dropdown-menu"><
60.                                     <a class="dropdown-item"
href="http://127.0.0.1:8000/about">About</a><
61.                                     <a class="dropdown-item"
href="http://127.0.0.1:8000/features">Features</a><
62.                                     <a class="dropdown-item"
href="http://127.0.0.1:8000/contact">Contact</a><
63.                                 </div><
64.                             </li><
65.                             <li class="nav-item"><

```

```

66.         <a class="nav-link"
href="http://127.0.0.1:8000/logout">Logout</a> ↵
67.         </li>↵
68.
</ul>↵
69.     </div>↵
70. </div>↵
71. </nav> ↵
72.     <section id="search-section">↵
73.         <div class="search-results-container">↵
74.             <div class="search-results"></div>↵
75.         </div>↵
76.     </section> ↵
77. <main>↵
78.     <section id="content">↵
79.         ↵
80.     ↵
81.     ↵
82. <section id="profile">↵
83.     <section id="user">↵
84.         <div class="user">↵
85.             ↵
86.             ↵
87.             <div class="user-info">↵
88.                 ↵
89.                 <div class="profile-picture">↵
90.                     ↵
91.                     ↵
92.                 </div>↵
93.                 <div class="name">↵
94.                     <h2>John</h2>↵
95.                     ↵
96.                 </div>↵
97.                 <div class="email">↵
98.                     <p>Email: admin@example.com</p>↵
99.                 </div>↵
100.             ↵
101.             <div class="age">↵
102.                 <p>Age: 29</p>↵
103.             </div>↵
104.             ↵
105.             <div class="bio">↵
106.                 <p>Description: Funny person</p>↵
107.             </div>↵
108.             ↵
109.             <label>↵
110.                 <input type="checkbox" checked disabled>↵
111.                 <span>Private Account</span>↵
112.             </label>↵
113.         </div>↵
114.     </div>↵
115. </section>↵
116.     ↵
117.     <section id="myfriends">↵
118.         ↵
119.         <a href="http://127.0.0.1:8000/profile/1/edit" class="btn btn-
primary">Edit Profile</a>↵
120.         ↵
121.         <a href="http://127.0.0.1:8000/friends" class="btn btn-primary" >Friend
List </a>↵
122.         <a href="http://127.0.0.1:8000/friendrequests" class="btn btn-
primary">Friend Requests</a>↵
123.         <form action="http://127.0.0.1:8000/profile/delete/1" method="post">↵
124.             <input type="hidden" name="_method" value="DELETE">         <input
type="hidden" name="_token" value="7RoJXnwh8e76H5nYDqycQn18o9b5nAoX0BV80zqG"
autocomplete="off">         <button type="submit" class="btn btn-danger"
onclick="confirmDelete()">Delete Account</button>↵
125.         ↵
126.     ↵
127. </form> ↵

```

```

128.     <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script><
129. <script><
130.     function confirmDelete() {<
131.         if (confirm('Are you sure you want to delete your account?')) {<
132.             // Make an AJAX request<
133.             $.ajax({<
134.                 type: 'DELETE',<
135.                 url: $('#deleteForm').attr('action'),<
136.                 headers: {<
137.                     'X-CSRF-TOKEN': $('meta[name="csrf-
token"]').attr('content')<
138.                 },<
139.                 success: function(response) {<
140.                     // Handle success response<
141.                     alert('Account deleted successfully. We hope to see you
again!');<
142.                     // Redirect to the login page or perform any other
action<
143.                     window.location.href = 'http://127.0.0.1:8000/login';<
144.                 },<
145.                 <
146.             });<
147.         } else {<
148.             // Prevent the form submission if "Cancel" is clicked<
149.             event.preventDefault();<
150.         }<
151.     }<
152. </script><
153.     <
154.     <
155.     <
156.     </section><
157. <
158. <
159. <
160.     <hr><
161.     <section class="profile-posts"><
162.     <h2>John's posts: </h2><
163.         <div class="post-border" id="1"><
164.         <article class="post" data-id="1"><
165.             <div class="card-header"><
166.                 <a href="/profile/1"><
167.                     <
168.                     John<
169.                 </a><
170.                 <span class="float-end">1 year ago</span><
171.             </div><
172.             <h1>Hello World</h1><
173.             <div class="card-body"><
174.                 <p class="card-text"><
175.                     <div class="content">Hello World! This is my first post.
</div><
176.                     </p><
177.                 </div><
178.                 <div class="like-post"><
179.                     <button type="submit" class="like-count"
data-post-id="1"><
180.                         <span class="far fa-heart me-1"></span>0<
181.                     </button><
182.                         <span class="far fa-comment me-1 fa-lg">
</span> 1<
183.                     </div><
184.                 </div><
185.             </article><
186.         </div><
187.         <
188.             <div class="post-border" id="3"><
189.             <article class="post" data-id="3"><
190.                 <div class="card-header"><
191.                     <a href="/profile/1"><

```

```

192.         ↵
193.         John↵
194.         </a>↵
195.         <span class="float-end">1 year ago</span>↵
196.     </div>↵
197.     <h1>Exciting News!</h1>↵
198.     <div class="card-body">↵
199.         <p class="card-text">↵
200.             <div class="content">I just got accepted into my dream
university! So excited to start this new chapter in my life.</div>↵
201.                 </p>↵
202.         </div>↵
203.         <div class="like-post">↵
204.             <button type="submit" class="like-count"
data-post-id="3">↵
205.                 <span class="far fa-heart me-1"></span>0↵
206.             </button>↵
207.                 <span class="far fa-comment me-1 fa-lg">
</span> 2↵
208.             </div>↵
209.         ↵
210.     </article>↵
211. </div>↵
212. ↵
213.         <div class="post-border" id="7">↵
214.     <article class="post" data-id="7">↵
215.         <div class="card-header">↵
216.             <a href="/profile/1">↵
217.                 ↵
218.                 John↵
219.                 </a>↵
220.                 <span class="float-end">1 year ago</span>↵
221.             </div>↵
222.             <h1>Hello Again World</h1>↵
223.             <div class="card-body">↵
224.                 <p class="card-text">↵
225.                     <div class="content">Hello World! This is my second post. Or
is it?</div>↵
226.                         </p>↵
227.                 </div>↵
228.                 <div class="like-post">↵
229.                     <button type="submit" class="like-count"
data-post-id="7">↵
230.                         <span class="far fa-heart me-1"></span>0↵
231.                     </button>↵
232.                         <span class="far fa-comment me-1 fa-lg">
</span> 2↵
233.                     </div>↵
234.                 ↵
235.             </article>↵
236. </div>↵
237. ↵
238.         <div class="post-border" id="8">↵
239.     <article class="post" data-id="8">↵
240.         <div class="card-header">↵
241.             <a href="/profile/1">↵
242.                 ↵
243.                 John↵
244.                 </a>↵
245.                 <span class="float-end">1 year ago</span>↵
246.             </div>↵
247.             <h1>Exciting Stuff!</h1>↵
248.             <div class="card-body">↵
249.                 <p class="card-text">↵
250.                     <div class="content">I just got accepted into my dream job! So
excited to start working.</div>↵
251.                         </p>↵
252.                 </div>↵

```



```
253.         <div class="like-post">↵
254.             <button type="submit" class="like-count"
data-post-id="8">↵
255.                 <span class="far fa-heart me-1"></span>0↵
256.             </button>↵
257.                 <span class="far fa-comment me-1 fa-lg">
</span> 2↵
258.         </div>↵
259.     ↵
260. </article>↵
261. </div>↵
262. ↵
263.         </section>↵
264. </section>↵
265. ↵
266. ↵
267.         <button class="btn btn-dark" id="scrollToTopButton"
onclick="scrollToTop()">Scroll to top</button>↵
268.     </section>↵
269. </main>↵
270. </body>↵
271. </html>↵
272.
```

Used the HTML parser.

Total execution time 72 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.11.28