

```
mohammed@mohammed MINGW64 ~/Desktop/hweng (master)
• $ git add new.html

mohammed@mohammed MINGW64 ~/Desktop/hweng (master)
⊗ $ git commet -m "message"
git: 'commet' is not a git command. See 'git --help'.

The most similar command is
    commit

mohammed@mohammed MINGW64 ~/Desktop/hweng (master)
• $ git commit -m "message"
[master (root-commit) f056f67] message
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 new.html
```

```
mohammed@mohammed MINGW64 ~/Desktop/hweng (master)
• $ git branch
* master

mohammed@mohammed MINGW64 ~/Desktop/hweng (master)
• $ git branch 'me'

mohammed@mohammed MINGW64 ~/Desktop/hweng (master)
• $ git checkout 'me'
Switched to branch 'me'
```

```
mohammed@mohammed MINGW64 ~/Desktop/hweng (master)
• $ git checkout 'me'
Switched to branch 'me'

mohammed@mohammed MINGW64 ~/Desktop/hweng (me)
• $ git switch 'me'
Already on 'me'

mohammed@mohammed MINGW64 ~/Desktop/hweng (me)
⊗ $ git switch -c 'me'
fatal: a branch named 'me' already exists

mohammed@mohammed MINGW64 ~/Desktop/hweng (me)
• $ git switch -c 'newbranch'
Switched to a new branch 'newbranch'
```

```
mohammed@mohammed MINGW64 ~/Desktop/hweng (newbranch)
● $ git checkout -b 'abdo'
Switched to a new branch 'abdo'
```

```
mohammed@mohammed MINGW64 ~/Desktop/hweng (abdo)
● $ git merge 'me'
Already up to date.
```

```
mohammed@mohammed MINGW64 ~/Desktop/hweng (abdo)
● $ git ls-files
new.html
```

```
mohammed@mohammed MINGW64 ~/Desktop/hweng (abdo)
● $ git ls-files
new.html
```

```
mohammed@mohammed MINGW64 ~/Desktop/hweng (abdo)
● $ git clean -dn
```

```
mohammed@mohammed MINGW64 ~/Desktop/hweng (abdo)
● $ git clean -df
```

```
mohammed@mohammed MINGW64 ~/Desktop/hweng (abdo)
● $ git restore 'new.html'
```

```
mohammed@mohammed MINGW64 ~/Desktop/hweng (abdo)
● $ git restore .
```

```
mohammed@mohammed MINGW64 ~/Desktop/hweng (abdo)
● $ git rm 'new.html'
rm 'new.html'
```

```
mohammed@mohammed MINGW64 ~/Desktop/hweng (abdo)
● $ git reset 'new.html'
```

```
mohammed@mohammed MINGW64 ~/Desktop/hweng (master)
● $ git config --global user.name "afeef abdo"
```

```
mohammed@mohammed MINGW64 ~/Desktop/hweng (master)
● $ git config --global user.email "afeeef@gmail.com"
```

```
mohammed@mohammed MINGW64 ~/Desktop/hweng (master)
● $ git log
commit f056f67d399a4aabc326a51c21635365b90a0bea (HEAD -> master)
Author: afeef abdo <afeeef@gmail.com>
Date: Sat Aug 31 16:20:32 2024 +0300

    message
```

```
mohammed@mohammed MINGW64 ~/Desktop/hweng (master)
● $ git log
commit f056f67d399a4aabc326a51c21635365b90a0bea (HEAD -> master)
Author: afeef abdo <afeeef@gmail.com>
Date: Sat Aug 31 16:20:32 2024 +0300

    message
```