Embedded Softwares for the Internet of Things

<u>SmartSense</u>


Members:

Giovanni Vitiello (Group leader)
Trisha Agrawal
Christian Li Sivertsen
Federico Gasperi

Group number 13

Purpose

- To monitor air quality, humidity and temperature of environment
- ❖ To notify when air quality is too poor
- To promote healthy lifestyle
- To prevent diseases s.a. flu
- To keep updates on current state of air




Software Architecture


- Nordicthingy 52 is bluetooth setup
- Assigning ports to sensor
- Uses interrupt every time joystick is given a command, and/or buzzer is activated
- Sends data
- Nordic nrf52 requests specific data
- Processes it and sends to UART ports
- MSP 324 BoosterPack displays request

Working Scheme

NordicThingy52 and Nordic nrf52



Boosterpack



Future Works

- Pressure sensing and display
- Wind velocity detection

- Automatic screen change
- And many more...

Member Contribution

Trisha Agrawal

- Buzzer
- Testing
- ReadMe (GitHub)
- Project Presentation Slides
- Project Presentation Video

Christian Li Sivertsen

- Finite State Machine
- Joystick
- Graphics

Giovanni Vitiello

❖ Bluetooth

Federico Gasperi

❖ UART

Thank You

Breathe fresh, be ahead