


There are six problems in total. You must solve the first five, and problem 6 is optional.

Problem 1 (CO2): Converting Finite Automata to Regular Expressions (10 points)

Convert the following finite automata into an equivalent regular expression using the state elimination method. You must eliminate q_5 first, then q_4 , then q_3 , then q_1 , and finally q_2 . Show each step of the process.



Problem 2 (CO5): Pumping Lemma (5 points)

Let $\Sigma = \{0, 1\}$. Consider the following language over Σ .

$$L = \{w = 0^n 1^{n+1} \text{ where } n \text{ is 2 more than multiple of 4}\}$$

Use the pumping lemma to **demonstrate** that L is not a regular language.

Problem 3 (CO3): Designing Context-Free Grammars (15 points)

$$L_1 = \{w \in \{a, b\}^* : w \text{ is an even length palindrome}\}$$

$$L_2 = \{w \in \{a, b\}^* : \text{every second letter of } w \text{ is } a\}$$

$$L_3 = \{w \in \{0, 1\}^* : w \text{ contains exactly two } 1\text{s}\}$$

$$L_4 = \{w1\#w2 : w1 \in L_2, w2 \in \{0, 1\}^* \text{ and } |w1| = |w2|\}$$

$$L_5 = \{w1\#w2 : w1 \in L_2, w2 \in L_3 \text{ and } |w1| = |w2|\}$$

Now solve the following problems.

- Give a context-free grammar for the language L_1 . (3 points)
- Give a context-free grammar for the language L_2 . (3 points)
- Give a context-free grammar for the language L_3 . (3 points)
- Find all strings $w \in L_4$ such that w ends with $\#0100$ and has a length of 9. (1 point)
- Give a context-free grammar for the language L_4 . [Recall: For a string w , $|w|$ denotes the length of w .] (3 points)
- Give a context-free grammar for the language L_5 . (2 points)

1

Problem 4 (CO3): Derivations, Parse Trees and Ambiguity (10 points)

Let $\Sigma = \{0, 1\}$. Consider the following grammar over Σ .

$$S \rightarrow 0S0 \mid 1S1 \mid A$$

$$A \rightarrow 00A \mid 01A \mid 10A \mid 11A \mid \epsilon$$

- Give a leftmost derivation for the string 01101010. (3 points)
- Draw the parse tree corresponding to the derivation you gave in (a). (2 points)
- Demonstrate that the given grammar is ambiguous by showing two more parse trees (apart from the one you already found in (b)) for the given string in (a). (4 points)
- How many four-letter strings will have exactly one parse tree in the given grammar? (1 point)

Problem 5 (CO3): Designing Pushdown Automata (10 points)

$$L_1 = \{w \in \{0, 1\}^* : w \text{ contains at most two } 1\text{s}\}$$

$$L_2 = \{w \in \{0, 1\}^* : w = 1^{2n}0^{2n} \text{ where } n \geq 0\}$$

$$L_3 = \{w\#x : w, x \in \{0, 1\}^* \text{ and } w^R \text{ is a substring of } x\}$$

- Give the state diagram of a pushdown automaton that recognizes L_1 . (3 points)
- Give the state diagram of a pushdown automaton that recognizes L_2 . (3 points)
- Give the state diagram of a pushdown automaton that recognizes L_3 . [Recall: For a string w , w^R denotes w in reverse order.] (4 points)

Problem 6 (Bonus): Pumping Lemma (4 points)

Let $\Sigma = \{0, 1\}$. Consider the following language over Σ .

$$L = \{w \text{ is not a palindrome.}\}$$

Use the pumping lemma to **demonstrate** that L is not a regular language.

After you are done with the test, please indicate where you stand on the smiley face spectrum.

