

Computer Graphics

**Color
Models**

A rectangular graphic with a low-poly, geometric background. The background is composed of many triangles in various shades of purple, blue, green, yellow, orange, and red, creating a vibrant, multi-colored effect. The text 'Color Models' is centered over this graphic in a large, bold, brown font.

Achromatic/Grayscale

- Used as a synonym for 'black and white'
- All RGB values are equal ($r=g=b$) for Achromatic
- Different intensities of grey
- Lack of hue (pure color), saturation (intensity of a color) and brightness
- Only measured using the quantity of light



Electromagnetic Spectrum






FIGURE 6.2 Wavelengths comprising the visible range of the electromagnetic spectrum. (Courtesy of the General Electric Co., Lamp Business Division.)

- Visible light: a narrow band of electromagnetic radiation → **380nm (blue) - 780nm (red)**

Chromaticity Diagram



Color Gamut



The color gamut describes a range of colors within the spectrum of colors, or a color space, that can be reproduced on an output device. Depending on how wide the gamut is, every screen will display different quantities of color.

Color Systems

- The purpose of a color model (also called Color Space or Color System) is to facilitate the specification of colors in some standard way.
- A color model is a specification of a coordinate system and a subspace within that system where each color is represented by a single point.
- Available color systems are dependent on the medium on which one is working.


Different Color Models

- RGB (Red, Green, Blue)
- CMY (Cyan, Magenta, Yellow)
- HSV (Hue, Saturation, Value)
- HLS (Hue, Lightness, Saturation)
- YIQ (Luminance, In phase, Quadrature)
- YUV (Y' stands for the luma Y' stands for the luma component (the brightness) and U and V are the chrominance (color) components)

Additive Color


Additive color mixing begins with black and ends with white; as more color is added, the result is lighter and tends to white. If we are working on a computer, the colors we see on the screen are created with light using the additive color method.

Additive model




RGB color model applies
Additive model

RGB Model



Model based on Cartesian Coordinate System



RGB 24 bit (8-bit per channel) color cube

RGB Model

- Primary colors are **red**, **green**, and **blue**.
- The RGB model is usually represented by a unit cube with one corner located at the origin of a three-dimensional color coordinate system, the axes being labeled R, G, B, and having a range of values $[0, 1]$.
- The origin $(0, 0, 0)$ is considered **black** and the diagonally opposite corner $(1, 1, 1)$ is called **white**. The line joining black to white represents a gray scale and has $R=G=B$.
- This is the model used for active displays such as television and computer screens.


Subtractive Color

Subtractive color mixing means that one begins with white and ends with black; as one adds color, the result gets darker and tends to be black. When we mix colors using paint, or through the printing process, we are using the subtractive color method.




CMY color model applies
Subtractive model

CMY Model



Model based on Cartesian Coordinate System



CMY color cube


CMY Model

- Cyan, magenta, and yellow are the secondary colors with respect to the primary colors of red, green, and blue. However, in this subtractive model, they are the primary colors and red, green, and blue, are the secondaries.
- In this model, colors are formed by subtraction, where adding different pigments causes various colors not to be reflected and thus not to be seen. Here, white is the absence of colors, and black is the sum of all of them.
- Most devices that deposit color pigments on paper (**such as Color Printers and Copiers**) requires CMY data input or perform RGB to CMY conversion internally.

$$\begin{bmatrix} C \\ M \\ Y \end{bmatrix} = \begin{bmatrix} 1.00 \\ 1.00 \\ 1.00 \end{bmatrix} - \begin{bmatrix} R \\ G \\ B \end{bmatrix}$$

CMYK Model

Equal amounts of pigment primaries (**Cyan**, **Magenta** and **Yellow**) should produce Black. In practice combining these colors for printing produces a “Muddy-Black” color. So in order to produce “**True-Black**” a fourth color “Black” is added giving rise to CMYK model.



RGB - CMY Conversion



RGB 8-bit per
channel System

Q. Convert RGB value of (64, 128, 192) to CMY

(Normalise) $R' = \frac{64}{255} = 0.251$, $G' = \frac{128}{255} = 0.502$, $B' = \frac{192}{255} = 0.753$

$$\begin{array}{l|l|l} C = 1 - R' & M = 1 - G' & Y = 1 - B' \\ = 1 - 0.251 & = 1 - 0.502 & = 1 - 0.753 \\ = \underline{0.749} & = \underline{0.498} & = \underline{0.247} \end{array}$$

HSV/HSB Color Model



Check this [link](#)

HSV Color Model

Hue (color wheel/dominant color)

- Wavelength of the pure colour observed in the signal.
- The cone represents the HSV model, the hue represents different colours in different angle ranges.
- More than **400 hues** can be seen by the human eye.


Saturation (percentage/purity of the color)

- Inverse of the quantity of “white” present in the signal. A pure colour has 100% saturation, the white and grey have 0% saturation.
- About **20 saturation levels** are visible per hue.
- How far the color is from equal intensity grey
- Range **[0,1]**

Value (brightness or intensity of a color)

- Distinguishes the grey levels. Its value lies in percentages **from 0 to 100**. 0 is black and 1 is the brightest and reveals the colour.
- Value describes how light or dark a color appears. Eg. A bright yellow has a high value. A dark brown or deep blue has a low value.
- Helps in generating shading or lighting effects in graphics.

HSV Color Model



RGB to HSV Conversion

1. Divide r, g, b by 255 (if the scale is 0-255, otherwise skip)
2. Compute cmax, cmin, difference
3. **Saturation** computation :
 - ☐ if cmax = 0, then s = 0,
 - ☐ if cmax does not equal 0 then compute $s = (\text{diff}/\text{cmax}) * 100$
4. **Hue** calculation :
 - ☐ if s equal 0, then $h = 0$ *[h = undefined]*
 - ☐ else if cmax equal r then compute $h = (g - b) / \text{diff}$
 - ☐ else if cmax equal g then compute $h = 2 + ((b - r) / \text{diff})$
 - ☐ else if cmax equal b then compute $h = 4 + ((r - g) / \text{diff})$

$h = h * 60$
if $h < 0 \rightarrow h = h + 360$
5. **Value** Computation: **$v = \text{cmax} * 100$**

RGB to HSV Conversion (Algorithm)

```
procedure RGB_To_HSV (r, g, b : real; var h, s, v : real)  
{Given: r, g, b, each in [0,1].  
Desired: h in [0,360), s and v in [0, 1] except if s = 0, then h = UNDEFINED, which is some  
constant defined with a value outside the interval [0,360].}  
begin  
  max := Maximum (r, g, b);  
  min := Minimum (r, g, b);  
  v := max {This is the value v.}  
  {Next calculate saturation, s.}  
  if max <> 0 then  
    s := (max - min)/max {s is the saturation.}  
  else s := 0 {Saturation is 0 if red, green and blue are all 0}  
  if s = 0 then  
    h := UNDEFINED  
  else {Chromatic case: Saturation is not 0, so determine hue}  
    begin  
      delta := max - min  
      if r = max then  
        h := (g - b)/delta {Resulting color is between yellow and magenta}  
      else if g = max then  
        h := 2 + (b - r)/delta {Resulting color is between cyan and yellow}  
      else if b = max then  
        h := 4 + (r - g)/delta; {Resulting color is between magenta and cyan}  
      h := h * 60 {Convert hue to degrees}  
      if h < 0 then  
        h := h + 360 {Make sure hue is nonnegative}  
    end {Chromatic case}  
  end {RGB_To_HSV}
```

Fig. 13.33 Algorithm for converting from RGB to HSV color space.

RGB to HSV Conversion Example

RGB 8-bit per
channel System

Q. RGB value of (200, 100, 50) to HSV

$$R' = \frac{200}{255} = 0.784, \quad G' = \frac{100}{255} = 0.392, \quad B' = \frac{50}{255} = 0.196$$

$$c_{\max} = 0.784 \text{ (R)}$$

$$c_{\min} = 0.196 \text{ (B)}$$

$$\text{difference} = 0.784 - 0.196 = 0.588$$

Calculate H:

$$c_{\max} = R.$$

$$\therefore H = \left(\frac{G - B}{\text{diff}} \right) \times 60 = \frac{0.392 - 0.196}{0.588} \times 60 = \underline{20^\circ}$$

Calculate S:

$$S = \frac{\text{diff}}{c_{\max}} = \frac{0.588}{0.784} = \underline{0.75}$$

Calculate V:

$$V = c_{\max} = \underline{0.784}$$

HSV Color Model Application

1. The HSV model is widely used in computer graphics for intuitive **color selection** in tools like color pickers and gradient design.
2. It aids in **image processing** tasks such as color-based filtering, segmentation, and thresholding.
3. In **shading, lighting, and special effects**, HSV simplifies dynamic adjustments and smooth color transitions.
4. It's critical for **color grading** in video editing and **data visualization**, mapping values to colors effectively.
5. Additionally, HSV is essential in **gaming, AR/VR, and AI applications**, where it supports object highlighting, procedural content generation, and feature extraction.

Exercise

Convert the following colors:									
	R	G	B	Hue	Sat.	Brightness/ Value	C	M	Y
1	0.25	0.30	1.0	236°	75%	100%	0.75	0.7	0.0
2	0.01	1.00	0.99	?	?	?	?	?	?
3	1.0	0.11	0.01	?	?	?	?	?	?
4	0.8	0.8	0.3	60°	62.5%	80%	0.2	0.2	0.7
5	?	?	?	?	?	?	0.1	0.3	0.1

Reference

1. Computer Graphics: Principles and Practice: John F. Hughes, James D. Foley, Andries van Dam, Steven K. Feiner (2nd Edition)

Chapter: 13.1(before 13.1.1), 13.3.1, 13.3.2, 13.3.4, 13.3.5

1. Website Links:

- [Link 1](#)
- [Link 2](#)
- [Link 3](#)