

# NIC CPD Micro-Credential

## Safe Mobility, Patient Handling & Falls Prevention for Professional Caregivers

**Document status:** Publication-ready curriculum for NIC portal configuration

**Version:** 1.0

**Prepared by:** Manus AI

**Publication note:** NIC clinical, operational, legal, and assessment governance review is required before release.

**Course type:** Stand-alone Continuing Professional Development (CPD) Micro-Credential

**Recommended learning time:** 5 CPD hours online, plus optional supervised practical verification

**Audience:** Professional caregivers, healthcare assistants, home-care workers, residential-care staff, experienced caregivers, care supervisors, and other personnel who assist clients with mobility and activities of daily living.

**Important scope statement.** This online credential demonstrates knowledge and applied decision-making in mobility risk recognition, preparation, safe-assistance principles, falls prevention, post-fall response, escalation, and documentation. Online completion alone does **not** verify hands-on physical competence. Specialist manual handling, lifting, transfer, or mobility-device skills must be performed only within the learner's training, role, care plan, employer procedure, equipment availability, and authorisation. NIC or an employer may separately verify physical competence by direct observation.

---

## 1. Course overview

This professional CPD micro-credential strengthens the judgement required when a caregiver assists a client to move, reposition, stand, sit, transfer, or use a mobility aid. It is designed for learners who already understand basic caregiving, dignity, communication, personal care, and general safety. It therefore does not reteach introductory caregiving. Instead, it develops the learner's ability to recognise mobility-related risk before beginning a task, choose a proportionate method of assistance, preserve independence and dignity, protect the caregiver from avoidable injury, and stop or escalate when the situation is outside the caregiver's competence or available resources.

The course uses the repeated decision sequence **ASSESS → PLAN → PREPARE → EXPLAIN → ASSIST → OBSERVE → STOP/ADAPT IF NECESSARY → REPORT/ESCALATE → DOCUMENT**. Learners apply this sequence to home-care and facility-based situations involving older adults, people recovering from illness, wheelchair users, clients with weakness or fatigue, people at risk of falls, and clients whose mobility changes suddenly.

The curriculum is informed by safe patient-handling and falls-prevention principles. OSHA identifies repeated manual patient handling, including transfers and repositioning, as a source of musculoskeletal risk and recommends hazard assessment, appropriate equipment, care planning, training, and programme review. <sup>1</sup> CDC/NIOSH similarly emphasises assistive devices, accessible equipment, training, procedures, and safe patient-handling programmes. <sup>2</sup> WHO describes falls prevention as requiring education, training, safer environments, and effective policies, with tailored interventions for identified risks. <sup>3</sup> NICE frames falls work around identifying people at risk, comprehensive assessment, interventions, participation, and information. <sup>4</sup> CDC STEADI provides practical caregiver resources on footwear, home safety, and family action. <sup>5</sup>

## Course promise

At the end of the course, the learner should be able to say: **“I am better equipped to recognise mobility risk, assist safely, protect the client’s independence, protect myself from injury, and know when not to proceed.”**

## What this course does not confer

The credential does not make the learner a physiotherapist, nurse, occupational therapist, clinician, manual-handling specialist, or holder of a regulated licence. It does not authorise diagnosis, prescribing or fitting of mobility aids, rehabilitation planning, clinical treatment changes, independent fracture assessment, or specialist manual-handling procedures without appropriate practical training and authorisation.

---

## 2. Strategic purpose of the CPD

The strategic purpose is to add a meaningful professional competency to NIC’s caregiver pathway without duplicating introductory education. The credential targets the point at which an experienced caregiver must make a safe decision under real workplace pressure: a client appears weaker than usual, a bathroom is wet, a wheelchair is not positioned, a family member asks the caregiver to “just lift” someone, or a client becomes dizzy halfway through a task.

The course supports three linked outcomes. First, it reduces preventable risk by making preparation, equipment, environment, communication, and stop decisions visible. Second,

it supports dignity and independence by treating the client as a participant whose preferences, abilities, pace, and consent matter. Third, it strengthens organisational learning by requiring objective reporting of incidents, near misses, equipment faults, and environmental contributors rather than blame-focused narratives.

The course should be positioned in the NIC portal as a **professional application micro-credential**, suitable for annual or periodic workforce development. It should complement, not replace, employer-specific competency checks, clinical assessment, and supervised practical training.

### 3. Target audience

The primary audience is a trained caregiver who already performs or supports activities of daily living and needs stronger workplace judgement around mobility. This includes professional caregivers, healthcare assistants, home-care workers, residential-care staff, experienced caregivers, care supervisors, and community-based care personnel.

The course is suitable for both home-care and facility settings. Nigerian application is built into the scenarios through variable housing layouts, multigenerational households, uneven floors, stairs, limited space, bathrooms and toilet facilities, family involvement, variable availability of equipment, and differences between community, residential, and institutional care. It does not assume that every household or facility has the same resources. Where resources are limited, the safe response is to prioritise immediate safety, use only authorised methods, seek assistance, and escalate rather than improvise an unsafe lift or transfer.

### 4. Recommended CPD hours and portal workload

| Component                                                    | Recommended time   | Portal implementation                                      |
|--------------------------------------------------------------|--------------------|------------------------------------------------------------|
| Orientation, scope acknowledgement and pre-course self-check | 15 minutes         | Required opening activity                                  |
| Six modules and 19 lessons                                   | 3 hours 35 minutes | Sequential lessons with completion tracking                |
| Six module assessments                                       | 35 minutes         | Five questions per module; feedback shown after submission |
| Final 30-question assessment                                 | 35 minutes         | 80% pass mark; scenario-heavy                              |

|                                       |                                   |                                                                        |
|---------------------------------------|-----------------------------------|------------------------------------------------------------------------|
| Reflection and action plan            | 10 minutes                        | Required completion activity                                           |
| <b>Total online CPD learning time</b> | <b>5 hours</b>                    | <b>Certificate eligible after all requirements are met</b>             |
| Optional practical verification       | Employer/NIC scheduled separately | Not included in online CPD hours unless formally assessed and recorded |

The portal should record lesson completion, assessment attempts, final score, acknowledgement of scope limitations, and certificate issuance. A learner should not be able to bypass the scope acknowledgement or final assessment.

## 5. Prerequisites

The learner should have completed foundational caregiver education or have equivalent workplace experience. The learner should understand basic personal care, communication, privacy, dignity, infection prevention, emergency escalation, and the general boundaries of a caregiver role. The learner should have access to the relevant employer care plan, mobility instructions, incident-reporting pathway, and local emergency contacts while applying the course at work.

The course should begin with a short diagnostic self-check, not a high-stakes prerequisite exam. A learner who identifies gaps in basic caregiving or emergency response should be directed to foundational NIC training or employer supervision before relying on this micro-credential in practice.

## 6. Learning outcomes

By the end of the CPD, the learner will be able to:

1. Identify client, task, environment, equipment, and caregiver factors that may increase mobility or falls risk.
2. Conduct a basic pre-task mobility risk assessment using baseline mobility, recent change, symptoms, fatigue, cognition, footwear, previous falls, environment, equipment, and care-plan information.
3. Apply body-mechanics and task-preparation principles that reduce avoidable strain without treating “proper lifting technique” as permission to manually lift a client.
4. Explain and support movement in a way that preserves dignity, consent, participation, independence, and an appropriate pace.

5. Select a proportionate assistance approach within the care plan, employer procedure, available equipment, and the learner's verified training.
6. Recognise when a movement, transfer, or aid is unsafe, should stop, requires another person or equipment, or is outside caregiver scope.
7. Respond appropriately to a fall or sudden change in mobility by protecting the scene, seeking help, avoiding unnecessary movement, recognising red flags, and following the post-fall pathway.
8. Identify and report environmental hazards, equipment faults, incidents, near misses, changes in mobility, and follow-up needs using objective documentation and appropriate escalation.

## 7. Competency framework

| Competency domain        | Performance standard                                                                               | Evidence in the online course                               | Practical verification needed?    |
|--------------------------|----------------------------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------------------------|
| Risk recognition         | Notifies relevant client, task, environment, equipment, and caregiver risks before movement        | Scenarios, risk-identification questions, decision sequence | Optional direct observation       |
| Preparation              | Plans the task, clears the environment, checks equipment, obtains help, and explains the plan      | Sequencing activities and cases                             | Yes if physical equipment is used |
| Safe assistance          | Chooses proportionate support and avoids unsafe manual lifting                                     | Best-next-action questions and applied cases                | Yes for hands-on                  |
| Dignity and independence | Involves the client, protects privacy, uses respectful language, and avoids unnecessary dependence | Communication cases and reflection                          | Observation recommended           |
| Stop/adapt/escalate      | Stops when risk changes or the task exceeds scope, then seeks appropriate support                  | Unsafe/less-safe/outside-scope items                        | Observation recommended           |
| Falls prevention         | Identifies environmental and client-specific risks                                                 | Home and facility hazard cases                              | Optional                          |

|                        |                                                                                                        |                                         |                                       |
|------------------------|--------------------------------------------------------------------------------------------------------|-----------------------------------------|---------------------------------------|
|                        | and proposes proportionate controls                                                                    |                                         |                                       |
| Post-fall response     | Protects scene, seeks help, avoids unnecessary movement, responds within training, and follows pathway | Scenario assessment                     | Simulated practical check recommended |
| Reporting and learning | Records objective facts, not unsupported diagnoses or blame, and communicates follow-up                | Documentation exercises and final items | Optional review supervisor            |

## Decision sequence used throughout

**ASSESS:** What is the client's baseline, what has changed, and what risks are present?

**PLAN:** What is the goal, what assistance is authorised, and what is the safest proportionate method?

**PREPARE:** Is the environment clear, equipment available and functional, and help present?

**EXPLAIN:** Has the client understood the plan and agreed to participate?

**ASSIST:** Support rather than overpower; use only trained and authorised methods.

**OBSERVE:** Monitor balance, fatigue, pain, dizziness, anxiety, breathing, and tolerance.

**STOP/ADAPT:** Pause if the client or caregiver becomes unstable, the plan no longer fits, or risk changes.

**REPORT/ESCALATE:** Seek the appropriate qualified professional, supervisor, emergency response, or additional staff.

**DOCUMENT:** Record what was observed, what was done, who was notified, and what follow-up is required.

## 8. Complete module structure

| Module | Title                                         | Lessons                                                           | Module emphasis                              | Assessment  |
|--------|-----------------------------------------------|-------------------------------------------------------------------|----------------------------------------------|-------------|
| 1      | <b>Risk, Scope and Professional Judgement</b> | 1. Mobility is more than walking; 2. Pre-task risk assessment; 3. | Recognising baseline, change, risk and scope | 5 questions |

|   |                                                         |                                                                                                                                                                |                                             |             |
|---|---------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|-------------|
|   |                                                         | Stop, adapt and escalate                                                                                                                                       |                                             |             |
| 2 | <b>Preparation, Body Mechanics and Communication</b>    | 4. Protecting the caregiver; 5. Preparing the environment and equipment; 6. Dignity, consent and participation                                                 | Planning before movement                    | 5 questions |
| 3 | <b>Positioning, Assisted Movement and Mobility Aids</b> | 7. Positioning for comfort and safety; 8. Assisted movement and tolerance; 9. Mobility-aid awareness                                                           | Conceptual principles and safe checks       | 5 questions |
| 4 | <b>Transfer Planning and Safe Assistance</b>            | 10. Transfer decision-making; 11. Bed, chair and toilet transfer preparation; 12. Wheelchair and sit-to-stand situations; 13. When a transfer must not proceed | Transfer risk and adaptation                | 5 questions |
| 5 | <b>Falls Prevention and Post-Fall Response</b>          | 14. Preventing falls at home and in facilities; 15. Responding when a client falls; 16. Red flags and urgent escalation                                        | Prevention, first response and pathway      | 5 questions |
| 6 | <b>Reporting, Learning and Integrated Practice</b>      | 17. Objective documentation; 18. Handover, family communication and near misses; 19. Integrated professional judgement                                         | Learning systems and whole-task application | 5 questions |

## 9. Detailed lesson outline

| Lesson | Title                                      | Primary application                  | Scenario anchor                           |
|--------|--------------------------------------------|--------------------------------------|-------------------------------------------|
| 1      | Mobility is more than walking              | Baseline and change                  | Older adult weaker after illness          |
| 2      | Pre-task mobility risk assessment          | Structured assessment                | Client reports dizziness before standing  |
| 3      | Stop, adapt and escalate                   | Scope and stop rules                 | Family pressures caregiver to lift        |
| 4      | Protecting the caregiver                   | Body mechanics and injury prevention | Repeated awkward repositioning            |
| 5      | Preparing the environment and equipment    | Preparation controls                 | Wet bathroom and damaged walker           |
| 6      | Dignity, consent and participation         | Communication                        | Anxious client resists assistance         |
| 7      | Positioning for comfort and safety         | Alignment and tolerance              | Repositioning in bed with pressure risk   |
| 8      | Assisted movement and tolerance            | Observe and adapt                    | Client fatigues halfway through movement  |
| 9      | Mobility-aid awareness                     | Safe checks and reporting            | Walking aid appears unsafe                |
| 10     | Transfer decision-making                   | Proportionate method                 | Transfer plan no longer matches condition |
| 11     | Bed, chair and toilet transfer preparation | Common transfer preparation          | Limited space at bedside                  |
| 12     | Wheelchair and sit-to-stand situations     | Brakes, footrests, communication     | Wheelchair not positioned correctly       |
| 13     | When a transfer must not proceed           | No-go decisions                      | Missing equipment and no second worker    |

|    |                                                |                               |                                              |
|----|------------------------------------------------|-------------------------------|----------------------------------------------|
| 14 | Preventing falls at home and in facilities     | Environmental controls        | Uneven floor and poor lighting               |
| 15 | Responding when a client falls                 | Immediate response            | Home-care fall with no witness               |
| 16 | Red flags and urgent escalation                | Emergency judgement           | Suspected head injury after fall             |
| 17 | Objective documentation                        | Incident and change reporting | Recording observed signs without diagnosis   |
| 18 | Handover, family communication and near misses | Team learning                 | Near miss caused by clutter                  |
| 19 | Integrated professional judgement              | Full decision sequence        | Client insists on walking after recent falls |

## 10. Full lesson content

### Lesson 1 — Mobility is more than walking

#### Why this matters in professional caregiving

Mobility includes changing position in bed, rolling, sitting, standing, transferring, walking, using a wheelchair, and participating in activities of daily living. A client may walk independently in one setting but need assistance after bathing, at night, during illness, or when tired. A professional caregiver therefore does not reduce mobility to the question, “Can this person walk?” The relevant question is, “What can this person safely do now, for this task, in this environment, with this level of support?”

#### Learning objectives

The learner will distinguish baseline mobility from current change, identify client and task factors that alter risk, and describe why independence must be supported without ignoring safety.

#### Core instructional content

Begin with the client's usual pattern: how they normally rise, transfer, walk, use a wheelchair, or ask for help. Observe what is different today. A new need for more support, slower movement, unsteadiness, unusual fatigue, pain, dizziness, confusion, fear, or reluctance may indicate that the planned task no longer fits. The caregiver is not diagnosing the cause. The caregiver is recognising a change and communicating it through the care pathway.

Mobility risk is usually multi-factorial. It may involve the client's strength, balance, sensation, cognition, confidence, fatigue, pain, footwear, vision, recent illness, previous falls, or medicines that may contribute to drowsiness or dizziness. It may also involve the task, such as a narrow bathroom, a wet floor, a high bed, a long distance, a rushed schedule, or a need to turn. Equipment condition and caregiver readiness matter as well.

Independence does not mean leaving a client alone when they are unsafe. It means enabling the client to do the parts they can do, at their pace, while providing the minimum safe assistance and respecting the care plan. Over-assistance can reduce confidence and participation; under-assistance can expose the client and caregiver to harm.

## Applying this in practice

Before a task, compare **usual ability**, **current ability**, and **task demand**. If current ability is lower than usual or task demand is higher than usual, pause and reassess. Ask what the client feels able to do, observe their response to simple instructions, and check the care plan. Do not test a client by encouraging a risky movement merely to "see what happens."

## Case scenario

Mr Ade normally walks from his room to the dining area with a walker. Today he has recently recovered from an infection and is slower, pale, and holding the wall. His daughter says, "He can do it; he just needs encouragement."

**Risk:** There is a change from baseline, possible weakness or dizziness, and an unsafe environmental reliance on the wall.

**Appropriate response:** Pause the walk, keep Mr Ade in a safe position, ask about symptoms, follow the care plan, and notify the supervisor or qualified professional according to procedure.

**Do not:** Pull him forward, rush him, or assume that encouragement makes the task safe.

**Escalate when:** The change is sudden, symptoms are concerning, or the required assistance exceeds the plan.

**Document:** Baseline comparison, observed change, client report, action taken, and people notified.

## Key practice points

Mobility is task- and time-specific. A change from baseline matters even when no fall has occurred. Support independence by enabling safe participation, not by abandoning the client to manage alone. Recognise and report change; do not diagnose it.

## Lesson assessment

**Question:** Which observation most clearly requires the caregiver to pause and reassess before a planned walk?

- A. The client chooses a different shirt.
- B. The client is moving more slowly than usual, holding furniture, and reports dizziness.
- C. The client asks to walk after breakfast.
- D. The client uses their usual walking aid.

**Correct answer:** B.

**Explanation:** A change from baseline combined with dizziness and furniture dependence changes the risk profile. The caregiver should pause, keep the client safe, and follow the escalation pathway rather than treating the issue as a motivation problem.

**Learning objective tested:** Identify client-specific and change-from-baseline mobility risks.

---

## Lesson 2 — Pre-task mobility risk assessment

### Why this matters in professional caregiving

A short, disciplined assessment before movement can prevent an unsafe task from becoming an injury, fall, or emergency. Assessment does not mean diagnosing the client. It means gathering relevant observations, checking the plan, identifying hazards, and deciding whether the task can proceed within scope.

### Learning objectives

The learner will use the pre-task sequence to identify client, task, environment, equipment, and caregiver risks; distinguish observations from diagnoses; and decide when further help is needed.

### Core instructional content

Use five questions. **Client:** What is the baseline? What has changed? Is there pain, dizziness, weakness, fatigue, anxiety, confusion, breathlessness, or reduced ability to follow instructions? Has the client fallen recently? What does the care plan say? **Task:** What

movement is required, how far, how many turns, and what is the destination?

**Environment:** Is the route clear, dry, well lit, and wide enough? Are there stairs, uneven surfaces, loose rugs, furniture, or a crowded bathroom? **Equipment:** Is the prescribed or authorised aid present, suitable for the task, intact, and positioned correctly? **Caregiver:** Am I trained and authorised? Am I physically ready? Is another worker required?

Ask simple, respectful questions and observe without creating a performance test. A client who says, “I feel light-headed,” has provided important information; the caregiver should not decide that this is harmless. A client who is newly confused or unable to follow the agreed plan may need a different level of support. Medicines can be a risk factor when they contribute to drowsiness or dizziness, but the caregiver does not alter, withhold, or recommend medication.

Classify the proposed action as **safe to proceed within plan, pause and adapt, seek assistance before proceeding, or do not proceed and escalate**. The classification is not permanent: risk can change during the movement.

## Applying this in practice

A pre-task check can be spoken quietly or recorded according to employer policy. It should be proportionate; a routine task may need a brief check, while a new or higher-risk transfer requires more preparation and help. When in doubt, increase support and seek guidance rather than reducing safety to speed.

## Case scenario

During a home visit, Mrs Okafor says she feels “a little dizzy” when asked to stand. The route to the toilet includes a wet tiled area and a narrow turn around a table.

**Risk:** Dizziness and a wet, restricted route make the planned transfer unsafe as currently arranged.

**Appropriate response:** Keep her stable in the current safe position, make the immediate area safe if this can be done without leaving her unsupported, seek assistance according to procedure, and report the symptom and environmental hazard.

**Do not:** Proceed because the distance is short or because she says she can manage.

**Escalate when:** Dizziness persists, worsens, is associated with collapse, altered responsiveness, breathing difficulty, or any other urgent sign.

**Document:** What she said, what was observed, the environmental condition, the task paused, and the notifications made.

## Key practice points

A pre-task assessment is a decision tool, not a diagnosis. A short route can still be high risk. The client's words, the caregiver's observations, the care plan, and the environment should all influence the decision.

## Lesson assessment

**Question:** Which set best represents a basic pre-task assessment?

- A. Client's diagnosis only.
- B. Client status, task demand, environment, equipment, care plan, and caregiver capability.
- C. Client's weight only.
- D. Whether the caregiver is in a hurry.

**Correct answer:** B.

**Explanation:** Mobility risk is created by the interaction of client, task, environment, equipment, and caregiver factors. The assessment supports safe planning without turning the caregiver into a diagnostician.

**Learning objective tested:** Conduct a basic pre-task mobility risk assessment.

---

## Lesson 3 — Stop, adapt and escalate

### Why this matters in professional caregiving

A professional caregiver is not judged by completing every task at all costs. Safe practice includes recognising when the plan no longer fits, stopping before a fall or injury, and obtaining the right help. OSHA and CDC/NIOSH both emphasise hazard assessment, appropriate equipment, training, and safe-handling programmes rather than reliance on individual strength. 2

### Learning objectives

The learner will identify stop signals, distinguish adaptation from improvisation, and select appropriate escalation routes.

### Core instructional content

Stop the task when the client becomes unstable, dizzy, suddenly weak, distressed, unusually confused, breathless, or unable to follow the agreed plan; when pain increases; when the caregiver loses safe control; when equipment shifts or fails; when the environment becomes unsafe; or when the task requires a technique, device, number of staff, or clinical assessment not available. A stop is not a failure. It is a control measure.

After stopping, stabilise without pulling or lifting beyond training. Explain calmly: “We are going to pause because I want to keep you safe.” Keep the client in the safest position that can be maintained without unnecessary movement. Call the supervisor, nurse, qualified professional, emergency service, or additional worker required by the local pathway. If there is a suspected emergency, use the approved emergency response process.

Adaptation is appropriate only when it stays within the care plan, employer procedure, training, and available equipment. Examples may include clearing a route, changing the destination, allowing rest, obtaining a second worker, or delaying the task for qualified review. Improvisation is unsafe when it means using furniture as a lifting device, pulling on a client’s arms, manually lifting a person because equipment is missing, or bypassing a required assessment.

## Applying this in practice

Use the phrase “**not safe to proceed as planned**” rather than arguing about whether a client is “heavy” or “difficult.” State the specific risk and the support needed. If a family member pressures the caregiver, remain respectful but firm: the caregiver must follow the care plan and employer procedure.

## Case scenario

A family member asks a caregiver to transfer a client from the floor to a bed after a slip. No lifting equipment is available, and the client reports hip pain.

**Risk:** Possible injury, floor-level transfer, missing equipment, and pressure to perform an unauthorised lift.

**Appropriate response:** Do not lift; protect the scene, seek appropriate assistance, and follow the post-fall pathway.

**Do not:** Use two people to manually lift the client simply because the family wants the task completed.

**Escalate when:** There is pain, suspected injury, inability to move normally, loss of consciousness, bleeding, breathing difficulty, or any other red flag.

**Document:** The circumstances, client statements, observed signs, response, people notified, and follow-up instructions.

## Key practice points

The safest caregiver is willing to stop. Adapt only within authorisation. Missing equipment, inadequate help, and a changed client condition are reasons to escalate, not invitations to improvise.

## Lesson assessment

**Question:** A client becomes unstable halfway through a transfer. What is the best next action?

- A. Pull harder to finish quickly.
- B. Tell the client not to worry and continue.
- C. Pause or stop, maintain safety without an unsafe lift, call for appropriate help, and reassess.
- D. Ask a family member to lift the client.

**Correct answer:** C.

**Explanation:** The plan must change when risk changes. Continuing under loss of control or recruiting an untrained helper may worsen harm.

**Learning objective tested:** Recognise when a task should stop, adapt, or be escalated.

---

## Lesson 4 — Protecting the caregiver: body mechanics and injury prevention

### Why this matters in professional caregiving

Caregiver injury can harm the caregiver, reduce continuity of care, and create risk for the client. Repeated transfers, repositioning, awkward postures, and manual lifting are recognised sources of musculoskeletal risk. 2 Body mechanics are useful, but they do not make every manual task safe.

### Learning objectives

The learner will describe posture, base of support, centre of gravity, avoiding twisting, and use of assistance; and explain why body mechanics are not permission to lift clients manually.

### Core instructional content

Prepare before moving. Face the direction of the task, keep a stable base of support, position yourself close enough to avoid reaching, and keep movements controlled. Bend through hips and knees as appropriate rather than rounding and twisting under load. Move your feet to turn rather than rotating the trunk while holding or supporting weight. Keep the task within a comfortable working zone and avoid leaning across beds or reaching around furniture.

Use the client's participation when safe and authorised. Coordinate with a second worker and use equipment that the care plan identifies. Explain the movement and agree on a simple cue such as "on three," but do not assume that a cue compensates for weakness or poor balance. The client's contribution may be pushing through the feet, reaching for a stable support, or shifting weight; it may also be limited or absent.

Avoid unsafe lifting. Human bodies are unpredictable loads; clients may move suddenly, be unable to cooperate, or have conditions that make a technique unsuitable. The goal is not to become strong enough to lift a client. The goal is to choose a method that does not depend on unsafe strength. If equipment or additional staff are required, obtain them.

## Applying this in practice

Before repeated repositioning, ask whether the bed height, space, aids, and staffing are adequate. Report patterns of strain, pain, fatigue, or near misses. A caregiver should not work through significant pain or hide an injury because the shift is busy.

## Case scenario

A caregiver has been repositioning a client in a low bed and feels back pain while reaching across the mattress.

**Risk:** Awkward posture, repeated strain, low bed height, and possible inadequate equipment or staffing.

**Appropriate response:** Pause, use safer positioning and available authorised equipment, adjust the work area if possible, seek help, and report the hazard or injury.

**Do not:** Twist while pulling, jerk the client, or continue through worsening pain.

**Escalate when:** The task cannot be completed safely with available resources or the caregiver has an injury.

**Document:** The task, conditions, symptoms, controls used, and notifications.

## Key practice points

Plan with your feet, not just your arms. Avoid twisting and reaching. Use equipment and help. Body mechanics reduce risk; they do not eliminate the need for a safe system of work.

## Lesson assessment

**Question:** Which statement is safest?

- A. Good lifting posture makes it acceptable to lift any client manually.
- B. If a caregiver is strong, a second worker is unnecessary.

C. Body mechanics should be combined with planning, equipment, and assistance appropriate to the task.

D. Twisting is safe if the movement is quick.

**Correct answer:** C.

**Explanation:** Body mechanics are one part of a broader safe-handling approach. They cannot replace equipment, staffing, training, or a suitable care plan.

**Learning objective tested:** Apply body-mechanics principles without endorsing unsafe lifting.

---

## Lesson 5 — Preparing the environment and equipment

### Why this matters in professional caregiving

Many mobility incidents begin before the client moves. A wet floor, cluttered route, loose rug, poorly placed chair, blocked brake, damaged aid, or insufficient lighting can convert an otherwise manageable task into a fall or injury.

### Learning objectives

The learner will prepare a route and destination, perform basic safety checks on common aids, and report hazards or faults without independently prescribing or fitting equipment.

### Core instructional content

Prepare the destination first. Move unnecessary furniture, secure or remove loose rugs according to local practice, dry wet surfaces, improve lighting where possible, and make sure the route is wide enough for the client and aid. Check the height and position of chairs or beds only within the care plan and workplace procedure. Keep essential items within safe reach after the task.

For wheelchairs, check that brakes are applied when stationary and that footrests or other components are positioned according to the approved procedure before a transfer. For walkers and sticks, look for visible damage, loose parts, worn tips, instability, or a height that appears inconsistent with the approved setup. Do not alter, prescribe, or clinically fit a device. Remove a faulty device from use if authorised and report it promptly.

Equipment checks are not a substitute for training. A device may be intact but unsuitable for the client or task. Conversely, a familiar device may be unsafe when the client's condition changes. The caregiver should use the device only as directed by the care plan, employer procedure, or qualified professional.

## Applying this in practice

In a home, ask permission before moving household items and explain why a change is needed. In a facility, report environmental hazards through the maintenance or safety pathway. In a resource-limited setting, do not replace missing equipment with improvised lifting methods. Pause and escalate.

### Case scenario

A client's walker has a cracked rubber tip and rocks slightly when weight is placed on it.

**Risk:** Equipment failure could cause loss of balance.

**Appropriate response:** Do not use the walker for weight-bearing mobility; keep the client safe, follow the replacement or repair pathway, and seek approved alternative support.

**Do not:** Tape the tip temporarily and continue unless authorised by procedure and confirmed safe.

**Escalate when:** No safe alternative is available or the client's mobility plan must change.

**Document:** The fault, task affected, action taken, and person notified.

### Key practice points

Prepare the destination, not only the starting point. Check aids visually and functionally only within training. Faulty or unavailable equipment is a reason to pause and report, not improvise.

### Lesson assessment

**Question:** A wheelchair is available, but one brake does not hold. What should the caregiver do?

- A. Ask the client to hold still and continue.
- B. Use the chair only for a very short transfer.
- C. Do not use it for the transfer; report the fault and obtain an approved safe alternative.
- D. Ask a family member to hold the chair.

**Correct answer:** C.

**Explanation:** A brake fault creates a foreseeable movement risk. A family member holding the chair is not an equivalent safety control unless an approved procedure specifically authorises it.

**Learning objective tested:** Identify equipment faults and respond within scope.

---

## Lesson 6 — Dignity, consent and participation

### Why this matters in professional caregiving

Mobility assistance can expose the body, reduce privacy, and make a client feel powerless. Clear communication protects safety and dignity at the same time. OSHA notes that explaining planned procedures and enlisting client cooperation can improve safety, comfort, engagement, and dignity. <sup>1</sup>

### Learning objectives

The learner will explain a movement clearly, obtain cooperation where possible, protect privacy, and respond to anxiety or resistance without coercion.

### Core instructional content

Introduce yourself and explain what will happen, why assistance may be needed, and what the client can do. Use plain language and a calm pace. Ask about comfort, pain, dizziness, preferred name, privacy, and any fear of falling. Give the client time to respond. Before touching or moving, tell the client what you are about to do and obtain consent according to the care setting and the client's ability to consent.

Participation may be physical, verbal, or simply choosing when to pause. Encourage what the client can safely do, but never turn encouragement into pressure. "Try harder" is not a safe mobility plan. A client who resists may be experiencing pain, fear, confusion, fatigue, embarrassment, or a mismatch between the plan and their ability. Pause, listen, reassess, and seek guidance if resistance continues.

Protect privacy with appropriate clothing, covering, doors, curtains, and respectful language. Do not discuss a client's limitations in front of visitors or family as if the client were absent. In multigenerational households, include family appropriately while keeping the client's wishes and confidentiality central.

### Applying this in practice

Use a shared plan: "We will move to the edge of the bed, pause, and then decide whether standing is safe." This makes stop points normal. If the client says no, do not coerce them. Determine whether there is an urgent need, maintain safety, and escalate according to policy.

### Case scenario

Ms Bello is anxious about standing after a previous fall. Her relative says, "Do not ask her; just move her quickly."

**Risk:** Fear, possible resistance, loss of consent, and pressure to rush.

**Appropriate response:** Explain the plan to Ms Bello, ask what would help her feel safe, pause between steps, and involve the appropriate supervisor or qualified professional if the planned assistance is insufficient.

**Do not:** Pull her up or allow the relative to override the client's participation.

**Escalate when:** Anxiety prevents safe participation, the care plan does not address the situation, or the client's condition has changed.

**Document:** The concern, the client's response, adaptations, and consultation.

## Key practice points

Explain before touching. Give time. Consent and dignity are safety controls. Respectful assistance supports independence; coercion increases risk.

## Lesson assessment

**Question:** A client becomes anxious and says, "I do not want to stand yet." What is the best response?

- A. Move the client before they change their mind.
- B. Tell the client that refusal is not allowed.
- C. Pause, listen, explain the plan, reassess safety, and seek guidance if needed.
- D. Ask the family to hold the client.

**Correct answer:** C.

**Explanation:** Anxiety or refusal may signal fear, pain, fatigue, or an unsuitable plan. Respectful pause and reassessment protect both autonomy and safety.

**Learning objective tested:** Support dignity, consent, and participation.

---

## Lesson 7 — Positioning for comfort and safety

### Why this matters in professional caregiving

Positioning affects comfort, alignment, breathing, pressure exposure, dignity, and the client's ability to participate. Caregivers need sound principles without performing specialist clinical positioning beyond their role.

### Learning objectives

The learner will describe basic positioning principles, recognise intolerance or pressure

risk, and know when a qualified professional must review the plan.

## Core instructional content

Positioning should follow the care plan and the client's needs. Aim for supported alignment, comfort, privacy, stable surfaces, and the least restrictive position that permits safe function. Check that limbs are supported, joints are not forced, and the client is not left in a position that causes pain, breathing difficulty, numbness, distress, or inability to call for help.

Repositioning should be planned and explained. Use appropriate equipment or assistance where required. Avoid dragging across sheets or pulling on limbs. Observe skin and comfort at the level expected of the caregiver, but do not diagnose pressure injuries. Report persistent redness, pain, skin damage, or inability to reposition safely according to the pathway.

For clients with specific clinical restrictions, recent surgery, neurological changes, tubes, lines, or complex postural needs, follow the qualified professional's plan. Do not invent a positioning method because the usual method is inconvenient.

## Applying this in practice

Ask the client whether the position is comfortable and whether they can breathe, see, reach needed items, and call for help. Recheck after a short interval and whenever the client reports discomfort. In a facility, use the documented repositioning schedule if one exists; in home care, agree with the care plan and supervisor how needs are monitored.

## Case scenario

A bedbound client reports pain and numbness after being repositioned. The caregiver notices persistent redness over a bony area.

**Risk:** Intolerance, possible pressure-related harm, and need for clinical review.

**Appropriate response:** Relieve the immediate pressure using the authorised plan, avoid further friction, notify the appropriate professional, and document objective observations.

**Do not:** Massage the area, diagnose a pressure injury, or continue the same position without review.

**Escalate when:** Pain, skin change, breathing difficulty, or inability to reposition safely persists.

**Document:** Location and appearance as observed, client report, action, notification, and follow-up.

## Key practice points

Comfort and alignment are not cosmetic. Observe tolerance. Use the care plan. Report signs that require qualified assessment.

## Lesson assessment

**Question:** Which observation after repositioning should be reported rather than diagnosed by the caregiver?

- A. The client prefers a different pillow.
- B. Persistent redness and pain over a bony area.
- C. The client asks for water.
- D. The room is quiet.

**Correct answer:** B.

**Explanation:** Persistent redness and pain may indicate a problem requiring assessment. The caregiver should record observations and escalate, not label or treat the condition independently.

**Learning objective tested:** Apply positioning principles and recognise when review is needed.

---

## Lesson 8 — Assisted movement and tolerance

### Why this matters in professional caregiving

Even a well-planned movement can become unsafe when the client tires, becomes dizzy, develops pain, or loses confidence. Observation during movement is as important as preparation before it.

### Learning objectives

The learner will monitor tolerance, use planned pauses, identify signs to stop, and adapt within scope.

### Core instructional content

Agree on a pace and cue before movement. Observe facial expression, breathing, balance, muscle control, communication, fatigue, pain, dizziness, anxiety, and ability to follow the plan. Do not assume silence means comfort. Ask short questions at appropriate points:

“How are you feeling?” “Are you steady?” “Would you like to pause?”

Fatigue can develop gradually. A client may start strongly and then lose control on the final step, turn, or sit. Plan rest points before the client needs them. If the client becomes

unstable, pause and maintain safety without pulling or lifting beyond training. Return to the safest position that can be achieved without unnecessary movement, then call for help.

Adaptation can include stopping, changing the route, obtaining a second worker, using authorised equipment, or postponing the task for review. It should not include rushing, dragging, or asking the client to ignore symptoms.

## Applying this in practice

Use “observe, ask, pause” as a repeating rhythm. A client who reports new pain, breathlessness, dizziness, or unusual weakness should not be encouraged to continue simply because the destination is close.

## Case scenario

Halfway from a chair to the bathroom, Mr Musa says his legs feel weak and begins to sway.

**Risk:** Loss of balance and possible collapse.

**Appropriate response:** Stop, maintain the safest available support without an unsafe lift, call for help, and follow the care plan and escalation pathway.

**Do not:** Tell him to keep going because the bathroom is only a few steps away.

**Escalate when:** Weakness is sudden, severe, associated with altered responsiveness, breathing difficulty, chest pain, or inability to move normally.

**Document:** His words, observed sway, task stage, response, notifications, and follow-up.

## Key practice points

Monitor throughout. Fatigue is a risk change. A planned pause is safer than a rushed finish. The destination never justifies continuing an unstable movement.

## Lesson assessment

**Question:** A client becomes fatigued during movement but is not yet on the floor. What should the caregiver do first?

- A. Continue quickly.
- B. Pause, communicate, maintain safety, and reassess the plan.
- C. Pull the client by the arms.
- D. Leave the client unsupported while fetching equipment.

**Correct answer:** B.

**Explanation:** Pausing prevents fatigue from becoming loss of balance. The caregiver should maintain safety while adapting or seeking help.

**Learning objective tested:** Observe tolerance and stop or adapt appropriately.

---

## **Lesson 9 — Mobility-aid awareness**

### **Why this matters in professional caregiving**

Walking sticks, walkers, wheelchairs, transfer aids, and other equipment can support mobility when selected and used appropriately. A caregiver's responsibility is safe use within instruction, not prescription or clinical fitting.

### **Learning objectives**

The learner will state the purpose of common aids, complete basic checks, recognise faults, and identify when a qualified professional must review the device or plan.

### **Core instructional content**

A mobility aid should match the client's authorised plan and the task. The caregiver should know what the aid is intended to support, how to position it according to workplace instruction, and how to identify visible damage or instability. Check rubber tips, wheels, brakes, frames, straps, slings, footrests, and other components that the caregiver is trained to inspect. Follow manufacturer and employer guidance.

Do not change height, fit, configuration, or weight-bearing instructions unless trained and authorised. Do not assume that a device used successfully last week remains safe if the client's ability has changed. A damaged aid should be removed from use when authorised, labelled or secured according to policy, and reported.

Some aids require specialist assessment. A caregiver should escalate if the client's posture, balance, strength, pain, or ability to follow instructions has changed, or if the device appears unsuitable. CDC/NIOSH recommends accessible assistive devices, worker training, and promotion of proper device use as part of injury prevention. <sup>2</sup>

### **Applying this in practice**

Teach clients and families to report faults, but do not ask them to repair equipment unless the manufacturer or employer procedure expressly allows it. In home care, record where the aid is stored and who is responsible for repair or replacement.

### **Case scenario**

A wheelchair's footrest is missing and the client's feet cannot be safely supported during the planned route.

**Risk:** Foot injury, interference with the wheels, instability, or unsafe transfer setup.

**Appropriate response:** Do not proceed with the route or transfer as planned; follow the equipment and escalation pathway.

**Do not:** Substitute a loose stool or ask the client to hold the feet up for a long journey.

**Escalate when:** A safe alternative cannot be confirmed or the client's care plan must change.

**Document:** Missing component, task affected, actions, and notifications.

## Key practice points

Use aids only as authorised. Inspect within training. A device can be present but unsuitable. Faults require reporting, not improvisation.

## Lesson assessment

**Question:** What is outside the ordinary caregiver scope unless specifically trained and authorised?

- A. Reporting a cracked walking-aid tip.
- B. Checking that a wheelchair brake appears to hold.
- C. Independently prescribing a different mobility aid and changing the client's rehabilitation plan.
- D. Explaining that the client should wait while a fault is reviewed.

**Correct answer:** C.

**Explanation:** Prescription, fitting, and rehabilitation decisions require qualified assessment and authorisation.

**Learning objective tested:** Distinguish caregiver-level equipment awareness from specialist assessment.

---

## Lesson 10 — Transfer decision-making

### Why this matters in professional caregiving

Transfers are high-risk because they combine client movement, balance, equipment, turns, surfaces, and timing. A transfer method must be selected for the individual client and task, not copied as a universal recipe.

### Learning objectives

The learner will plan a transfer from the care plan, identify required assistance, and recognise when the method must be reviewed.

## Core instructional content

A transfer plan should answer: Where is the client starting? Where are they going? What can they do? What support is authorised? What equipment and number of staff are required? What route and surface will be used? What are the stop points? What will happen if the client becomes fatigued or unstable?

The caregiver should verify the client's current status, not rely solely on an old instruction. A change in strength, cognition, pain, balance, or alertness can make a previously safe transfer unsafe. The client's cooperation is relevant but not enough by itself; a willing client may still lack the physical ability for the task.

The transfer must be prepared from both sides. The destination should be stable, clear, and ready. Equipment should be positioned and checked. The caregiver should explain the sequence and identify a clear stop signal. If the plan requires a hoist, transfer board, two workers, or a qualified assessment, the caregiver should not replace that requirement with manual lifting.

## Applying this in practice

Use categories: **proceed within plan**, **proceed only after additional preparation**, **seek help/equipment**, or **do not proceed and escalate**. Record a transfer plan change when the client's ability or equipment changes.

## Case scenario

A client who usually transfers with one caregiver is much more drowsy today and cannot maintain sitting balance at the edge of the bed.

**Risk:** Reduced alertness and poor sitting balance make the usual transfer plan unreliable.

**Appropriate response:** Do not proceed with the usual transfer; maintain the client safely, seek qualified review or additional assistance, and follow the care plan.

**Do not:** Assume drowsiness is normal or "complete the transfer before the client falls asleep."

**Escalate when:** The change is sudden or severe, or there are other concerning symptoms.

**Document:** Baseline versus current ability, observations, action, and notifications.

## Key practice points

A transfer is a decision, not a routine. Reassess current ability. Prepare the destination.

Never replace required equipment or staff with force.

## Lesson assessment

**Question:** Which factor should cause a caregiver to review a previously familiar transfer plan?

- A. The caregiver has completed the transfer many times.
- B. The client's alertness and sitting balance are worse than usual.
- C. The destination is already prepared.
- D. The client is wearing appropriate footwear.

**Correct answer:** B.

**Explanation:** A change in current ability means the old plan may no longer be proportionate or safe.

**Learning objective tested:** Apply transfer decision-making to changes in client condition.

---

## Lesson 11 — Bed, chair and toilet transfer preparation

### Why this matters in professional caregiving

Bed-to-chair, chair-to-standing, standing-to-sitting, and toilet transfers are common tasks with predictable hazards. Preparation reduces last-minute reaching, turning, rushing, and unsupported movement.

### Learning objectives

The learner will identify common preparation controls and explain why the method must remain care-plan specific.

### Core instructional content

Prepare the destination and route before asking the client to move. Ensure the chair or commode is stable and positioned according to the plan. Check brakes where applicable. Remove obstacles. Ensure appropriate footwear or other authorised foot support. Make clothing manageable without compromising privacy. Keep the client's essential items within reach after the transfer.

Explain the sequence in small steps and allow the client to participate within ability. Coordinate movements with a clear cue. Avoid pulling on the client's neck, arms, or clothing. Do not use a towel, sheet, furniture, or household object as a substitute for an

approved aid unless the employer procedure specifically authorises it and the learner is trained.

Toilet transfers require additional privacy, wet-floor awareness, clothing management, adequate space, and a plan for what happens if the client becomes weak. A client may be more fatigued or embarrassed in the bathroom and may try to rush. The caregiver should not leave an unsafe client unsupported merely to preserve privacy; use the care plan and local procedure.

## Applying this in practice

In home care, identify permanent layout changes that would reduce risk, such as improving lighting or relocating furniture, but obtain consent and record agreed changes. In a facility, report recurring environmental barriers rather than compensating with repeated risky techniques.

## Case scenario

A client is ready to transfer from bed to chair, but the chair is across a cluttered room and the wheelchair brakes have not been checked.

**Risk:** Obstructed route and unsecured equipment.

**Appropriate response:** Do not start the transfer; prepare the route and check the equipment according to procedure first.

**Do not:** Ask the client to stand while the caregiver moves furniture.

**Escalate when:** The room cannot be made safe or equipment is faulty.

**Document:** The hazard, control used, any delay, and any maintenance issue.

## Key practice points

Prepare before the client stands. Check the route, destination, brakes, footwear, clothing, privacy, and help. Never rush the final step.

## Lesson assessment

**Question:** What should be done before asking a client to stand for a planned transfer?

- A. Move the destination chair into position after the client is standing.
- B. Check route, destination, equipment, footwear, assistance plan, and communication.
- C. Ask the client to hold onto the caregiver's neck.
- D. Begin before explaining to save time.

**Correct answer:** B.

**Explanation:** Preparation reduces avoidable reaching, turning, instability, and surprise.

**Learning objective tested:** Prepare common transfers safely within scope.

---

## **Lesson 12 — Wheelchair and sit-to-stand situations**

### **Why this matters in professional caregiving**

Wheelchair positioning, brakes, footrests, and the client's hand and foot placement can influence whether a transfer is stable. Sit-to-stand and stand-to-sit also require observation because the client may lose control at either end.

### **Learning objectives**

The learner will identify wheelchair preparation steps, communicate during standing and sitting, and recognise unsafe positioning.

### **Core instructional content**

Follow the specific equipment and employer procedure. As a general principle, position the wheelchair or chair close enough and at an appropriate angle for the approved transfer, apply brakes when the chair is stationary, and manage footrests or other components according to training. Make sure the destination is stable and the client understands the plan.

For sit-to-stand, the caregiver should not pull the client upward by the arms or shoulders. The client's ability to lean, place feet, follow cues, and maintain balance must match the plan. For stand-to-sit, approach the destination safely, ensure the client can feel the surface where appropriate, and avoid allowing a sudden drop. If the client begins to sit unexpectedly, do not attempt a heroic catch beyond training; use the safest response taught by the employer and call for help.

Wheelchair users may have different transfer methods and equipment needs. A caregiver should not assume that all wheelchair users transfer in the same way. Follow the care plan and seek occupational therapy, nursing, physiotherapy, or supervisor review where required.

### **Applying this in practice**

Use a pre-transfer pause: brakes, route, destination, feet, communication, assistance, and stop signal. If any item is uncertain, pause before movement.

### **Case scenario**

A caregiver notices that the wheelchair is angled away from the bed and one footrest remains in the transfer path.

**Risk:** The client may twist, trip, strike the foot, or lose balance.

**Appropriate response:** Stop and reposition the wheelchair and components according to the approved procedure before continuing.

**Do not:** Ask the client to “step over it” or rely on the caregiver’s grip.

**Escalate when:** The chair cannot be safely positioned or the transfer plan is unclear.

**Document:** The hazard and any equipment or space issue that requires correction.

## Key practice points

Wheelchair setup is part of the transfer, not an afterthought. Do not pull on arms or rush sitting. Methods vary by client and equipment.

## Lesson assessment

**Question:** Why is wheelchair positioning checked before a transfer?

- A. Only to make the room look tidy.
- B. Because chair angle, brakes, footrests, and destination position influence stability and route safety.
- C. To determine a new clinical diagnosis.
- D. To avoid speaking with the client.

**Correct answer:** B.

**Explanation:** Equipment and positioning are part of the risk assessment. The caregiver remains within equipment and care-plan scope.

**Learning objective tested:** Recognise wheelchair and sit-to-stand preparation risks.

---

## Lesson 13 — When a transfer must not proceed

### Why this matters in professional caregiving

The most important transfer skill is sometimes the decision not to transfer. Missing equipment, insufficient staff, an unsuitable environment, a sudden change in condition, or an unclear plan can make proceeding unsafe.

### Learning objectives

The learner will classify common situations as safe, less safe, unsafe, or outside scope, and state the correct escalation response.

## Core instructional content

A transfer should not proceed when the client's current ability is materially different from the care plan, when the caregiver cannot maintain a safe position, when the route or destination cannot be made safe, when required equipment is missing or faulty, when required assistance is unavailable, or when the movement requires a skill the caregiver has not been trained and verified to perform.

“Less safe” means a control is missing but the task can be made safe by pausing and correcting it, such as a cluttered route that can be cleared. “Unsafe” means proceeding would expose the client or caregiver to unacceptable foreseeable risk, such as a failed brake or a client becoming unstable. “Outside scope” means the caregiver lacks authority or competence to make the clinical or technical decision, such as independently selecting a new hoist method or assessing whether a fracture has occurred.

When a family member requests an unsafe transfer, the caregiver should explain that safety requirements apply even when the intention is helpful. Use the escalation pathway and record the barrier. Supervisors should treat these reports as system-learning information, not disobedience.

## Applying this in practice

Use a simple statement: “I cannot safely proceed with this transfer as planned because [specific risk]. I am contacting [appropriate person] and will remain with the client according to procedure.”

## Case scenario

A client needs a transfer, but the approved sling is unavailable and a relative offers to support the client under the arms.

**Risk:** Missing required equipment and an unapproved manual method.

**Appropriate response:** Do not proceed; keep the client safe, obtain the approved equipment or qualified assistance, and follow the escalation pathway.

**Do not:** Substitute the relative's strength for the approved method.

**Escalate when:** The client cannot remain safely positioned or delay creates a further risk.

**Document:** Missing equipment, request made, response, and follow-up.

## Key practice points

No-go decisions protect people. Correctable hazards should be corrected; unsafe or outside-scope tasks should be paused and escalated. Do not let urgency erase the care plan.

## Lesson assessment

**Question:** Which situation is clearly outside the caregiver's scope?

- A. Clearing a loose rug from a route.
- B. Reporting that a transfer aid is missing.
- C. Independently choosing a new specialist transfer technique after the client's condition changes.
- D. Asking a supervisor for help.

**Correct answer:** C.

**Explanation:** A new specialist technique requires qualified assessment, training, and authorisation.

**Learning objective tested:** Distinguish unsafe conditions from actions outside caregiver scope.

---

## Lesson 14 — Preventing falls at home and in facilities

### Why this matters in professional caregiving

Falls prevention is a continuous process of identifying hazards, supporting participation, and responding to changing risk. WHO recommends education, training, safer environments, and tailored interventions; CDC STEADI provides caregiver tools for home safety, footwear, and family action. <sup>5</sup>

### Learning objectives

The learner will identify environmental and client-specific risks in home and facility settings and propose proportionate controls.

### Core instructional content

Common environmental risks include wet floors, loose rugs, clutter, poor lighting, uneven surfaces, stairs, missing handrails, poorly positioned furniture, unstable chairs, inaccessible bathrooms, and routes blocked by equipment. In homes, consider the actual layout rather than assuming that a generic checklist fits. In facilities, consider shared spaces, night-time routes, beds, commodes, call systems, and staffing patterns.

Client factors may include previous falls, weakness, impaired balance, fatigue, dizziness, pain, cognitive impairment, fear, urgency to toilet, poor footwear, vision problems, or medicines that contribute to drowsiness or dizziness. The caregiver should recognise and report these factors without changing medication or making a diagnosis.

Controls should be practical and collaborative: dry and clear routes, improve lighting, keep essential items within reach, use authorised aids, encourage safe pacing, communicate changes, and involve family or facility staff. Do not promise that falls can be eliminated. The goal is to reduce modifiable risk while preserving reasonable independence.

## Applying this in practice

During a home visit, walk the route the client actually uses at the time they use it. A bedroom may be safe by day but poorly lit at night. A bathroom may be accessible in dry weather but hazardous after cleaning. Report recurring hazards and agree on realistic corrections.

## Case scenario

In a Nigerian home, a client's route to the bathroom crosses an uneven threshold and a dim corridor. Family members store bags along the route.

**Risk:** Trip hazards, poor visibility, and a predictable night-time route.

**Appropriate response:** Discuss and document practical changes, clear the route, improve lighting if possible, and review whether the care plan and aid remain suitable.

**Do not:** Blame the family or tell the client simply to “be careful.”

**Escalate when:** The home cannot be made reasonably safe or the client's risk has changed.

**Document:** Hazards, agreed controls, who was notified, and follow-up.

## Key practice points

Look at the real route and real time of use. Combine environmental and client factors. Prevention should reduce risk without unnecessarily restricting independence.

## Lesson assessment

**Question:** Which is the best falls-prevention response to a wet bathroom floor?

- A. Tell the client to walk faster.
- B. Dry or isolate the hazard, delay the task if needed, and report the environmental risk.
- C. Ask the client to hold the caregiver's neck.
- D. Ignore it because the client has not fallen.

**Correct answer:** B.

**Explanation:** A wet floor is a modifiable environmental hazard. It should be controlled before movement, with escalation if it cannot be made safe.

**Learning objective tested:** Identify and control environmental fall hazards.

---

## **Lesson 15 — Responding when a client falls**

### **Why this matters in professional caregiving**

A fall is an event requiring calm, structured response. The caregiver should not automatically lift the client back onto a bed or chair. Unnecessary movement may worsen an injury, and a caregiver may also be injured by attempting an unplanned lift.

### **Learning objectives**

The learner will protect the scene, seek help, assess immediate danger within training, avoid unnecessary movement, and follow the post-fall pathway.

### **Core instructional content**

Remain calm and reassure the client. Protect the scene from further hazards and ask others to give space. Do not rush to lift. Check responsiveness and breathing within the caregiver's training and the local emergency procedure. Ask what happened and whether there is severe pain, bleeding, breathing difficulty, head impact, loss of consciousness, new weakness, inability to move normally, or another red flag. Do not diagnose the injury.

Call the appropriate assistance promptly. In a facility, use the call system and post-fall pathway. In home care, contact emergency services or the designated clinical/supervisory contact according to the situation. Stay with the client as required by procedure. Keep the client warm, comfortable, and still as appropriate, without giving food, drink, or medication unless authorised.

Only assist movement from the floor if the approved pathway confirms it is safe, the client can participate appropriately, the method is within training, and the required equipment and assistance are available. Otherwise wait for qualified help. Once immediate safety is managed, report and document the incident, including possible environmental contributors and follow-up.

### **Applying this in practice**

A fall without obvious injury is still a reportable change. Pain may be absent or delayed, and the client may minimise symptoms. Use objective language and follow the employer's

post-fall policy.

## Case scenario

During a home visit, a client is found on the floor beside the bed. The client is awake but says, “I am fine; help me up.”

**Risk:** The cause and possible injury are unknown; a request to stand does not establish safety.

**Appropriate response:** Reassure, protect the area, assess immediate danger within training, call appropriate help, and avoid lifting until the post-fall pathway allows it.

**Do not:** Pull the client up by the arms or use a nearby chair without assessment and approved help.

**Escalate when:** Any red flag is present or the circumstances are unclear.

**Document:** Time, location, position found, client account, observations, actions, notifications, and follow-up.

## Key practice points

Calm is a clinical safety behaviour. Do not automatically lift. Assess within training, seek help, follow the pathway, and document even when no injury is obvious.

## Lesson assessment

**Question:** What is the safest general response when a client falls but asks to be lifted immediately?

- A. Lift quickly before they become embarrassed.
- B. Ask a family member to help lift.
- C. Protect the scene, assess within training, seek appropriate help, and avoid unnecessary movement.
- D. Leave the client alone while completing the original task.

**Correct answer:** C.

**Explanation:** The client may have an unrecognised injury. The caregiver should not automatically move them or leave them without following the approved response pathway.

**Learning objective tested:** Respond appropriately to a fall.

---

## Lesson 16 — Red flags and urgent escalation

### Why this matters in professional caregiving

Caregivers do not diagnose injuries, but they must recognise signs that require urgent escalation. Delay can increase harm, while overconfidence can lead to unsafe movement or false reassurance.

## Learning objectives

The learner will identify urgent red flags, communicate them clearly, and distinguish first response from diagnosis or treatment.

## Core instructional content

Urgent escalation is required for suspected head injury, loss of consciousness, severe or increasing pain, suspected fracture, significant bleeding, breathing difficulty, sudden neurological change, inability to move normally, severe deterioration, or any situation in which the caregiver cannot keep the client safe. Other local red flags may be specified by the employer or qualified professional.

The caregiver should communicate what was observed and when: “The client fell at approximately 10:20, struck the side of the head according to the client, is now drowsy and has vomited.” This is more useful than “The client has a concussion.” Use the emergency number and local pathway. Do not assess fracture status, manipulate a limb, straighten a deformity, give medication, or move the client unnecessarily.

A sudden mobility change without a fall can also require urgent escalation. New weakness, facial asymmetry, speech difficulty, severe breathlessness, chest pain, collapse, or a marked change in alertness should be treated as potentially urgent according to training and local emergency procedure.

## Applying this in practice

If unsure whether a sign is serious, escalate and state the uncertainty. A caregiver does not need diagnostic certainty to request help. Remain with the client as required and continue observing while awaiting assistance.

## Case scenario

After a fall, a client is awake but develops severe headache, vomits, and becomes increasingly drowsy.

**Risk:** Possible serious deterioration and head injury.

**Appropriate response:** Activate urgent emergency escalation, avoid unnecessary movement, monitor within training, and communicate objective observations and timing.

**Do not:** Give food or medication, sit the client up quickly, or label the injury.

**Escalate when:** Immediately; this is already an urgent situation.

**Document:** Exact observations, timing, emergency contact, instructions received, and handover.

## Key practice points

Red flags require action, not diagnostic confidence. Describe signs, time, and change. Do not manipulate, medicate, or move unnecessarily.

## Lesson assessment

**Question:** Which combination requires urgent escalation after a fall?

- A. Mild embarrassment only.
- B. Suspected head impact, increasing drowsiness, and vomiting.
- C. The client requests a different chair.
- D. The client is annoyed by the delay.

**Correct answer:** B.

**Explanation:** Head impact with deterioration and vomiting is a red-flag combination. The caregiver should activate the emergency pathway and communicate objective observations.

**Learning objective tested:** Recognise red flags and escalate urgently.

---

## Lesson 17 — Objective documentation

### Why this matters in professional caregiving

Documentation supports continuity, accountability, follow-up, and learning. It should allow another person to understand what happened without guessing or relying on blame-focused interpretation.

### Learning objectives

The learner will record time, location, activity, observations, action, notification, and follow-up using objective language.

### Core instructional content

Record the date and time, location, people present, what the client was doing, what was observed, what the client said, environmental and equipment contributors, action taken, people notified, instructions received, and follow-up required. Use direct quotes when useful. Distinguish observation from interpretation: “Client stated, ‘My left hip hurts’” is

preferable to “Client fractured hip.” “Wet floor observed beside bathroom entrance” is preferable to “Client fell because staff were careless.”

For incidents, document the sequence without changing the record later to make it look better. For near misses, record the hazard and the control that prevented harm. For mobility changes, record baseline comparison and the decision made. Follow employer forms, data protection, confidentiality, and reporting deadlines.

Do not omit an incident because there is no visible injury. Do not promise a client or family that the report will not be made. Explain that reporting helps ensure appropriate follow-up and learning.

## Applying this in practice

Use the “FACT” approach: **F**acts observed or reported; **A**ction taken; **C**ontacts notified; **T**racking or follow-up. If a form asks for a cause, identify observed contributing factors and mark uncertainty rather than diagnosing.

## Case scenario

A client slips but does not fall because the caregiver notices a wet patch and supports a pause. The client reports mild ankle discomfort.

**Risk:** Near miss with a possible injury symptom and environmental contributor.

**Appropriate response:** Make the area safe, assess and escalate ankle discomfort according to procedure, report the near miss, and document objectively.

**Do not:** Ignore it because the client stayed upright or write “caregiver prevented a stupid fall.”

**Escalate when:** Pain persists, worsens, or mobility changes.

**Document:** Wet patch, location, client statement, observed movement, actions, notifications, and correction of the hazard.

## Key practice points

Record facts, not diagnoses or blame. Near misses matter. Documentation should make follow-up possible.

## Lesson assessment

**Question:** Which documentation entry is most objective?

- A. “Client was careless and fell.”
- B. “Client sustained a fracture.”

- C. “At 14:10, client found seated on floor beside bed; client stated, ‘I slipped’ ; no bleeding observed; supervisor notified at 14:18.”
- D. “Everything was fine.”

**Correct answer:** C.

**Explanation:** It records time, location, client account, observation, and notification without making an unsupported diagnosis or assigning blame.

**Learning objective tested:** Document incidents objectively.

---

## Lesson 18 — Handover, family communication and near misses

### Why this matters in professional caregiving

Mobility safety depends on shared information. A client’s change may be missed if it is not handed over; a hazard may recur if it is not reported to the person who can correct it. Family members can contribute to prevention when communication is respectful, clear, and within confidentiality boundaries.

### Learning objectives

The learner will communicate mobility changes, equipment issues, near misses, and follow-up needs to the appropriate person and support learning rather than blame.

### Core instructional content

Handover should answer: What changed? What risk was identified? What was done? What remains to be done? Who has been notified? What should the next caregiver observe? Use the agreed communication tool or record. Do not rely on informal messages for significant incidents.

With families, explain the specific risk and practical control: “The floor was wet beside the bathroom. We dried it and will report the recurring leak.” Avoid labels such as “difficult” or “non-compliant” when a client is anxious, in pain, or unable to participate. Respect privacy and share only what the person is authorised to receive.

Near misses are valuable because they reveal system weaknesses before harm occurs. A pattern of missing equipment, rushed schedules, poor lighting, or limited staffing should be escalated as a system issue. Supervisors should review whether the care plan, equipment, environment, staffing, and training remain appropriate.

### Applying this in practice

End each shift or visit with a concise safety handover. If the client's mobility has changed, make sure the next caregiver does not assume the old plan. If family pressure contributed to risk, record it factually and involve the supervisor.

## Case scenario

A caregiver notices that three evening staff have nearly tripped over the same extension cable near a client's chair.

**Risk:** Repeated environmental near miss with potential client and worker harm.

**Appropriate response:** Make the route safe if authorised, report the recurring hazard to the responsible supervisor or maintenance route, and record the near miss.

**Do not:** Wait for an actual fall or blame individual workers for not noticing.

**Escalate when:** The hazard cannot be removed immediately or continues after reporting.

**Document:** Location, frequency, people affected, temporary control, and required corrective action.

## Key practice points

A handover is a safety intervention. Report patterns, not only isolated events. Respectful family communication can strengthen prevention without shifting professional responsibility to relatives.

## Lesson assessment

**Question:** What is the most useful handover after a client's mobility changes?

- A. "The client was difficult today."
- B. "The client needed more support than usual, reported dizziness before standing, and the transfer was paused; supervisor notified; review required before next transfer."
- C. "Family knows."
- D. "No need to mention it because no fall occurred."

**Correct answer:** B.

**Explanation:** It communicates the change, symptom, action, notification, and next step without blame or diagnosis.

**Learning objective tested:** Communicate change and follow-up clearly.

---

## Lesson 19 — Integrated professional judgement

## Why this matters in professional caregiving

Professional judgement is the ability to combine risk recognition, preparation, communication, safe assistance, observation, stop decisions, escalation, and documentation in one real situation. The skill is not memorising isolated rules; it is applying the sequence under pressure.

## Learning objectives

The learner will apply the complete decision sequence to an integrated scenario and justify a safe, proportionate response.

## Core instructional content

Use the full sequence. **Assess** baseline and current status. **Plan** the goal and authorised assistance. **Prepare** environment, equipment, help, and destination. **Explain** the plan and obtain participation. **Assist** only within training. **Observe** continuously. **Stop or adapt** when risk changes. **Report or escalate** when outside scope or urgent. **Document** facts and follow-up.

A strong professional response is proportionate. It neither ignores a client's preference nor treats every mobility task as an emergency. It distinguishes a correctable hazard from an unsafe task, and a caregiver action from a qualified clinical decision. It respects that resources vary. If equipment is unavailable, the appropriate response may be to delay the task, obtain help, or arrange qualified review rather than use a household substitute.

## Applying this in practice

When reviewing a scenario, ask four questions: What is the immediate risk? What can the caregiver safely do now? What must not be done? What information must be escalated and documented? This format should be used in supervision and refresher discussions after incidents.

## Case scenario

Mrs Eze has had two recent falls but insists she can walk independently to the bathroom. Her usual walker is available, but the corridor is dim and a family member has left bags along the route. She appears alert but says she is tired.

**Risk:** Recent falls, fatigue, environmental obstruction, poor lighting, and a mismatch between preference and current safe conditions.

**Appropriate response:** Respectfully explain the concern, clear and illuminate the route, check the care plan and current ability, and use the authorised level of assistance. If the plan is unclear or her ability has changed, pause and escalate for review.

**Do not:** Leave her to prove independence or physically force her to use more support than authorised.

**Escalate when:** She becomes dizzy, unstable, unable to follow the plan, or requires a method outside training.

**Document:** Recent-fall information, fatigue, environmental hazards, client preference, assistance used, and any review requested.

## Key practice points

Independence and safety are not opposites. The professional task is to make the safest reasonable participation possible. Apply the sequence every time risk changes.

## Lesson assessment

**Question:** Which sequence best represents professional mobility judgement?

- A. Lift, hurry, finish, document.
- B. Assess, plan, prepare, explain, assist, observe, stop/adapt, escalate, document.
- C. Ask family, improvise, continue, report only if injured.
- D. Diagnose, prescribe, transfer, discharge.

**Correct answer:** B.

**Explanation:** The complete sequence integrates client dignity, risk recognition, safe preparation, observation, stop decisions, scope, escalation, and learning.

**Learning objective tested:** Apply integrated professional judgement.

---

# 11. Module assessments

Each module assessment contains five questions. The portal should provide immediate feedback explaining the professional reasoning. A suggested module pass threshold is **80%**, with remediation and retake available according to NIC policy.

## Module 1 — Risk, Scope and Professional Judgement

**1. A client who normally walks with a walker is newly holding furniture and reports dizziness. The caregiver should:**

- A. Encourage the client to walk faster.
- B. Treat it as a motivation issue.
- C. Pause, maintain safety, reassess, and escalate the change according to procedure.

D. Remove the walker so the client learns independence.

**Answer: C. Reasoning:** The client has a change from baseline and a symptom that may make the planned task unsafe. The caregiver recognises and escalates; they do not diagnose.

**2. Which is a caregiver-level mobility assessment?**

A. Determining whether the client has a fracture.

B. Prescribing a new walking aid.

C. Observing current ability, task demand, environment, equipment, and care-plan fit.

D. Changing medication timing.

**Answer: C. Reasoning:** This recognises risk without entering diagnosis, prescribing, or medication management.

**3. The client becomes unstable during a transfer. The best next action is:**

A. Pull the client through the final step.

B. Pause or stop, maintain safety, call for appropriate help, and reassess.

C. Ask an untrained visitor to lift.

D. Continue because the transfer has started.

**Answer: B. Reasoning:** Risk changes require a stop/adapt decision.

**4. A task is outside scope when it requires:**

A. Reporting an equipment fault.

B. Clearing an authorised route hazard.

C. Independent selection of a specialist handling method after a clinical change.

D. Asking for assistance.

**Answer: C. Reasoning:** Specialist method selection requires qualified assessment, training, and authorisation.

**5. Which statement about independence is safest?**

A. Independence means the client should never receive help.

B. Independence means enabling the client to do the parts they can safely do while providing proportionate assistance.

C. Independence means the caregiver should ignore risk.

D. Independence means the family decides the method.

**Answer: B. Reasoning:** Independence is supported through safe participation, not abandonment or coercion.

## Module 2 — Preparation, Body Mechanics and Communication

### 1. Good body mechanics should be combined with:

- A. Manual lifting of any client.
- B. Planning, equipment, staffing, and training appropriate to the task.
- C. Twisting quickly.
- D. Pulling from a distance.

**Answer:** B. **Reasoning:** Body mechanics reduce risk but do not replace a safe handling system.

### 2. Before asking a client to stand, the caregiver should first:

- A. Prepare the route and destination, check equipment and assistance, and explain the plan.
- B. Move the chair into place after standing.
- C. Ask the client to hold the caregiver's neck.
- D. Rush before the client becomes tired.

**Answer:** A. **Reasoning:** Preparation prevents avoidable instability and surprise.

### 3. A wet floor is found in the route. The caregiver should:

- A. Proceed carefully.
- B. Make it safe or delay the task and report the hazard.
- C. Tell the client not to fall.
- D. Ask the client to step over it.

**Answer:** B. **Reasoning:** The hazard should be controlled before movement.

### 4. A client says they do not want to stand yet. The caregiver should:

- A. Move them quickly.
- B. Pause, listen, explain, reassess, and seek guidance if required.
- C. Ask the family to override the client.
- D. Threaten to report refusal.

**Answer:** B. **Reasoning:** Anxiety or refusal may indicate fear, pain, fatigue, or an unsuitable plan.

### 5. Which action is unsafe?

- A. Moving feet to turn rather than twisting.
- B. Keeping the route clear.

- C. Pulling a client up by the arms.
- D. Calling for help when the task exceeds capability.

**Answer: C. Reasoning:** Pulling on arms can destabilise or injure the client and is not a universal transfer method.

## Module 3 — Positioning, Assisted Movement and Mobility Aids

### 1. Persistent redness and pain over a bony area should be:

- A. Diagnosed by the caregiver.
- B. Massaged.
- C. Objectively recorded and escalated according to procedure.
- D. Ignored if the client is quiet.

**Answer: C. Reasoning:** The caregiver recognises a concerning observation without diagnosing.

### 2. A client becomes breathless during repositioning. The caregiver should:

- A. Continue to finish quickly.
- B. Pause, maintain safety, observe, and escalate according to the care plan and urgency.
- C. Give medication.
- D. Diagnose anxiety.

**Answer: B. Reasoning:** Tolerance has changed and may require urgent review.

### 3. A cracked walking-aid tip should be:

- A. Used for short distances.
- B. Repaired with tape without authorisation.
- C. Removed from use if authorised, reported, and replaced by an approved safe option.
- D. Ignored.

**Answer: C. Reasoning:** A visible fault can cause instability.

### 4. Which is outside ordinary caregiver scope unless specifically authorised?

- A. Checking for visible equipment damage.
- B. Reporting a fault.
- C. Prescribing and clinically fitting a new aid.
- D. Explaining a delay while equipment is reviewed.

**Answer: C. Reasoning:** Prescription and fitting require qualified assessment.

**5. During assisted movement, the caregiver should:**

- A. Observe facial expression, breathing, balance, pain, fatigue, and communication.
- B. Focus only on reaching the destination.
- C. Assume silence means comfort.
- D. Ignore a change because the client agreed earlier.

**Answer:** A. **Reasoning:** Observation continues throughout the task.

## **Module 4 — Transfer Planning and Safe Assistance**

**1. A transfer plan should include:**

- A. Only the client's diagnosis.
- B. Starting point, destination, ability, assistance, equipment, route, stop points, and contingency.
- C. The caregiver's preferred technique.
- D. The family's fastest method.

**Answer:** B. **Reasoning:** Transfer risk is task- and context-specific.

**2. A wheelchair brake does not hold. The caregiver should:**

- A. Ask someone to hold it.
- B. Proceed carefully.
- C. Stop, report the fault, and obtain an approved safe alternative.
- D. Transfer before the chair moves.

**Answer:** C. **Reasoning:** A failed brake is a foreseeable safety risk.

**3. The approved sling is unavailable. A relative offers to lift under the client's arms. The caregiver should:**

- A. Accept the offer.
- B. Decline the unsafe method and escalate for equipment or qualified help.
- C. Use a bedsheet.
- D. Attempt the lift alone.

**Answer:** B. **Reasoning:** Improvised manual lifting is not an equivalent control.

**4. A client is drowsier than usual and cannot maintain sitting balance. The caregiver should:**

- A. Use the familiar transfer anyway.
- B. Pause the transfer and seek review or assistance.

- C. Tell the client to wake up.
- D. Hold the client by the neck.

**Answer: B. Reasoning:** Current ability no longer matches the plan.

**5. Which is a correct preparation principle?**

- A. Prepare the destination after standing.
- B. Keep the client's route clear and the destination ready before movement.
- C. Use furniture as a lifting aid.
- D. Avoid explaining to reduce anxiety.

**Answer: B. Reasoning:** Preparation reduces last-minute instability and rushing.

## **Module 5 — Falls Prevention and Post-Fall Response**

**1. Which is a modifiable environmental fall risk?**

- A. A client's age.
- B. Poor lighting and loose rugs.
- C. A completed care plan.
- D. A client's preferred name.

**Answer: B. Reasoning:** Lighting and loose rugs can often be corrected or escalated.

**2. A client falls and asks to be lifted. The caregiver should first:**

- A. Pull the client up.
- B. Protect the scene, assess within training, seek help, and avoid unnecessary movement.
- C. Ask the family to lift.
- D. Leave to finish another task.

**Answer: B. Reasoning:** A fall may involve an unrecognised injury.

**3. Which is a red flag after a fall?**

- A. Embarrassment only.
- B. Suspected head impact with increasing drowsiness.
- C. Request for privacy.
- D. Mild frustration about waiting.

**Answer: B. Reasoning:** Deterioration after possible head impact requires urgent escalation.

**4. A home fall-prevention review should consider:**

- A. Only whether a fall has already occurred.

- B. Route, lighting, surfaces, stairs, bathroom, footwear, client factors, and equipment.
- C. Only the client's motivation.
- D. Only the family's preferences.

**Answer: B. Reasoning:** Falls risk is multi-factorial and environmental.

**5. The caregiver should not:**

- A. Record the client's words.
- B. Call for assistance.
- C. Diagnose a fracture or head injury.
- D. Protect the scene.

**Answer: C. Reasoning:** Diagnosis is outside caregiver scope.

## **Module 6 — Reporting, Learning and Integrated Practice**

**1. Which documentation is most objective?**

- A. "Client was careless."
- B. "Client fractured the hip."
- C. "At 10:20, client found seated on floor; client stated, 'I slipped' ; no bleeding observed; supervisor notified."
- D. "Nothing important happened."

**Answer: C. Reasoning:** It records facts and avoids unsupported diagnosis or blame.

**2. A near miss should be reported because:**

- A. It proves someone is guilty.
- B. It reveals hazards and system weaknesses before harm occurs.
- C. It only matters if the client is injured.
- D. It replaces the care plan.

**Answer: B. Reasoning:** Near misses support prevention and learning.

**3. A good handover includes:**

- A. Labels such as "difficult."
- B. What changed, risk, action, notification, and follow-up.
- C. Only the client's diagnosis.
- D. Only family opinion.

**Answer: B. Reasoning:** The next caregiver needs actionable, objective information.

#### 4. A recurring cable hazard should be:

- A. Ignored until someone falls.
- B. Reported as a system hazard and controlled where authorised.
- C. Blamed on the last caregiver.
- D. Hidden from the supervisor.

**Answer: B. Reasoning:** Recurring near misses need corrective action.

#### 5. The full mobility decision sequence ends with:

- A. “Finish quickly.”
- B. “Document,” after appropriate escalation and follow-up.
- C. “Diagnose.”
- D. “Ask the family to decide.”

**Answer: B. Reasoning:** Documentation closes the learning and continuity loop.

## 12. Final CPD assessment blueprint

The final assessment contains **30 questions** and requires a recommended pass mark of **80%**. At least 18 questions are scenario/application based. The portal should randomise options where feasible, prevent answer display before submission, and provide reasoning-focused feedback after each attempt or after the complete test according to NIC policy.

| Questions | Domain                             | Recommended item type                               | Application emphasis                                     |
|-----------|------------------------------------|-----------------------------------------------------|----------------------------------------------------------|
| 1–5       | Mobility risk assessment           | Best next action, risk identification, scenario MCQ | Baseline, change, symptoms, environment                  |
| 6–10      | Body mechanics and preparation     | Sequencing, unsafe/less-safe/safe classification    | Preparation, equipment, caregiver injury prevention      |
| 11–15     | Positioning and transfers          | Scenario MCQ, sequencing                            | Tolerance, wheelchair, transfer planning, stop decisions |
| 16–20     | Mobility aids and falls prevention | Risk identification, best action                    | Aid faults, home/facility hazards, family involvement    |

|       |                                                   |                                          |                                                  |
|-------|---------------------------------------------------|------------------------------------------|--------------------------------------------------|
| 21–25 | Responding to falls and escalation                | Scenario MCQ                             | Red flags, unnecessary movement, urgent response |
| 26–30 | Documentation, judgement and integrated scenarios | Documentation selection, integrated case | Reporting, near misses, scope and follow-up      |

**Scoring:** One mark per question; 24/30 required to pass.

**Retake:** NIC should permit remediation and a retake after review of feedback. A suggested policy is a 24-hour cooling-off period after an unsuccessful attempt, up to three attempts, followed by tutor or supervisor review. NIC may adjust this policy.

**Scope gate:** A learner must acknowledge the hands-on limitation before the final assessment opens.

## 13. Final assessment questions

### Questions 1–5: Mobility risk assessment

**1.** A client who normally walks with a walker is newly pale, slow, and holding furniture. What is the best next action?

- A. Encourage the client to continue.
- B. Pause, maintain safety, assess the change within scope, and escalate according to procedure.
- C. Remove the walker.
- D. Decide the client has a specific diagnosis.

**2.** Which combination creates the clearest pre-task concern?

- A. Clear route, usual footwear, usual ability.
- B. Recent fall, fatigue, dizziness, and a wet bathroom route.
- C. Client preference for a later breakfast.
- D. Familiar chair and adequate lighting.

**3.** A caregiver hears that a client's medicines may cause dizziness. What is within scope?

- A. Withhold the next dose.
- B. Change the dose.

- C. Observe and report dizziness according to the care pathway.
  - D. Tell the client to stop the medicine.
- 4.** A client insists on walking independently after two recent falls. The caregiver should:\*\*
- A. Leave the client alone to respect independence.
  - B. Force the client into a wheelchair.
  - C. Discuss the risk, check the plan and current ability, prepare the environment, and use authorised support.
  - D. Ignore the recent falls.
- 5.** Which observation is a change from baseline requiring communication?
- A. Client chooses a different route that is safe.
  - B. Client needs substantially more support to sit upright than usual.
  - C. Client requests privacy.
  - D. Client uses the prescribed aid.

## **Questions 6–10: Body mechanics and preparation**

- 6.** Which body-mechanics principle is safest?
- A. Twist while holding the client.
  - B. Keep a stable base, avoid reaching and twisting, and move feet to turn.
  - C. Pull with the arms.
  - D. Work quickly in an awkward posture.
- 7.** A caregiver is asked to manually lift a client because equipment is unavailable. What is the best response?
- A. Lift if the client agrees.
  - B. Ask a family member to help lift.
  - C. Do not improvise; seek the required equipment, staff, or qualified guidance.
  - D. Use a bedsheet.
- 8.** What should be prepared before a client stands for a transfer?
- A. Destination, route, equipment, footwear, assistance, and communication.
  - B. Only the caregiver's grip.
  - C. The route after the client is standing.
  - D. A reason not to explain.
- 9.** The caregiver feels back pain during repeated repositioning. What should happen?

- A. Continue silently.
- B. Twist less quickly.
- C. Pause, reassess equipment and posture, seek help, and report the symptom or hazard.
- D. Ask the client to pull the caregiver.

**10.** Which is unsafe?

- A. Clearing a route before movement.
- B. Checking a wheelchair brake according to training.
- C. Pulling a client up by the arms.
- D. Explaining a stop signal.

## **Questions 11–15: Positioning and transfers**

**11.** A client becomes breathless during repositioning. What is the best next action?

- A. Finish quickly.
- B. Pause, maintain safety, observe, and escalate according to urgency and procedure.
- C. Give medication.
- D. Diagnose anxiety.

**12.** The wheelchair is angled away from the bed and a footrest blocks the route. What should the caregiver do?

- A. Ask the client to step over it.
- B. Reposition the wheelchair and components according to the approved procedure before proceeding.
- C. Transfer faster.
- D. Ask a visitor to hold the chair.

**13.** A client cannot maintain sitting balance as usual. The caregiver should:\*\*

- A. Use the familiar transfer.
- B. Pause the transfer and seek review or assistance.
- C. Pull the client to standing.
- D. Ignore it if the client is willing.

**14.** Which is the best reason to use planned pauses?

- A. To make the task longer.
- B. To observe tolerance and detect fatigue, dizziness, pain, or instability before harm occurs.
- C. To test the client's obedience.

D. To avoid documentation.

**15.** A transfer aid required by the care plan is missing. The caregiver should:\*\*

A. Substitute household furniture.

B. Proceed if the distance is short.

C. Pause and obtain the approved aid or appropriate assistance.

D. Ask the client to hold the caregiver.

## **Questions 16–20: Mobility aids and falls prevention**

**16.** A walker has a loose wheel and visible frame damage. What should the caregiver do?

A. Use it only indoors.

B. Repair it independently.

C. Remove it from use if authorised, report the fault, and obtain a safe alternative.

D. Ask the client to balance without it.

**17.** Which environmental change is most directly preventive?

A. Telling the client to be careful.

B. Improving lighting and clearing bags from a night-time route.

C. Restricting all walking.

D. Ignoring a loose rug.

**18.** A family member asks the caregiver to carry a client up uneven steps because there is no ramp. The caregiver should:\*\*

A. Carry the client with a second relative.

B. Refuse to improvise, keep the client safe, and escalate for an approved plan.

C. Ask the client to close their eyes.

D. Use a blanket as a sling.

**19.** Which statement about mobility aids is correct?

A. A caregiver may prescribe an aid if it seems helpful.

B. A familiar aid is always safe.

C. A caregiver uses aids within instruction and reports faults or changes requiring review.

D. Equipment checks are unnecessary if the client is confident.

**20.** Which client factor should be included in falls prevention?

A. Previous falls and fatigue.

B. Favourite television programme.

- C. Preferred meal only.
- D. Room colour.

## **Questions 21–25: Responding to falls and escalation**

**21.** A client is found on the floor and asks to be lifted. The caregiver should first:\*\*

- A. Lift under the arms.
- B. Protect the scene, assess within training, seek help, and avoid unnecessary movement.
- C. Leave to get a chair.
- D. Ask family to lift.

**22.** Which finding after a fall requires urgent escalation?

- A. Embarrassment only.
- B. Suspected head impact with increasing drowsiness and vomiting.
- C. A request for a blanket.
- D. A desire to return to bed.

**23.** Which statement is appropriate when calling for help?

- A. “The client definitely has a fracture.”
- B. “At 09:40 the client fell beside the bed, reports severe left hip pain, and cannot move the leg normally.”
- C. “The client was careless.”
- D. “Nothing happened.”

**24.** After a fall with no obvious injury, the caregiver should:\*\*

- A. Ignore it.
- B. Report and document it and follow the post-fall pathway.
- C. Encourage the client to walk to prove they are well.
- D. Give pain medicine without authorisation.

**25.** A client develops sudden facial asymmetry and speech difficulty while preparing to stand. What should the caregiver do?

- A. Complete the transfer.
- B. Treat it as a potential urgent change, maintain safety, and activate the emergency pathway.
- C. Ask the client to try harder.
- D. Wait until the next shift.

## Questions 26–30: Documentation, judgement and integrated scenarios

**26.** Which is the best incident entry?

- A. “Client fell due to poor compliance.”
- B. “At 15:05, client found seated on floor beside bathroom; client stated, ‘I slipped on water’ ; wet area observed; supervisor notified at 15:12.”
- C. “Client fractured hip.”
- D. “Staff error.”

**27.** Why should near misses be documented?

- A. To assign blame.
- B. To identify hazards and prevent recurrence.
- C. Only to support billing.
- D. They are not relevant.

**28.** A client becomes fatigued halfway through a planned transfer. Which sequence is best?

- A. Rush, pull, finish, and omit the change.
- B. Pause, communicate, maintain safety, reassess, adapt or escalate, then document.
- C. Ask the client to ignore it.
- D. Continue because the destination is close.

**29.** A caregiver is pressured by a family member to “just lift” after a fall. The caregiver should:\*\*

- A. Comply to preserve the relationship.
- B. Explain the safety limitation, avoid unnecessary movement, seek appropriate help, and report the pressure factually.
- C. Let the family lift without recording it.
- D. Leave the home.

**30.** Which statement best captures the credential’s professional value?

- A. It authorises independent specialist handling.
  - B. It proves physical competence for every transfer.
  - C. It demonstrates knowledge and applied decision-making while requiring separate practical verification for hands-on competence.
  - D. It replaces employer policy.
-

## 14. Answer key and explanations

| Q  | Answer | Explanation                                                                                                 |
|----|--------|-------------------------------------------------------------------------------------------------------------|
| 1  | B      | Change from baseline and pallor require pause, observation, and escalation rather than encouragement alone. |
| 2  | B      | Recent falls, fatigue, dizziness, and a wet route create interacting risks.                                 |
| 3  | C      | The caregiver observes and reports; medication decisions are outside scope.                                 |
| 4  | C      | Independence is supported through safe, authorised participation and environmental preparation.             |
| 5  | B      | Increased support need is a meaningful mobility change.                                                     |
| 6  | B      | Stable base, close positioning, and avoiding twisting reduce avoidable strain.                              |
| 7  | C      | Missing equipment requires escalation, not improvised lifting.                                              |
| 8  | A      | Preparation includes route, destination, equipment, footwear, help, and communication.                      |
| 9  | C      | Caregiver injury risk must be addressed and reported.                                                       |
| 10 | C      | Pulling on arms is not a universal safe transfer method.                                                    |
| 11 | B      | Breathlessness changes tolerance and may require urgent review.                                             |

|    |   |                                                                                         |
|----|---|-----------------------------------------------------------------------------------------|
| 12 | B | Wheelchair angle and footrest position affect stability and route safety.               |
| 13 | B | Reduced sitting balance means the familiar plan may no longer fit.                      |
| 14 | B | Pauses enable observation and adaptation.                                               |
| 15 | C | Required aids cannot be replaced by improvised methods.                                 |
| 16 | C | A damaged aid may fail and must be reported and replaced through the approved route.    |
| 17 | B | Lighting and clutter are modifiable environmental risks.                                |
| 18 | B | Uneven steps and lack of an approved method require escalation.                         |
| 19 | C | Caregiver use is within instruction; prescription and clinical assessment are separate. |
| 20 | A | Previous falls and fatigue are relevant client-specific risks.                          |
| 21 | B | A fall may involve an unrecognised injury; avoid automatic lifting.                     |
| 22 | B | Head impact with deterioration and vomiting is a red-flag combination.                  |
| 23 | B | Objective facts, timing, and functional change support appropriate response.            |
| 24 | B | A fall remains an incident requiring pathway, reporting, and documentation.             |

|    |   |                                                                                                                 |
|----|---|-----------------------------------------------------------------------------------------------------------------|
| 25 | B | Sudden neurological change is potentially urgent.                                                               |
| 26 | B | The entry distinguishes report, observation, environmental factor, and notification without diagnosis or blame. |
| 27 | B | Near misses reveal hazards before harm occurs and support prevention.                                           |
| 28 | B | The decision sequence requires pause, reassessment, adaptation/escalation, and documentation.                   |
| 29 | B | The caregiver must maintain scope and use the post-fall pathway despite pressure.                               |
| 30 | C | The online credential demonstrates knowledge and applied judgement, not hands-on verification.                  |

## 15. Recommended Practical Verification

If NIC or an employer wants to recognise hands-on competence, it should schedule a separate supervised practical assessment with an appropriately qualified assessor. Practical verification should be tied to the learner's actual role, equipment, care setting, employer policy, and approved care plans. It should not be implied by successful completion of the online assessment.

### Recommended high-level checklist

| Skill area          | Assessor should observe                                                                            | Minimum expectation                                               |
|---------------------|----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| Pre-task assessment | Learner checks baseline/change, client symptoms, task, environment, equipment, help, and care plan | Identifies risks and makes a safe proceed/pause/escalate decision |

|                           |                                                                                                      |                                                                  |
|---------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|
| Communication and dignity | Learner explains, gains cooperation/consent as appropriate, protects privacy, and uses a stop signal | Client is informed, respected, and involved                      |
| Environment and equipment | Learner clears route, prepares destination, checks brakes/components, and reports faults             | No unsafe improvisation; equipment used according to instruction |
| Positioning               | Learner supports alignment and comfort and observes tolerance                                        | No dragging, twisting, or unplanned specialist positioning       |
| Transfer assistance       | Learner performs only an approved role-specific transfer method under supervision                    | Method matches plan, equipment, staff, and client ability        |
| Mobility aids             | Learner uses authorised aid correctly and recognises a fault or mismatch                             | Does not prescribe, fit, or alter beyond authorisation           |
| Stop/adapt                | Learner responds when client becomes dizzy, fatigued, painful, or unstable                           | Pauses safely, seeks help, and does not force completion         |
| Simulated fall            | Learner protects scene, calls help, avoids unnecessary movement, recognises red flags, and reports   | Calm response within training and post-fall procedure            |
| Documentation             | Learner records objective facts, action, notification, and follow-up                                 | No unsupported diagnosis or blame                                |

The assessor should record **competent**, **requires remediation**, or **not yet competent** for each domain, with narrative feedback. A failed practical check should trigger supervised remediation, not automatic certificate withdrawal for the online learning component unless NIC policy explicitly links the two credentials.

## 16. CPD completion requirements

A learner is eligible for the online NIC CPD micro-credential after completing all lessons, passing each module assessment or completing the approved remediation route, achieving at least **24/30 (80%)** on the final assessment, completing the scope-limitation

acknowledgement, and submitting the required reflection or action plan. The recommended online learning value is **5 CPD hours**.

The credential demonstrates that the learner has completed structured learning and assessment in mobility-risk recognition, preparation, safe-assistance principles, falls prevention, post-fall response, escalation, and objective documentation. It does not demonstrate independent physical competence in manual handling, lifting, transfers, hoist use, or specialist positioning.

NIC may issue a digital certificate after the requirements are met and may allow retakes after feedback. A suggested retake policy is up to three attempts with remediation between attempts; after that, tutor or supervisor review should be required. NIC should publish the final policy on the portal.

Employers should continue to verify role-specific practical skills, equipment competence, emergency procedures, and local reporting requirements. A recommended review or renewal period for the online credential is **24 months**, or earlier when employer policy, equipment, care setting, or relevant guidance changes.

---

## 17. Certificate wording

### Certificate title

**NIC CPD Micro-Credential: Safe Mobility, Patient Handling & Falls Prevention for Professional Caregivers**

### Competency statement

This certifies that [**Learner Name**] has successfully completed the NIC Continuing Professional Development Micro-Credential in **Safe Mobility, Patient Handling & Falls Prevention for Professional Caregivers**, comprising approximately **5 CPD learning hours** and a scenario-based final assessment passed at the NIC minimum standard. The learner demonstrated knowledge and applied decision-making in mobility-risk recognition, task preparation, dignity-preserving assistance, falls prevention, post-fall response, escalation, and objective documentation.

This online credential does not by itself verify hands-on physical competence or authorise specialist manual handling, lifting, transfer, mobility-device prescription or fitting, clinical assessment, rehabilitation, or practice outside the learner's training,

role, care plan, employer procedure, available equipment, and applicable professional supervision.

The certificate should include learner name, certificate number, issue date, assessment result or pass status, CPD hours, NIC verification URL or QR code, and the recommended review date. It should not describe the learner as a physiotherapist, nurse, occupational therapist, clinician, manual-handling specialist, or regulated licence holder.

## 18. Digital badge specification

| Field                    | Specification                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Badge name               | <b>NIC Safe Mobility &amp; Falls Prevention CPD</b>                                                                                                                                                                                         |
| Badge description        | A professional CPD micro-credential recognising knowledge and applied decision-making in safe mobility assistance, transfer planning, falls prevention, post-fall response, scope recognition, escalation, and documentation.               |
| CPD hours                | 5 online CPD learning hours                                                                                                                                                                                                                 |
| Level                    | Professional CPD / intermediate application                                                                                                                                                                                                 |
| Competencies represented | Mobility risk assessment; preparation; body-mechanics principles; dignity and participation; positioning awareness; transfer decision-making; mobility-aid safety awareness; falls prevention; post-fall response; reporting and escalation |
| Evidence requirements    | Completed 19 lessons; completed six module assessments; passed 30-question final assessment at 80% or higher; acknowledged hands-on limitation; certificate record retained by NIC                                                          |
| Verification information | Learner name, badge ID, issue date, course version, CPD hours, pass status, NIC verification page, and optional practical-verification status if separately completed                                                                       |
| Renewal/review           | Recommended every 24 months or earlier if NIC/employer standards, equipment, or relevant guidance changes                                                                                                                                   |

Limitation

Badge does not by itself verify hands-on physical competence or confer a regulated professional licence

If practical verification is completed separately, the badge should display a distinct field such as “**Practical verification: verified by [assessor/employer], [date], scope [specified skills]**” . It must not merge online completion and physical competence into one unsupported claim.

## 19. NIC portal course description

**NIC CPD Micro-Credential: Safe Mobility, Patient Handling & Falls Prevention for Professional Caregivers** is a 5-hour professional CPD programme for trained caregivers who assist clients with mobility and activities of daily living. The course develops practical workplace judgement around mobility risk, body mechanics, positioning, transfers, mobility aids, environmental hazards, falls prevention, post-fall response, escalation, and objective documentation.

Through realistic home-care and facility-based scenarios, learners practise the sequence **assess, plan, prepare, explain, assist, observe, stop/adapt, report/escalate, document**. The course emphasises dignity, independence, caregiver injury prevention, appropriate use of available equipment, and knowing when not to proceed.

**Important:** Successful online completion demonstrates knowledge and applied decision-making. It does not independently verify hands-on physical competence or authorise specialist manual handling, lifting, transfer, or clinical procedures. Practical verification may be arranged separately by NIC or an employer.

## 20. References

- [1] Occupational Safety and Health Administration — Healthcare: Safe Patient Handling
- [2] CDC/NIOSH — About Safe Patient Handling and Mobility
- [3] World Health Organization — Falls
- [4] NICE Guideline NG249 — Falls: assessment and prevention in older people and in people 50 and over at higher risk
- [5] CDC STEADI — Patient and Caregiver Resources

These sources provide evidence-informed international context. They do not replace Nigerian law, NIC professional standards, employer procedures, care plans, local

emergency pathways, or assessment by an appropriately qualified professional. NIC should review the references and localise operational details before publication.

## 21. Quality assurance review

This release copy has been checked for the requested portal order, lesson structure, assessment coverage, scope limitations, Nigerian relevance, hands-on competency distinction, and reference-link availability.

| Quality criterion  | Review finding                                                                                                              | Required control                                       |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|
| CPD value          | Meets the need for advanced workplace judgement rather than introductory caregiving                                         | Position as professional application CPD               |
| Non-duplication    | Foundational concepts are concise; lessons focus on risk, decisions, adaptation, escalation, and reporting                  | Keep orientation short in portal build                 |
| Practical value    | Uses home and facility scenarios, Nigerian resource variation, family involvement, and realistic hazards                    | Retain scenario feedback and action plan               |
| Safety             | Does not present universal lifting or transfer instructions; repeatedly prohibits unsafe improvisation                      | NIC clinical reviewer to check all local procedures    |
| Scope              | Separates caregiver observation and escalation from diagnosis, prescription, clinical assessment, and specialist procedures | Make scope acknowledgement mandatory                   |
| Assessment quality | Final assessment contains 30 questions with at least 18 application-focused items; module assessments test reasoning        | Maintain 80% final pass standard and feedback          |
| Nigerian relevance | Addresses homes, facilities, multigenerational households, uneven floors, stairs, bathrooms, limited space,                 | Pilot with Nigerian caregivers from different settings |

|                          |                                                                                                                      |                                                            |
|--------------------------|----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|
|                          | equipment variation, and family pressure                                                                             |                                                            |
| International quality    | Uses OSHA, CDC/NIOSH, WHO, NICE, and CDC STEADI as recognised reference points                                       | Revalidate sources at scheduled review                     |
| Hands-on limitation      | Certificate and badge explicitly state that online learning does not verify physical competence                      | Offer separate supervised practical verification           |
| Professional credibility | Includes competency framework, documentation practice, retake policy, certificate, badge, and renewal recommendation | Add NIC governance, version control, and assessor approval |
| Portal fit               | Uses course → modules → lessons → lesson assessments → module assessments → final assessment → certificate           | Configure exactly in the NIC portal architecture           |

## Publication controls before release

Before publication, NIC should obtain review and sign-off from an appropriately qualified clinical or patient-safety reviewer, a caregiver workforce educator, a Nigerian operational representative, and a learning-assessment reviewer. The reviewer should confirm that every operational instruction matches current NIC and employer procedures, that emergency contact language is localised, that privacy and incident-reporting requirements are correct, and that no scenario can reasonably be read as permission to lift or transfer a client outside training and authorisation.

The portal should maintain a version number, approval date, review date, source-review log, question-bank version, and change history. Any practical checklist used by NIC or an employer should be approved separately and should identify the assessor's qualifications, equipment used, client-simulation conditions, remediation route, and exact skills verified.

### End of curriculum