



Liquid fuels demand and supply model

Week 1 analytical pack

South Africa | Petrol and diesel

6 October 2026


Internal working discussion

Photo source: Royal Vopak | Terminal Durban | vopak.com



Locate fuel demand alongside the infrastructure serving it

Infrastructure and regional demand | illustrative, bn litres/year



Marker area = illustrative demand. Not a catchment boundary.

Source: Natural Earth 1:50m; kickoff appendix / schematic networks; illustrative regional CSV. 6 Oct 2026.

Key takeaways

01 • Seven infrastructure layers

Production, pipes, ports, roads, rail, storage and corridors establish the physical context.

02 • Demand volumes are illustrative

Inland demand is 10.0 bn litres; eastern/coastal demand is 4.5 bn litres. These are example volumes.

03 • Durban–Lesedi links the markets


Link coastal receipts, inland transfers and final deliveries without counting the same fuel twice.

04 • Proximity does not establish access

Routes, compatible capacity, delivered cost, contracts and competitors determine reachable demand.

Map conditional market access from Durban and Lesedi

Road-delivery accessibility | illustrative transport cost, R/litre



Example rate: R0.15/L dispatch + R0.002/L/km. Grey = unassessed.

Illustrative road cost only. Pipeline/rail access and commercial rights are not priced.

Source: Existing appendix routes; illustrative candidate connections, not verified catchments. Natural Earth 1:50m.

Key takeaways

01 • Durban: coastal and inland links

Road candidates connect coastal customers and inland transfers. Pipelines are separate supply connections.

02 • Lesedi: inland dispatch

Test receipt, dispatch, tanker cycles and customer destinations for connected inland markets.

03 • Lower cost means higher accessibility


Darker cells show lower example road-delivery cost from either facility. Pipe and rail lines remain context.

04 • Customer access is unverified

Contracts and competitors define the commercial envelope. Actual customer catchments are not supplied.

Separate demand, accessible volume and Vopak flows

Cost accessibility and market volumes | illustrative



Receipts 2.8 + 2.0 – transfer 1.8 = unique demand 3.0

Example rates: R0.15/L + R0.002/L/km. Grey = unassessed. Volumes: bn L/year.

Source: Illustrative CSVs and road transport rates; no actual Vopak throughput or quoted transport costs supplied.

Key takeaways

01 • National balance sets import needs

Demand of 21.0 less domestic production of 7.0 gives required imports of 14.0 in this illustration.

02 • Count unique customer demand once

Receipts of 2.8 at Durban and 2.0 at Lesedi include a shared 1.8 transfer. Unique demand served is 3.0.

03 • Candidate opportunity is conditional

The example commercial envelope is 8.5; current unique demand served is 3.0, leaving a candidate 5.5.

04 • Replace examples with evidence

Match regional demand, route constraints, customer flows and contracts by product, period and units.

Agree priorities and next steps

Confirm demand, routes and access

6 October 2026

Internal working discussion

Photo source: Royal Vopak | Terminal Lesedi | vopak.com

