

Liquid fuels demand and supply model

Week 1 analytical pack

South Africa | Petrol and diesel

6 October 2026

Internal working discussion

Photo source: Royal Vopak | Terminal Durban | vopak.com

Strictly Confidential



About this document

What it covers

South Africa petrol/diesel market baseline, historical demand and national supply/trade evidence.

Diesel, jet and petrol lever design at 2030 and 2035; draft L/M/H inputs for demand and domestic output.

Vopak customer opportunities through infrastructure reach, delivered price, service and commercial access.

Preliminary inventory sensitivities and a trace of the evidence needed to answer Henry's storyboard.

Week 1 working assessment, 6 October 2026. Observed data, estimates, conditional cases and illustrations are distinguished. Source gaps and proposed actions remain explicit; governance coverage is not data validation or business approval.

What it does not establish

A validated 2026 forecast or calibrated L/M/H scenario results; assumption ranges and back-tests remain work to do.

Measured Vopak market share, confirmed customer capture or verified operational catchments.

A closed national fuel balance, complete fuel-compatible storage census or confirmed spare tank capacity.


An investment recommendation, detailed engineering design or approved commercial business case.

Diesel dominates net imports; additional Vopak volumes still need customer evidence

Agenda	SCR	Finding	Implication for Vopak	Deep dives
Market baseline	S1	Diesel accounts for most net imports. In 2024, net diesel imports were 9.997 bn litres, compared with 3.081 bn litres for petrol.	Diesel import flows are the largest observed trade component to assess against Vopak's services.	4 / 6
	S2	Gauteng, KZN and Western Cape account for 68.6% of reported 2022 petrol and diesel sales.	Gauteng and KZN are the first demand markets to assess against Lesedi and Durban.	5
Market changes	C3	OCGT generation has fallen sharply since FY2024. Freight activity and changing vehicle sales affect other parts of fuel demand.	Forecast each end use separately. A single growth rate would miss changes in the demand mix.	16 / 17 / 18 / 19 / 20 / 21
	C4	Published refining capacity fell from 718 to 358 thousand barrels/day between 2020 and 2022. Future plant output remains uncertain.	Domestic production assumptions materially affect the forecast import requirement.	7 / 18 / 19 / 20 / 21
	C5	Matola and Walvis Bay provide alternative fuel supply nodes. Their effect on inland competition still needs route and volume evidence.	Compare competing supply routes to the same inland market.	8 / 9
Vopak outlook	R6	Vopak has facilities in Durban and Lesedi, alongside the coastal and inland markets identified in the demand analysis.	Establish current fuel volumes and usable capacity at these sites before estimating additional business.	10 / 11
	R7	The evidence does not yet establish a need for additional storage. Customer volumes and usable spare capacity remain unverified.	Determine how much additional fuel existing assets could handle, then assess any remaining capacity requirement.	12 / 13 / 14

Net imports rose in 2025: diesel by 15% and petrol by 19%


Petrol | bn litres



Insights

2025 imports of 4.45 bn L less exports of 0.80 bn L left net imports of 3.65 bn L, up 19% year on year.

Diesel | bn litres




Insights

2025 imports of 12.25 bn L less exports of 0.75 bn L left net imports of 11.50 bn L, up 15% year on year.

Gauteng leads provincial sales; Gauteng, KZN and Western Cape held 69% in 2022

Where demand sits | 2022, bn litres




Same province codes on map and chart; map shade measures volume.

How it changed | 2013-2022, bn litres/year


Gaps are withheld observations, not demand declines:

2014: source conflict | 2018: incomplete coverage



Provincial sales locate demand, but do not show where imported fuel is delivered

2022 sales totals | ILLUSTRATIVE domestic/import allocation



Units: bn litres/year. Imported/domestic segments are a scenario illustration, not measured provincial flows.

Source: DMPR 2022 provincial sales totals; source mix from the existing illustrative national-balance CSV. Not observed origin.

Strictly Confidential

Implication for Vopak

01 | Use sourced provincial totals

The total bars use reported 2022 petrol/diesel sales. This establishes provincial demand, not where the fuel came from.

02 | Treat origin shares as an example

Domestic/import segments are authored illustrations. No measured provincial supply-origin allocation is established.

03 | Close the national balance first


Match production, exports and stock movements to the demand year before allocating an import requirement to provinces.

Next action

Manish: reconcile the national balance, then obtain origin/destination evidence. Keep unsupported provincial origin unknown.

Enref, PetroSA and SAPREF explain the capacity decline; the CEF case adds capacity in 2033

Capacity by refinery | thousand bbl/day | all products



2016-2025: reported capacity | 2026 onward: held-flat base + conditional addition

Insights

358 → 758


thousand bbl/day in the conditional case

**2029 assumed FID
+ 48 months construction
= 2033 assumed availability**

No-addition case stays at 358.
The CEF project is not committed capacity; timing is an existing reporting assumption.

A viable customer route must be competitive and still earn the supplier's required margin

Illustrative road cost, R/litre



Example rate: R0.15/L dispatch + R0.002/L/km. Grey = unassessed.

Two tests for each customer and product



1 | Competitive breakpoint

Delivered cost via Durban / Lesedi
= lowest feasible alternative delivered cost

Above this cost, the route loses its cost advantage.
Compare the same product, destination and service terms.

2 | Margin breakpoint

Maximum storage + transport cost
= delivered price – fuel cost
– other costs – required supplier margin

Above this allowance, the route fails the margin target even if it is the cheapest option.



Thresholds not yet quantified

Need customer prices, route quotes, handling, stock costs and required margin. Owner: Nigel / Manish.

Matola and Walvis Bay offer alternative gateways; their impact on Durban is unproven

Existing gateways and potential inland distribution nodes

Shading: provincial petrol + diesel sales, 2022 (bn litres/year)



Note: Routes schematic; access unverified. Colour measures provincial totals, not density or Vopak share.
 Source: DMPR 2022 sales; NAMCOR NOSF; Galp GIMTL; WBCG / TRAC corridors; Natural Earth. Capacities and URLs in notes.
 Strictly Confidential

Implication for Vopak

Existing alternative gateways

The published inventory includes 60,000 m³ of petrol/diesel storage at Matola's GIMTL and 65,000 m³ at Walvis Bay's NOSF.

Potential inland nodes

The Transnet depot lease offers identify possible inland distribution nodes. Refurbishment, licensing and commercial operation remain conditional.

What would demonstrate a market shift


Commissioning dates, growth in handled volumes and changes in delivered cost would show whether these nodes are changing inland supply patterns.

Current work

Compare the same product and inland destination. Record existing operations separately from proposed facilities.

Published Vopak tankage does not establish spare fuel capacity at Durban or Lesedi

Regional footprint | published gross storage, thousand m³



Partial inventory; mixed products. Unlisted capacities remain unknown.

Mixed products; lease offers excluded. Working fuel space and customer share remain unverified.

Implication for Vopak

01 | Anchor the test in Durban and Lesedi

Vopak lists 360,200 m³ in Durban and 140,000 m³ at Lesedi. These anchor the eastern and inland customer tests.

02 | Verify working fuel capacity

Published gross tankage covers mixed products. It does not establish usable petrol/diesel space, annual deliveries or customer share.

03 | Keep coverage gaps explicit

Missing operator capacities remain unknown. Conditional Transnet leases are excluded from the operating bars.

Next action

Manish: confirm fuel-compatible working space and dispatch by site. Nigel: obtain operating data for Durban and Lesedi.


Illustrative tank handling cannot establish a regional fuel surplus or shortage

Annual demand and gross handling equivalent | million m³/year

■ Reported demand ■ Vopak ■ Other listed

Base estimate: 2 turns/month; published gross tankage

Upper bar: reported demand; lower stack: estimated handling



Same annual scale. Gross tankage × monthly turns × 12; not available fuel supply.

2022 demand vs 2026 mixed-product inventory; incomplete coverage. No shortage or share conclusion.

Implication for Vopak

01 | Test turnover against operating data

Two monthly turns is an authored base, not a verified SA site rate. The appendix tests one and three turns.

02 | Estimate achievable handling

Use compatible working space, downtime and receipt/dispatch limits. Gross tankage alone overstates what may be handled.

03 | Avoid a regional shortage conclusion

Inland inventory omits material operators. Coastal tanks can serve inland demand, and transfers can count the same fuel twice.

Next action

Manish: verify working capacity and unique dispatch. Nigel: obtain site records. Replace common turns with site-specific evidence.

Additional Durban and Lesedi volumes depend on customer access, not national demand alone

Site	Current evidence	Implication for Vopak	Evidence still needed
Durban	KZN accounts for 19.6% of reported 2022 fuel sales. Diesel is the largest component of national net imports.	Assess coastal demand and inland flows that Durban could handle.	Current product volumes, customer destinations and usable fuel capacity.
Lesedi	Gauteng accounts for 31.1% of reported 2022 fuel sales, the largest provincial share.	Assess inland demand against Lesedi's receipt and dispatch capability.	Current throughput and the full delivered cost from competing gateways.
Competing nodes	Matola and Walvis Bay have published petrol/diesel storage. Inland depot lease offers could add distribution points.	Establish where alternative supply routes could change Vopak's inland business.	Operating status, handled volumes, route costs and service to the same destinations.

The current evidence identifies priority markets. It does not yet quantify additional Vopak volumes or a requirement for new tanks.

Baseline reconciliation and assumption review are active; forecast runs follow reviewed inputs

Current activity and proposed delivery sequence, as at 7 October 2026

Activity / workstream	Resources	W1 02 Oct	W2 09 Oct	W3 16 Oct	W4 23 Oct	W5 30 Oct	W6 06 Nov
1 Fuel baseline - ACTIVE NOW	Manish / Nigel		ACTIVE				
2 Assumption review - ACTIVE NOW	Manish / Henry		ACTIVE		◆		
3 Prove reach and handling	Manish / Nigel			◆			
4 Quantify customer opportunity	Nigel / Manish				◆		
5 Test working stock and constraints	Manish / Henry					◆	
6 Challenge, reproduce and hand over	Nigel / Henry						◆
Storyline and evidence - ACTIVE NOW	Nigel / Manish		ACTIVE				
Client touchpoints		◆ Scope / data		◆ Emerging findings		◆ Draft implications	◆ Final review

Active: source reconciliation, sector baselines and assumption definitions. Forecast runs follow reviewed inputs.

ACTIVE = current work; grey = proposed timing; diamonds = proposed checkpoints. Active does not mean complete.

Source: Kickoff pack pp23–27; six_week_plan.md (fuel-first update). Proposed workplan; no review or client approval inferred.

Manish's handback needs source decisions and agreed inputs before integration

Manish's focus | 7 October 2026 | proposed outputs and Nigel's review decisions

Priority / focus	Manish: output today	Nigel: decision / review
1 National balance	Present the corrected petrol/diesel balance, source differences and missing production / stocks	Agree 2024 sales source; review corrected SARS trade
2 Forecast levers	Complete diesel, jet and petrol tables: baseline and L/M/H inputs for 2030 / 2035, with units, rationale and sources	Challenge ranges; agree the reference case
3 Sector baselines	Propose agriculture / industry starting values; identify overlaps and double counting	Agree starting values for the model
4 Tank handling	Set site assumptions for usable fuel capacity, monthly turns and receipt / dispatch limits; label evidence and estimates	Agree provisional operating ranges
5 Reviewable handback	Check pack figures against originals; refresh handback and list ready, proposed and unresolved items	Review corrections before integration into main

End-of-day target: a reviewed baseline, three comparable fuel input tables and an owned decision log

Latest balance and EV corrections are supplied on Manish's branch; review and integration remain outstanding.

Source: Manish handback update, 7 Oct 2026 (ef1720a); Nigel's agreed focus table. Targets proposed; no acceptance inferred.

Appendix

The main story ends with the outlook and delivery roadmap.

Demand drivers · scenario framework · fuel assumptions · operating sensitivities


Use the supporting material to trace the evidence, assumptions and remaining work behind the outlook.

The car fleet grew 3% in 2025 while road-freight payload was broadly flat


Activity drivers | observed series; 2024 = 100

Observed activity proxies; fuel use per unit still requires validation.


Passenger travel | all-fuel stock, Dec




Freight demand | payload, CY



Agriculture | real value added, CY



Manufacturing | production volume, CY




Note: Latest staged: activity Jul 2026; GDP Q2 2026; inland prices Oct 2026. Charts use complete years. Fuel-use rates need validation; FY ends March.
Source: NaTIS; Stats SA P0441 / P2041 / P3041.2 / P7162; Eskom; naamsa; DMPR / CEF. Snapshot manifest in notes.
Strictly Confidential

OCGT generation fell 79% from FY2024 to FY2026, reducing a driver of diesel use


Power, vehicle mix and prices | observed indices and nominal R/litre

Indices: 2024 = 100. Prices: nominal R/litre. OCGT generation: FY to March.


Mining | production volume, CY




Diesel power | OCGT generation, FY



Electrification | annual new sales, CY



Price response | annual nominal R/litre



Note: Latest staged: activity Jul 2026; GDP Q2 2026; inland prices Oct 2026. Charts use complete years. Fuel-use rates need validation; FY ends March.
Source: NaTIS; Stats SA P0441 / P2041 / P3041.2 / P7162; Eskom; naamsa; DMPR / CEF. Snapshot manifest in notes.
Strictly Confidential

Demand growth alone cannot determine imports, accessible volumes or storage needs

Scenario design | all key levers and assumptions

Input family	L/M/H settings to agree	Outputs and decision
Demand	Growth, mileage, fleet efficiency/EVs, freight/passenger rail, grid/private generation, sector activity and price response	Petrol/diesel demand by year and region
Supply and trade	Plant output, yields, downtime/compliance, imports, neighbouring-country exports and stocks	Domestic supply, trade and transit throughput; residuals explicit
Customer access	Delivered price, service, feasible routes, rights and switching	Reachable and competitively accessible customer litres
Capacity and operations	Usable tanks, receipt/dispatch, inventory policy, peaks and spare space	Unique Vopak flows and any usable-capacity gap

Combine settings into coherent worlds

Baseline	Ample supply	Tight supply
Proposed M settings; fuel inputs follow	Supply and access comfortably meet demand	Demand tests available supply and delivery routes

Rail diversion and lower OCGT use could offset freight-led diesel growth

Diesel levers | proposed input values for review

L / M / H means low / medium / high input level; fuel effects differ by lever. M is a proposed reference.

Lever / unit	Current reference	2030 L / M / H	2035 L / M / H	Rationale / effect
Freight activity 2024 = 100	2024 = 100 Observed proxy	95 / 115 / 135	95 / 135 / 175	Authored flat / recovery / expansion tests. Apply before rail diversion; calibrate litres per activity unit.
Road freight moved to rail % of reference road work	No agreed diversion M is proposed	0 / 10 / 20	0 / 20 / 35	Higher diversion lowers road diesel. Avoid subtracting rail again if already embedded in the activity path.
Diesel OCGT generation FY2024 = 100	FY2024 = 100 Latest trend is lower	10 / 25 / 60	5 / 15 / 50	Test grid recovery versus stress. Use one generation path; do not add a second load-shedding allowance.
New-vehicle efficiency gain % per year	Legacy: 0.5–1.0% New cohorts only	0.5 / 0.75 / 1	0.5 / 0.75 / 1	Existing low/high input endpoints; M is a proposed midpoint. Higher gain lowers new-cohort fuel use.
Existing plant utilisation % of operable capacity	Actual output unresolved 75% is a test	60 / 75 / 90	60 / 75 / 90	Shared across fuels. Higher utilisation raises domestic output; exclude closed capacity and count downtime once.
Diesel product yield % of plant throughput	Legacy yield: 25% Plant mix unverified	20 / 25 / 30	20 / 25 / 30	Brackets the legacy yield. Higher yield raises diesel output; enforce a consistent cross-product yield slate.
Conditional added capacity thousand bbl/day	No committed addition Conditional case only	0 / 0 / 0	0 / 0 / 400	Shared refinery branch, counted once. H requires FID, timing, ramp-up and product yields; it is not committed output.

More road activity and power use raise diesel demand; efficiency, rail and domestic output reduce the import requirement.

Flight activity and fuel burn set jet demand; SAF changes its fossil-fuel share

Jet levers | proposed input values for review

L / M / H means low / medium / high input level; fuel effects differ by lever. M is a proposed reference.

Lever / unit	Current reference	2030 L / M / H	2035 L / M / H	Rationale / effect
Aircraft movements 2024 = 100	2024 = 100 ACSA coverage only	100 / 120 / 140	100 / 145 / 190	Authored flat / recovery / expansion tests. Follow Manish's movement driver; re-fit against matched jet deliveries.
Fuel burn per movement 2024 = 100	2024 = 100 assumed Not yet measured	80 / 90 / 100	65 / 80 / 100	Lower burn lowers litres. Separate aircraft efficiency from route length, aircraft size and international mix.
SAF share of jet deliveries % by volume	SA blend baseline unknown Not a local mandate	0 / 2 / 5	0 / 5 / 10	Changes fossil jet share, not total jet litres. Authored blend tests; ICAO's 5% emissions vision is not a volume target.
Existing plant utilisation % of operable capacity	Actual output unresolved 75% is a test	60 / 75 / 90	60 / 75 / 90	Same plant setting as diesel and petrol. Higher utilisation raises jet output, subject to actual product capability.
Jet product yield % of capable plant throughput	Legacy capable plants: 10% Other plants: 0%	5 / 10 / 15	5 / 10 / 15	Apply only to jet-capable plants. Brackets the legacy yield; cannot assume every refinery produces aviation fuel.
Conditional added capacity thousand bbl/day	No committed addition Jet capability unknown	0 / 0 / 0	0 / 0 / 400	Same refinery branch, counted once. Jet output depends on a verified yield and specification, not nameplate alone.

Traffic and fuel burn set total jet demand; SAF changes the fossil share, while refinery output sets the import balance.

Fleet growth raises petrol demand; electrification and efficiency could offset it

Petrol levers | proposed input values for review

L / M / H means low / medium / high input level; fuel effects differ by lever. M is a proposed reference.

Lever / unit	Current reference	2030 L / M / H	2035 L / M / H	Rationale / effect
Passenger mileage km / vehicle / year	Registered: 17,000 Provisional placeholder	13600 / 17000 / 20400	13600 / 17000 / 20400	Authored $\pm 20\%$ around the current mileage placeholder. Higher mileage raises petrol demand at a given fleet.
Real GDP growth % per year	Team continuation: 2% Beyond official 2028	1 / 2 / 3	1 / 2 / 3	Bracket the 2% continuation proposal. Drives fleet additions through the fitted relationship, not a second fuel multiplier.
BEV share of new sales % of passenger sales	Legacy uptake curves Sales/fleet basis to resolve	5 / 15 / 30	15 / 35 / 60	Authored sales-share tests. Higher BEV uptake lowers new ICE additions; total-fleet effect depends on survival.
New-vehicle efficiency gain % per year	Legacy: 1.0–1.5% New cohorts only	1 / 1.25 / 1.5	1 / 1.25 / 1.5	Existing low/high input endpoints; M is a proposed midpoint. Preserve each cohort's entry-year consumption.
Existing plant utilisation % of operable capacity	Actual output unresolved 75% is a test	60 / 75 / 90	60 / 75 / 90	Shared across fuels. Higher utilisation raises domestic petrol output; use actual operable capacity and downtime.
Petrol yield (conventional) % of plant throughput	Legacy conventional: 45% Synthetic plants differ	35 / 45 / 55	35 / 45 / 55	Brackets conventional-plant legacy yield. Keep synthetic plants separate and enforce the product-slate constraint.
Conditional added capacity thousand bbl/day	No committed addition Conditional case only	0 / 0 / 0	0 / 0 / 400	Shared refinery branch, counted once. Petrol output requires FID, ramp-up and a verified product bridge.


Travel and fleet additions raise petrol demand; electrification and new-cohort efficiency offset growth before supply is matched.

Inter-terminal transfers can count the same fuel twice and overstate unique deliveries

Unique customer deliveries | illustrative bn litres/year

$2.8 + 2.0 - 1.8 = 3.0$ bn litres counted once

Illustrative receipts and shared transfer; actual Vopak flows unverified



Use unique served demand in the additional-opportunity screen on page 23.

Source: Existing illustrative market catchment and transfer examples. Not reported sales or actual Vopak flows.

Implication for Vopak

01 | Remove inter-terminal transfers

The example includes 1.8 bn litres transferred through both Durban and Lesedi. Counting both receipts would count that fuel twice.

02 | Use 3.0 in this illustration

The 3.0 result removes the shared transfer and assumes no net stock change or other adjustments. Actual flows remain unverified.

03 | Establish served demand before growth

Match customer, product and period records. The opportunity waterfall on page 23 then removes already-served volumes once.

Next action


Nigel: obtain customer deliveries and transfer records.
Manish: reconcile unique served volumes before estimating growth.

Route limits, commercial access and existing business reduce the addressable opportunity

Illustrative reach and volume bridge | bn litres/year; customer capture unverified

Selected market and illustrated road reach

Numbers match the waterfall stages; placements are illustrative.




■ Illustrated road reach ■ Outside illustrated reach

Outline = selected eastern + inland market

Schematic markers, not customer locations. Volume screens are authored illustrations.

Illustrative volume waterfall




All volumes illustrative. Already served is assumed; 5.5 bn L/year remains an opportunity to test.

Source: Authored catchment CSV; existing schematic road surface; declared reporting regions. Reach and customer volumes unverified.

Additional throughput requires new tanks only if existing usable capacity is insufficient

Working inventory, thousand m³

Illustrative 5.5 bn litres/year; uniform daily flow



Inventory days

Implication for Vopak

01 | Inventory policy sets working stock

At the illustrative 5.5 bn litres/year and uniform daily flow, 14 days requires 211,000 m³. More inventory days require more stock.

02 | Existing tanks may absorb the stock

Compare this stock with fuel-compatible working space at Durban and Lesedi. Published gross capacities do not prove spare usable space.

03 | This is not a new-storage requirement

Allow for peaks, product segregation, tank heels and receipt/dispatch limits. Add storage only if secured flows leave a usable-capacity gap.

Next action

Nigel: confirm candidate flows and inventory policy.
Manish/Henry: verify spare working capacity and operating limits.

At fixed tankage, three monthly turns imply three times the handling of one turn

Gross handling equivalent, million m³/year | authored 1 / 2 / 3 monthly-turn cases

Region	Low: 1 turn/month	Base: 2 turns/month	High: 3 turns/month
Eastern coast	15.40	30.80	46.20
Inland	2.07	4.14	6.21
Western coast	1.46	2.93	4.39
Other / NC	Unknown	Unknown	Unknown

Annual handling = gross tankage × monthly turns × 12

Two turns/month is an authored base. The range is informed by generic industry material, not measured SA site performance. Replace with compatible working capacity and unique outbound volumes.

Partial inventory and mixed products; no available-supply, regional-shortage or market-share conclusion. Coastal/inland handling can count the same transferred fuel twice.

Source: Registered terminal_handling.yaml; site inventory; Blackmer/Dover 2013 and Wood Mackenzie 2009. Owner: Manish / Nigel.

Sales and trade establish market scale; supply origins and fuel-use attribution remain open

S | Every prompt addressed; partial and open findings require the stated evidence

Henry storyboard prompt	Current answer / evidence gap	Deep dives
Total SA demand development	Reported 2024 sales: petrol 9.029 bn L and diesel 11.734 bn L. Coverage awaits reconciliation. Provincial history ends in 2022.	4 / 5 / 5
Eastern SA market within economic striking distance	Open: location and illustrative costs show reach, not accessible customer litres. Need destinations, tariffs and rights.	5 / 8 / 22 / 23
Greater diesel use in power generation	Partial: generation history is shown; recent OCGT use falls. Diesel-litres attribution still needs fuel-use evidence.	17 / 19
Rail to road	Partial: road/rail payload history is shown. Payload alone does not prove modal substitution or diesel effects.	16 / 19
Changes in fuel price	Partial: complete-year price history is staged. Travel response and real-price effects remain uncalibrated.	17 / 18
More fuel-efficient vehicles	Open: fleet stocks and new EV/hybrid sales do not establish fleet efficiency. Need fuel mix, mileage and intensity.	17 / 19 / 21
Slow GDP growth	Partial: GDP and sector activity evidence is available; growth-to-fuel effects require explicit assumptions.	16 / 21
Refinery closures	Partial: published capacity falls to 358 thousand bbl/day. Capacity is distinct from output and operating availability.	7
Challenges at Secunda	Partial: FY2024 output is 29.1 million barrels, all products. Availability and petrol/diesel yields remain open.	7 / 18
Closure of Moss gas	Open: plant-specific shutdown dates, operating status and lost product output need explicit source confirmation.	7 / 18
Growth in imports and where they enter	Partial: 2024 net imports are 13.078 bn L. Import-growth attribution, product-specific ports and origin remain open.	4 / 6

Source: Henry storyboard pp30–32; reporting evidence and explicit gaps, 6 Oct 2026. Responses do not establish closure.

The outlook still depends on unverified rail, fleet, refinery and route assumptions

C | Every prompt addressed; partial and open findings require the stated evidence

Henry storyboard prompt	Current answer / evidence gap	Deep dives
Road to rail; private-sector rail projection	Open: historical payload is available; private-sector service, timing and modal-shift assumptions need evidence.	16 / 19
End of loadshedding and spare power capacity	Partial: observed OCGT generation falls. Future dispatch, spare capacity and diesel demand remain conditional.	17 / 19
EV / HEV penetration projection	Open: sales uptake is shown, not fleet penetration. Separate BEV, PHEV and conventional hybrids; model turnover.	17 / 21
Effect of EV / HEV on litres per km	Open: require stock mix, mileage and fuel intensity. BEVs and hybrids have different fuel-use mechanisms.	17 / 21
Higher fuel prices and km travelled	Open: prices are sourced; mileage response and elasticity must be specified and tested before forecasting.	17 / 21
Mega refinery / SAPREF restart	Conditional: redevelopment capacity is a scenario, not sanctioned output. Confirm FID, ramp-up and product yields.	7 / 19 / 20 / 21
Secunda gas, coal and MRG diversion to 2032	Open: no liquid-fuel displacement is inferred. Need dated gas allocation, plant mechanism and product-output evidence.	7 / 18
Natref future?	Open: reported FY output is available; future ownership, availability and product yields require a dated case.	7 / 18
Durban storage / NMPP / Lesedi vs road and rail	Open: compare the same customer and product. Need full delivered costs, capacity, tariffs and service availability.	8 / 9 / 23
Transport from Matola and Walvis Bay	Partial: gateways, published storage and schematic routes are shown. Full costs, borders and customer access remain open.	9 / 23 / 12

Source: Henry storyboard pp30–32; reporting evidence and explicit gaps, 6 Oct 2026. Responses do not establish closure.

Vopak market share and new investment needs remain unquantified

R | Every prompt addressed; partial and open findings require the stated evidence

Henry storyboard prompt	Current answer / evidence gap	Deep dives
Market share of Vopak in Dbn and Lesedi	Open: published storage is an asset footprint, not served demand. Need unique deliveries, transfers and matched demand.	22 / 11 / 23
Potential scope for new investment?	Conditional: prioritise customer flows and service first. New storage requires secured incremental flows and a usable-capacity gap.	10 / 12 / 24

Agree priorities and next steps

Confirm demand, routes and access

6 October 2026

Internal working discussion

Photo source: Royal Vopak | Terminal Lesedi | vopak.com



Presentation palette | colours and HEX codes

Reference | colours used in this presentation

Core presentation colours

	Vopak blue #0A2373		Secondary blue #546CA2		Text / ink #000000		White #FFFFFF
	Unassessed / neutral #EEEEEE		Header divider #A0A0A0		Body divider #B8B8B8		Frame divider #B0B0B0

Sales-map colours | provincial totals, bn litres/year

	Below 1 #E3EBF6		1 to below 2 #BACCE4		2 to below 4 #809CC7		4 to below 6 #3D619D
	6 and above #0A2373		Map background #F5F8FB				

Other template theme colours

	Theme dark 2 #11151A		Theme light 2 #E7E6E6		Accent 3 #BDBEC1		Accent 4 #404040
	Accent 5 #767676		Accent 6 #D9D9D9				