Vopak

South Africa liquid fuels market outlook

Demand, supply and routes — implications for Vopak

Durban and Lesedi | Market-sizing framework

11 October 2026

Planning estimates and illustrative capture. Customer access and usable capacity remain to be established.

Photo source: Royal Vopak | Terminal Durban | vopak.com



Strictly Confidential

2025 production and imports broadly cover consumption and exports

20.99bn L

Consumption

2025 estimate

5.80bn L

Domestic production

2025 planning assumption

16.70bn L

Gross imports

2025 recorded customs

1.55bn L

Exports

2025 recorded customs

Production + imports − exports = availability before stock change

5.80 + 16.70 − 1.55 = 20.95bn litres

Availability is 0.034bn litres below estimated consumption. Stock change is unmeasured; this difference remains a reconciliation item.

Petrol and diesel differences offset: −2.00bn L petrol and +1.97bn L diesel. The aggregate match does not establish a reconciled product balance.

Track consumption, production, imports, exports and stock change together.

Analytical workbook v02, Balance; SARS calendar-2025 customs. Demand estimated; production assumed; trade recorded. Stock change and statistical/scope differences unresolved. Values rounded; the 0.034bn L gap uses unrounded data.

Strictly Confidential

Changes in demand, domestic supply and import routes could reduce flows through Durban

Complication	Driver	What changes for fuel demand and Durban flows
Baseline	Baseline demand | p4	Estimated 21.0bn-litre market in 2025; petrol/diesel history and the end-use split establish the starting point.
1 Demand	Sector activity | p5	Mining, manufacturing and agriculture drive equipment and freight demand along different growth paths.
	Eskom recovery | p6	Reliable electricity reduces peaking and backup diesel at utilities, mines, factories and farms.
	Road-to-rail | p7	Freight shifted from trucks reduces road diesel use; net savings depend on rail traction.
	Vehicle sales p8 | Efficiency p9	Lower fuel consumption per kilometre reduces demand at a given level of road activity.
2 Domestic supply	Refinery history p10 | Outlook p14	Higher production displaces imports; outages or lower output increase import dependence.
3 Import routes	Ports and inland connections | p11	Matola competes for inland supply. Assess Walvis Bay, pipeline access and delivered cost; Walvis Bay diversion is unquantified.


A large national import market does not automatically translate into growth for Vopak.

Demand baseline: p4. Driver evidence: pp5–11. Restored import outlook: p14. Stats SA; Eskom; Sasol; Glencore; Galp; Petromoc; naamsa. Scenario outcomes are separate from observed evidence.

Strictly Confidential

South Africa's estimated 21bn-litre fuel market is dominated by road demand

Petrol and diesel demand, 2013–2025



Demand is estimated at 20.99bn litres in 2025; road uses account for most allocated demand.

2025 estimated demand

Petrol road 8.59 | Freight 4.82

Other road diesel 1.61

Mining 1.41 | Agriculture 1.13

Power 1.08 | Manufacturing 0.17

Other petrol 0.27 | Other diesel 1.91


All values: bn litres. Allocations are estimates; manufacturing is an industry residual.

Department annual sales, 2013–2023. Estimated 2024–2025: analytical workbook v02. The Department series is used consistently. Segment split: analytical workbook v02, Segments. Displayed figures rounded; other diesel remains unallocated.

Strictly Confidential

Agricultural fuel demand rebounds while mining and manufacturing remain broadly flat

Estimated sector diesel demand



Sector activity produces different demand paths; applying one GDP growth rate would hide these differences.

Estimated diesel use

Mining: 1.40 → 1.41bn L

Agriculture: 1.06 → 1.13bn L


Manufacturing: about 0.17bn L

Manufacturing covers the energy-balance industry residual, not a complete industrial census.

Stats SA mining/manufacturing indices and agriculture real GVA; mean 2018–2021 fuel intensity. Sector diesel values after 2021 are estimates.

Eskom’s fuel use fell by 40% in FY2025 as electricity supply improved

Eskom diesel and kerosene use



Improved electricity supply reduces peaking and backup fuel use; the private-backup contribution remains estimated.

Power fuel use

Eskom: 1.130bn L in FY2024 → 0.679bn L in FY2025 (diesel + kerosene).


2025 utility + private power estimate: 1.08bn L, including 0.20bn L assumed private backup.

IPP conversion and fiscal-year proxies are estimates; private use is not measured by Eskom.

Eskom Integrated Report 2025, p141. Fiscal years end in March. Reported series includes diesel and kerosene; private backup consumption is outside this series. Analytical workbook v02, Segments: IPP conversion and private-backup assumptions.

Rail volumes are recovering, creating scope to reduce road diesel use

Reported road and rail freight



Road remains the dominant freight mode; sustained rail recovery could change the diesel required to move goods.

Recovery and displacement

Rail: 160.7m tonnes in 2024 to 168.3m in 2025. Road: 979.8m to 976.5m tonnes.


A shift of mining, agricultural and manufactured goods to rail can reduce truck fuel use.

Rail growth alone does not prove road displacement; distance, cargo and traction mix matter.

Stats SA P7162 December 2025 p7; all reported freight. Analytical workbook v02, Evidence.

Hybrids dominate electrified new-vehicle sales; fleet fuel savings emerge as vehicles turn over

Electrified vehicle sales, 2025



The model's fuel-efficiency path is a planning assumption; new-vehicle sales alone do not quantify national fuel savings.

Different fuel-use effects

BEV: 1,088 sales, or 0.18% of all new vehicles.

PHEVs and conventional hybrids still consume fuel; savings depend on usage.

New sales are not fleet penetration. Efficiency and mileage must be modelled separately.


naamsa all-market sales 2025; master workbook Vehicle history S31:S36; evidence retained in market story v27 p11. Analytical workbook v02: efficiency is a planning assumption; avoid double-counting hybrid savings.

Strictly Confidential

Improving vehicle efficiency partly offsets growth in fuel demand

Activity and efficiency effects by 2030

Billion litres versus 2025 | modelled base-case effects



The efficiency effect is a planning assumption; new-vehicle sales do not measure fleet-wide fuel savings.

Less fuel for each kilometre travelled

Engine and vehicle improvements, fleet renewal and operating practices can lower fuel use per kilometre.

The base case assumes 1% annual improvement in road-fuel efficiency, saving 0.79bn L by 2030.

Activity adds 1.54bn L across non-power uses. Rail and power effects are accounted for separately.


Analytical workbook v02: Driver bridge (Base), Assumptions (Base: efficiency). Effects are modelled, not observed savings. Efficiency applies to road fuel after activity growth; rail is applied afterwards. Do not add a separate EV saving to the same efficiency allowance.

Strictly Confidential

Reported fuel production declined through 2021; the 2025 baseline assumes 5.8bn litres

Reported petrol and diesel production

Billion litres | reported history, 2014–2021



Plant context: Secunda 27.6m barrels in FY2025 → 30.6m in FY2026.
Natref reporting scope changes; Astron reports in energy units. These disclosures cannot be summed directly.

2025 planning baseline

5.8bn litres

Petrol/diesel planning assumption; not a reported national observation.

Reported combined production fell from 20.42bn L in 2014 to 11.67bn L in 2021.


SAPREF and PetroSA contribute no refining output in the 2025 assessment. Operating output and product yields determine import displacement.

Department energy balances 2014–2021; consolidated review workbook, DR01 national balance rows 8/17. Sasol FY2025/FY2026; Glencore 2024/2025. 2025: 5.8bn L planning assumption. Historical production ends in 2021; no interpolated observations.

Strictly Confidential

Durban's inland share depends on competing gateways and reliable onward connections

Competing inland supply corridors



OSM geometry; routes test connectivity, not tanker access or operating service.

Mapped road and rail connectivity; tanker access and operating services require confirmation. NMPP is the established inland connection discussed at right. Walvis Bay is a potential alternative.

Evidence and implications

Durban and other SA ports

2025 Durban customs: 13.16bn L. Allocate national imports across ports before sizing inland reach.

Durban–NMPP–Lesedi

Existing inland connection; customer/product access, receipt and dispatch constraints determine serviceable flows.

Matola infrastructure

Galp/IPG: 60,000m³ petrol/diesel; Petromoc: 390,000m³ across fuels. Do not add overlapping capacities or equate storage with SA throughput.

Mozambique flows

Komatipoort imports: 0.303bn L in 2022 → 0.086bn L in 2025. Observed flows anchor route volumes.

Walvis Bay

Comparable delivered cost, access and SA flows remain unestablished. No quantified diversion or capture is assigned.

SARS 2022/2025; Galp Matola, 3 Dec 2020; Petromoc logistics; market-sizing workbook. Map: © OpenStreetMap contributors / Geofabrik; Natural Earth; geoBoundaries. Routes show connectivity, not validated tanker access. Compare the same product and destination.

Durban and Lesedi market sizing and investment issue tree

1 NATIONAL DEMAND

National consumption
2025 estimate
21.0bn litres
2025 demand estimate

Demand by product
Petrol 8.9bn L
Diesel 12.1bn L
2025 estimates

Demand by use
Road, mining, agriculture
Manufacturing and power
2025 segment estimates

Demand parameters
GDP and sectors
EVs, fleet, efficiency
Freight, prices, power

2 SUPPLY AND DELIVERY

Gross imports, 2025
Petrol 4.45B L
Diesel 12.25B L
2025 gross 16.70B L

Domestic production
5.8bn L in 2025
Planning assumption
5.8bn L planning baseline

Ports and alternatives
Durban, Matola
Assess Walvis Bay
2025 · Durban 13.2B L

Inland delivery
NMPP trunk line
Road and rail
FY25 use 5.46B L/yr

Coastal demand
KZN, WC, EC
Port-adjacent markets
2022 · 10.0B L · proxy

Inland demand
Gauteng and interior
Six inland provinces
2022 · 12.0B L · proxy

Supply and route parameters
Refinery closures, restarts, gas
Delivered cost, routes, contracts
Port, pipeline, rail capacity

3 VOPAK OPPORTUNITY

Market context
2025 Durban customs 13.16B L
Catchments and gateway overlap
Gateway proxy; capture not observed

Durban context
Imports 13.16B L
KZN sales 4.28B L
2025 / 2022 context

Lesedi catchments
Gauteng 6.81B L
Inland 11.95B L
2022 nested demand

Conditional base capture
Durban 2.63B L, Lesedi 1.32B L
Lesedi included in Durban flow
Illustrative capture

Incremental opportunity
Needs existing throughput baseline
Access and commitments unverified
Pending · DR02/05

4 INVESTMENT

Additional capture
Customers, contracts
Competition
Pending · DR02/05

Existing assets
Tanks and turns
Receipt and dispatch
Pending · DR03

New investment
Volume, capex, returns
Alternatives, downside
Pending · DR06

Resolution
Vopak share by site
Scope for investment

Analytical workbook v02; SARS 2025; provincial demand 2022; Transnet Pipelines FY2025. Production is a planning assumption; capture is illustrative. Shared Durban–Lesedi fuel is counted once. Historical catchments retain their stated years.

How the national fuel market translates into Vopak's addressable volume

Sizing step	Basis for the calculation	Market measure
1 National demand	Petrol and diesel by end use: road, mining, manufacturing, agriculture and power. Apply activity, rail and efficiency drivers.	21.0bn L in 2025 Estimated demand
2 Import requirement	Demand − domestic production + exports + stock build (or − stock draw).	16.7bn L in 2025 Gross import need
3 Ports and inland routes	Allocate imports across ports; assess pipeline, road and rail connections. Compare Durban with Matola and potential Walvis Bay routes.	Supply pool by catchment Route shares to establish
4 Addressable market	Size product and customer flows Durban and Lesedi can each serve, by catchment, logistics access and competing supply. Reconcile shared flows.	Addressable volume By site, product and customer
5 Achievable capture	Establish current Vopak throughput, volumes retained and additional customer volumes it can win. Assess competition and contracts; count shared fuel once.	Current + incremental capture By site and customer
6 Capacity and investment	Compare captured throughput with usable tanks, stock turns, receipt and dispatch capacity; identify the incremental constraint.	Capacity shortfall Basis for investment


Steps 4–5 size Vopak's opportunity: addressable customer flows, then achievable capture.

Framework: analytical workbook v02 and market-sizing workbook. Gateway shares and customer access require validation. Walvis Bay is a route to assess; no diversion volume is assigned. Stock build increases import need; stock draw reduces it.

Strictly Confidential

Refinery recovery could materially reduce imports from the 16.6bn-litre base case

Gross import requirement, 2025–2030



Higher domestic output displaces imports; restart timing, utilisation and product yields determine the effect.

Domestic supply drives the largest reduction

2030 imports: base 16.61bn L; low-import case 8.26bn L; high-import case 19.68bn L.

The low-import case adds 0.87bn L of operating output and 5.67bn L from assumed restarts.

Demand assumptions also vary across these cases. The chart is not an isolated refinery sensitivity or a probability forecast.

Restored from South Africa story v37; analytical workbook v02, Scenarios and Driver bridge. Gross imports = demand − domestic supply + fixed 2025 exports; zero stock change. 2025 production: 5.8bn L assumption. Restart volumes and timing are scenario assumptions.

Strictly Confidential

Substantial imports sustain the market, while customer capture determines Vopak's expansion

16.6bn L

2030 national imports

Base-case imports across all gateways. Activity growth broadly offsets power, rail and efficiency reductions; domestic production stays at 5.8bn litres.

2.63bn L

Illustrative Durban capture

Assumes 20% of Durban's 2025 import pool. Includes 1.32bn litres onward through Lesedi within the same fuel flow.

Illustrative share; no explicit deduction for Matola or Walvis Bay diversion.

Expansion follows secured incremental flow

The illustrative flow fits the preliminary working-tank calculation.

Secure additional customer volumes, establish usable capacity, and identify the constraint that investment would solve.

Invest where secured additional volumes create a demonstrated capacity shortfall.

Analytical workbook v02 base scenario; market-sizing workbook and working-capacity assessment. Capture is illustrative; Lesedi is included within Durban flow. Contracted share, product balance and usable capacity remain to be established.

Strictly Confidential

Thank you

South Africa fuel market and Vopak opportunity

Discussion

11 October 2026



Photo source: Royal Vopak | Terminal Durban | vopak.com

Strictly Confidential