



Liquid fuels demand and supply model

Week 1 analytical pack

South Africa | Petrol and diesel

6 October 2026

Internal working discussion

Photo source: Royal Vopak | Terminal Durban | vopak.com



About this document

What it covers

South Africa petrol/diesel market baseline, historical demand and national supply/trade evidence.

Diesel, jet and petrol lever design at 2030 and 2035; draft L/M/H inputs for demand and domestic output.

Vopak customer opportunities through infrastructure reach, delivered price, service and commercial access.

Preliminary inventory sensitivities and a trace of the evidence needed to answer Henry's storyboard.

Week 1 working assessment, 6 October 2026. Observed data, estimates, conditional cases and illustrations are distinguished. Source gaps and proposed actions remain explicit; governance coverage is not data validation or business approval.

What it does not establish

A validated 2026 forecast or calibrated L/M/H scenario results; assumption ranges and back-tests remain work to do.

Measured Vopak market share, confirmed customer capture or verified operational catchments.

A closed national fuel balance, complete fuel-compatible storage census or confirmed spare tank capacity.

An investment recommendation, detailed engineering design or approved commercial business case.

Vopak's 2026 Liquid Fuels Outlook: target accessible customers in an import-led market

Agenda	SCR	What the evidence shows	So what / story verdict	Deep dives
Market baseline	S1	Diesel drives imports; sales reports conflict 2024 net petrol/diesel imports: 13.078 bn L. Production, stocks, sales coverage and port allocation remain open.	Supported: imports are material. Sustained future volumes remain a forecast case; the matched balance is open.	4 / 7
	S2	Demand sits around Vopak's footprint GP, KZN and WC account for 68.6% of 2022 sales. Historical volumes were broadly steady; later provinces are estimates.	Supported: concentrated demand. Focus on Gauteng/KZN; sales totals do not establish accessible customers.	5 / 6
Market changes	S/C3	Demand drivers differ; L/M/H cases cover all key levers Power, freight, fleet, prices, supply and customer access need explicit assumptions; fuel effects remain uncalibrated.	Partly supported: diesel generation has fallen. Baseline, ample and tight worlds still need sourced assumptions and tested fuel/customer-volume effects.	8 / 9 / 11 / 12 / 13 / 14
	C4	Supply change makes import needs conditional Capacity has declined; redevelopment is conditional. Secunda/Natref product output and future cases remain open.	Supported: refining capacity fell. Plant futures are conditional; capacity alone does not determine imports.	10 / 11 / 12 / 13 / 14
	C5	Alternative gateways challenge the same inland market Matola and Walvis Bay have storage; their competitiveness depends on full costs, route capacity and access.	Open: gateway competition. No route winner without comparable cost, service and customer access.	15 / 16
	R6	Footprint → unique deliveries → opportunity → handling Anchor Durban/Lesedi, remove shared transfers, screen customers and test annual handling.	Prioritise accessible customer flows. Verify usable fuel space, cost/service, rights and unique deliveries before claiming share.	17 / 18 / 19 / 20
Vopak outlook	R7	Working stock → outlook → delivery gates The 5.5 bn L/year example needs 211,000 m ³ at 14 days; test usable spare space before adding tanks.	Conditional: secure customer flows first. Use existing assets; validate a capacity gap, then test investment.	21 / 22 / 23

Note: S = Situation C = Complication R = Resolution | Every Henry storyboard prompt has a response on pages 26–28; open items remain open.

Source: Partner SA storyboard; SARS / Stats SA / operator evidence, 6 Oct 2026. Remaining gaps labelled.

Strictly Confidential


S1. Use diesel-led imports as the trade baseline; reconcile 2024 sales before forecasting

Petrol + diesel | 2024, bn litres

■ Sales proxy ■ Imports ■ Exports

Production + imports – exports – stock build = consumption

Reported sales are a consumption proxy; production and stock changes are missing.



Net imports: petrol 3.081, diesel 9.997; combined 13.078 bn litres.

Implication for Vopak

01 | Use customs for the trade baseline

SARS records 10.793 bn litres of diesel imports and 0.796 of exports in 2024: net imports of 9.997 bn litres.

02 | Reconcile the sales proxy

FIASA reports 20.763 bn litres of petrol/diesel sales. Editions conflict; this is an unverified consumption proxy.

03 | Do not call the residual production


Sales less net imports leaves 7.685 bn litres. Production, stock changes and coverage must explain that residual.

Next action

Manish: match production, trade and stocks by product/year. Nigel: agree the sales source before forecasting.

S2. Target Gauteng and KZN first; three provinces account for 69% of reported fuel sales

Petrol + diesel sales by province | 2022, bn litres/year



Implication for Vopak

01 | Concentrate the first customer tests

Gauteng, KZN and Western Cape hold 68.6% of reported 2022 sales. Vopak sites sit in the top two provinces.

02 | Use consistent reporting regions

Eastern: EC/KZN. Inland: GP/FS/LP/MP/NW. Western: WC. Other: NC. These groups align the demand and storage tests.

03 | Establish access customer by customer


Provincial sales locate the market; they do not prove terminal reach, customer rights or Vopak deliveries.

Next action

Nigel: select Durban/Lesedi customer destinations. Manish: retain observed 2022 sales and label later estimates.

S2. Anchor demand cases in broadly steady pre-2023 sales; keep later estimates separate

Annual provincial sales | 2013–2022, bn litres/year



Implication for Vopak

01 | Start with the observed pattern

Gauteng remains the largest province through 2013–2022. Volumes were broadly steady, with a clear pandemic dip.

02 | Keep 2024 estimates separate

Petrol estimates hold 2022 shares: GP 3.47, KZN 1.47 and WC 1.41 bn litres. These are not observed provincial sales.

03 | Resolve the remaining source choices


Manish fixed the 2013 parser and traced 2015 to a revision. The 2014 conflict and incomplete 2018 coverage still need decisions.

Next action

Manish: close the source choices. Nigel: decide whether held-share petrol estimates support the outlook; test diesel separately.

S1. Reconcile national supply before assigning imports to provincial demand

2022 sales totals | ILLUSTRATIVE domestic/import allocation



Units: bn litres/year. Imported/domestic segments are a scenario illustration, not measured provincial flows.

Source: DMPR 2022 provincial sales totals; source mix from the existing illustrative national-balance CSV. Not observed origin.

Strictly Confidential

Implication for Vopak

01 | Use sourced provincial totals

The total bars use reported 2022 petrol/diesel sales. This establishes provincial demand, not where the fuel came from.

02 | Treat origin shares as an example

Domestic/import segments are authored illustrations. No measured provincial supply-origin allocation is established.

03 | Close the national balance first

Match production, exports and stock movements to the demand year before allocating an import requirement to provinces.

Next action


Manish: reconcile the national balance, then obtain origin/destination evidence. Keep unsupported provincial origin unknown.

S/C3. Test passenger, freight and sector activity separately before forecasting fuel demand


Activity drivers | observed series; 2024 = 100

Observed activity proxies; fuel use per unit still requires validation.


Passenger travel | all-fuel stock, Dec




Freight demand | payload, CY



Agriculture | real value added, CY



Manufacturing | production volume, CY



Note: Latest staged: activity Jul 2026; GDP Q2 2026; inland prices Oct 2026. Charts use complete years. Fuel-use rates need validation; FY ends March.

Source: NaTIS; Stats SA P0441 / P2041 / P3041.2 / P7162; Eskom; naamsa; DMPR / CEF. Snapshot manifest in notes.


Strictly Confidential

S/C3. Test diesel power, vehicle mix and prices alongside industrial demand

Power, vehicle mix and prices | observed indices and nominal R/litre


Indices: 2024 = 100. Prices: nominal R/litre. OCGT generation: FY to March.

Mining | production volume, CY




— Mining

Diesel power | OCGT generation, FY



— Eskom + IPP

Electrification | annual new sales, CY




— BEV

— Plug-in hybrid

— Hybrid

Price response | annual nominal R/litre



— Petrol retail

— Diesel wholesale

Note: Latest staged: activity Jul 2026; GDP Q2 2026; inland prices Oct 2026. Charts use complete years. Fuel-use rates need validation; FY ends March.


Source: NaTIS; Stats SA P0441 / P2041 / P3041.2 / P7162; Eskom; naamsa; DMPR / CEF. Snapshot manifest in notes.

Strictly Confidential

C4. Published refinery capacity has halved; keep restart upside conditional


Published footprint + illustrative scenarios | thousand bbl/day

A | No new refinery capacity



2036: 358 thousand bbl/day

B | Conditional CEF redevelopment



2036: 758 thousand bbl/day

Implication for Vopak

01 | Plan around the smaller footprint

Published capacity falls from 718 to 358 thousand bbl/day between 2020 and 2022. A restart remains conditional.

02 | Use output for the fuel balance

FY2024 output is 29.1 million barrels at Secunda and 17.8 for Sasol's Natref share; both cover all products and fiscal years.

03 | Keep the restart as a separate case

Match yields, downtime and calendar years before estimating imports. Nameplate capacity does not establish petrol/diesel output.

Next action

Manish: build the product/year output bridge. Henry: review plant assumptions. Nigel: agree conditional restart timing.

S/C3 / C4. Agree low, base and high levers before using the outlook for decisions

Scenario design | all key levers and assumptions

Input family	L/M/H settings to agree	Outputs and decision
Demand	Growth, mileage, fleet efficiency/EVs, freight/passenger rail, grid/private generation, sector activity and price response	Petrol/diesel demand by year and region
Supply and trade	Plant output, yields, downtime/compliance, imports, neighbouring-country exports and stocks	Domestic supply, trade and transit throughput; residuals explicit
Customer access	Delivered price, service, feasible routes, rights and switching	Reachable and competitively accessible customer litres
Capacity and operations	Usable tanks, receipt/dispatch, inventory policy, peaks and spare space	Unique Vopak flows and any usable-capacity gap

Combine settings into coherent worlds

Baseline	Ample supply	Tight supply
Proposed M settings; fuel inputs follow	Supply and access comfortably meet demand	Demand tests available supply and delivery routes

Note: History is observed; forecast cases are proposed. No new fuel forecast is shown until the assumptions, source selections and back-tests are reviewed.

Source: Authored forecast framework; observed series in reporting evidence snapshots. No new growth rates or fuel forecasts inferred.

Strictly Confidential

S/C3 / C4. Test freight, rail and power before setting diesel import requirements

Diesel levers | proposed input values for review

L / M / H means low / medium / high input level; fuel effects differ by lever. M is a proposed reference.

Lever / unit	Current reference	2030 L / M / H	2035 L / M / H	Rationale / effect
Freight activity 2024 = 100	2024 = 100 Observed proxy	95 / 115 / 135	95 / 135 / 175	Authorized flat / recovery / expansion tests. Apply before rail diversion; calibrate litres per activity unit.
Road freight moved to rail % of reference road work	No agreed diversion M is proposed	0 / 10 / 20	0 / 20 / 35	Higher diversion lowers road diesel. Avoid subtracting rail again if already embedded in the activity path.
Diesel OCGT generation FY2024 = 100	FY2024 = 100 Latest trend is lower	10 / 25 / 60	5 / 15 / 50	Test grid recovery versus stress. Use one generation path; do not add a second load-shedding allowance.
New-vehicle efficiency gain % per year	Legacy: 0.5–1.0% New cohorts only	0.5 / 0.75 / 1	0.5 / 0.75 / 1	Existing low/high input endpoints; M is a proposed midpoint. Higher gain lowers new-cohort fuel use.
Existing plant utilisation % of operable capacity	Actual output unresolved 75% is a test	60 / 75 / 90	60 / 75 / 90	Shared across fuels. Higher utilisation raises domestic output; exclude closed capacity and count downtime once.
Diesel product yield % of plant throughput	Legacy yield: 25% Plant mix unverified	20 / 25 / 30	20 / 25 / 30	Brackets the legacy yield. Higher yield raises diesel output; enforce a consistent cross-product yield slate.
Conditional added capacity thousand bbl/day	No committed addition Conditional case only	0 / 0 / 0	0 / 0 / 400	Shared refinery branch, counted once. H requires FID, timing, ramp-up and product yields; it is not committed output.

More road activity and power use raise diesel demand; efficiency, rail and domestic output reduce the import requirement.

S/C3 / C4. Build jet demand from aircraft movements and fuel burn before estimating imports

Jet levers | proposed input values for review

L / M / H means low / medium / high input level; fuel effects differ by lever. M is a proposed reference.

Lever / unit	Current reference	2030 L / M / H	2035 L / M / H	Rationale / effect
Aircraft movements 2024 = 100	2024 = 100 ACSA coverage only	100 / 120 / 140	100 / 145 / 190	Authored flat / recovery / expansion tests. Follow Manish's movement driver; re-fit against matched jet deliveries.
Fuel burn per movement 2024 = 100	2024 = 100 assumed Not yet measured	80 / 90 / 100	65 / 80 / 100	Lower burn lowers litres. Separate aircraft efficiency from route length, aircraft size and international mix.
SAF share of jet deliveries % by volume	SA blend baseline unknown Not a local mandate	0 / 2 / 5	0 / 5 / 10	Changes fossil jet share, not total jet litres. Authored blend tests; ICAO's 5% emissions vision is not a volume target.
Existing plant utilisation % of operable capacity	Actual output unresolved 75% is a test	60 / 75 / 90	60 / 75 / 90	Same plant setting as diesel and petrol. Higher utilisation raises jet output, subject to actual product capability.
Jet product yield % of capable plant throughput	Legacy capable plants: 10% Other plants: 0%	5 / 10 / 15	5 / 10 / 15	Apply only to jet-capable plants. Brackets the legacy yield; cannot assume every refinery produces aviation fuel.
Conditional added capacity thousand bbl/day	No committed addition Jet capability unknown	0 / 0 / 0	0 / 0 / 400	Same refinery branch, counted once. Jet output depends on a verified yield and specification, not nameplate alone.

Traffic and fuel burn set total jet demand; SAF changes the fossil share, while refinery output sets the import balance.

S/C3 / C4. Test travel, fleet growth and electrification before setting petrol import requirements

Petrol levers | proposed input values for review


L / M / H means low / medium / high input level; fuel effects differ by lever. M is a proposed reference.

Lever / unit	Current reference	2030 L / M / H	2035 L / M / H	Rationale / effect
Passenger mileage km / vehicle / year	Registered: 17,000 Provisional placeholder	13600 / 17000 / 20400	13600 / 17000 / 20400	Authored $\pm 20\%$ around the current mileage placeholder. Higher mileage raises petrol demand at a given fleet.
Real GDP growth % per year	Team continuation: 2% Beyond official 2028	1 / 2 / 3	1 / 2 / 3	Bracket the 2% continuation proposal. Drives fleet additions through the fitted relationship, not a second fuel multiplier.
BEV share of new sales % of passenger sales	Legacy uptake curves Sales/fleet basis to resolve	5 / 15 / 30	15 / 35 / 60	Authored sales-share tests. Higher BEV uptake lowers new ICE additions; total-fleet effect depends on survival.
New-vehicle efficiency gain % per year	Legacy: 1.0–1.5% New cohorts only	1 / 1.25 / 1.5	1 / 1.25 / 1.5	Existing low/high input endpoints; M is a proposed midpoint. Preserve each cohort's entry-year consumption.
Existing plant utilisation % of operable capacity	Actual output unresolved 75% is a test	60 / 75 / 90	60 / 75 / 90	Shared across fuels. Higher utilisation raises domestic petrol output; use actual operable capacity and downtime.
Petrol yield (conventional) % of plant throughput	Legacy conventional: 45% Synthetic plants differ	35 / 45 / 55	35 / 45 / 55	Brackets conventional-plant legacy yield. Keep synthetic plants separate and enforce the product-slate constraint.
Conditional added capacity thousand bbl/day	No committed addition Conditional case only	0 / 0 / 0	0 / 0 / 400	Shared refinery branch, counted once. Petrol output requires FID, ramp-up and a verified product bridge.

Travel and fleet additions raise petrol demand; electrification and new-cohort efficiency offset growth before supply is matched.

C5. Test delivered cost and service before treating road reach as customer access

Illustrative road cost, R/litre



Example rate: R0.15/L dispatch + R0.002/L/km. Grey = unassessed.

Note: Illustrative road cost only. Pipeline/rail access and commercial rights are not priced.
Source: Existing appendix routes; illustrative candidate connections, not verified catchments. Natural Earth 1:50m.
Strictly Confidential

Implication for Vopak

01 | Use road cost as the first screen

Darker cells show lower illustrative road cost from Durban or Lesedi. Fuel price, storage and pipeline tariffs are excluded.

02 | Keep grey areas unassessed

Grey marks no assessed connection under the schematic rule. It does not establish that a customer is unreachable.

03 | Prove the full service proposition

Pipeline/rail lines are context. Route capacity, product compatibility, receipt/dispatch and customer rights still need evidence.



Next action

Nigel: choose a destination and cost/service threshold.
Manish: replace example rates with dated route quotes and access evidence.

C5. Compare Durban, Matola and Walvis Bay on cost and service for the same customer

Durban, Matola and Walvis Bay | schematic corridor comparison

Shading: provincial petrol + diesel sales, 2022 (bn litres/year)



Note: Routes schematic; access unverified. Colour measures provincial totals, not density or Vopak share.
 Source: DMPP 2022 sales; NAMCOR NOSF; Galp GIMTL; WBCG / TRAC corridors; Natural Earth. Capacities and URLs in notes.
 Strictly Confidential

Implication for Vopak

01 | Keep Durban in the inland comparison

Durban and Lesedi form Vopak's SA footprint. Compare their full delivered service with alternatives for the same customer.

02 | Test the eastern alternative

Matola's GIMTL lists 60,000 m³ of petrol/diesel tanks. Test availability, N4 route cost and customer access.

03 | Test the western alternative


Walvis Bay's NOSF lists 65,000 m³ of petrol/diesel capacity. Test the Trans-Kalahari route on the same cost/service basis.

Next action

Manish: compare one product and destination across all three gateways. Nigel: agree the service standard and commercial access test.

R6. Prioritise Durban and Lesedi; verify usable capacity before sizing growth

Regional footprint | published gross storage, thousand m³



Partial inventory; mixed products. Unlisted capacities remain unknown.

Mixed products; lease offers excluded. Working fuel space and customer share remain unverified.

Implication for Vopak

01 | Anchor the test in Durban and Lesedi

Vopak lists 360,200 m³ in Durban and 140,000 m³ at Lesedi. These anchor the eastern and inland customer tests.

02 | Verify working fuel capacity

Published gross tankage covers mixed products. It does not establish usable petrol/diesel space, annual deliveries or customer share.

03 | Keep coverage gaps explicit

Missing operator capacities remain unknown. Conditional Transnet leases are excluded from the operating bars.

Next action


Manish: confirm fuel-compatible working space and dispatch by site. Nigel: obtain operating data for Durban and Lesedi.

R6. Remove Durban–Lesedi transfers to count customer deliveries once

Unique customer deliveries | illustrative bn litres/year

$$2.8 + 2.0 - 1.8 = 3.0 \text{ bn litres counted once}$$

Illustrative receipts and shared transfer; actual Vopak flows unverified



Use unique served demand in the additional-opportunity screen on page 19.

Source: Existing illustrative market catchment and transfer examples. Not reported sales or actual Vopak flows.

Implication for Vopak

01 | Remove inter-terminal transfers

The example includes 1.8 bn litres transferred through both Durban and Lesedi. Counting both receipts would count that fuel twice.

02 | Use 3.0 in this illustration

Receipts of 2.8 plus 2.0, less the shared 1.8 transfer, leave 3.0 bn litres of unique deliveries. Actual throughput is unverified.

03 | Establish served demand before growth

Match customer, product and period records. The opportunity waterfall on page 19 then removes already-served volumes once.

Next action


Nigel: obtain customer deliveries and transfer records.
Manish: reconcile unique served volumes before estimating growth.

R6. Test the illustrative 5.5 bn litre opportunity against reach, price, service and access

Illustrative reach and volume bridge | bn litres/year; customer capture unverified

Selected market and illustrated road reach


Numbers match the waterfall stages; placements are illustrative.



Outline = selected eastern + inland market

Schematic markers, not customer locations. Volume screens are authored illustrations.

Illustrative volume waterfall




All volumes illustrative. Already served is assumed; 5.5 bn L/year remains an opportunity to test.

R6. Verify turnover before translating tankage into annual handling

Annual demand and gross handling equivalent | million m³/year

Base estimate: 2 turns/month; published gross tankage



Same annual scale. Gross tankage × monthly turns × 12; not available fuel supply.

2022 demand vs 2026 mixed-product inventory; incomplete coverage. No shortage or share conclusion.

Implication for Vopak

01 | Test turnover against operating data

Two monthly turns is an authored base, not a verified SA site rate. The appendix tests one and three turns.

02 | Estimate achievable handling

Use compatible working space, downtime and receipt/dispatch limits. Gross tankage alone overstates what may be handled.

03 | Avoid a regional shortage conclusion

Inland inventory omits material operators. Coastal tanks can serve inland demand, and transfers can count the same fuel twice.


Next action

Manish: verify working capacity and unique dispatch.
Nigel: obtain site records. Replace common turns with site-specific evidence.

R7. Test spare space: the 5.5 bn litre example needs 211,000 m³ at 14 days

Working inventory, thousand m³

Illustrative 5.5 bn litres/year; uniform daily flow



Inventory days

Implication for Vopak

01 | Inventory policy sets working stock

At the illustrative 5.5 bn litres/year and uniform daily flow, 14 days requires 211,000 m³. More inventory days require more stock.

02 | Existing tanks may absorb the stock

Compare this stock with fuel-compatible working space at Durban and Lesedi. Published gross capacities do not prove spare usable space.

03 | This is not a new-storage requirement

Allow for peaks, product segregation, tank heels and receipt/dispatch limits. Add storage only if secured flows leave a usable-capacity gap.

Next action

Nigel: confirm candidate flows and inventory policy.
Manish/Henry: verify spare working capacity and operating limits.

R7. Win Durban and Lesedi customer flows before adding storage

Market outlook | priority hypotheses and conditional timing

			
Where to play	How to win	When to act	What must be true
Durban coastal customers First market to test	Competitive delivered cost; reliable receipt and dispatch; compatible tanks	Now: identify customers and test service using existing assets	Named customer, product and unique litres; cost threshold; usable tank and dispatch space
Lesedi inland customers First inland market to test	Reliable inland supply; competitive full-route cost versus other gateways	After route and customer validation: negotiate incremental flows	NMPP or alternative route access; receipt/dispatch capacity; customer rights and switching
Matola / Walvis Bay port-storage gateways Compare inland supply routes	Test storage, handling and transport to the same inland destination	During the inland comparison; pursue an opportunity only if access and economics are evidenced	Available compatible tanks; border/route feasibility; partner and customer access; full delivered cost

Investment gate

New storage follows secured incremental flows and a gap in usable capacity; the illustrative 5.5 bn litres does not establish a commitment.

Nigel: Choose the first customer/product and acceptable cost. Confirm the service proposition and commercial access.

Manish: Build a customer-by-route evidence table: litres, cost, capacity, rights, timing and owner. Mark each gate passed, failed or unassessed.

Source: Authored market hypotheses; demand, gateway and storage evidence on pp.4, 11–19. Customer capture remains unverified.

R7. Close evidence gaps through six-week gates and four proposed client checkpoints

Proposed delivery sequence | evidence gates and client touchpoints

Activity / workstream	Resources	W1 02 Oct	W2 09 Oct	W3 16 Oct	W4 23 Oct	W5 30 Oct	W6 06 Nov
1 Establish the fuel baseline	Manish / Nigel		◆				
2 Test demand and supply cases	Manish / Henry				◆		
3 Prove reach and handling	Manish / Nigel			◆			
4 Quantify customer opportunity	Nigel / Manish				◆		
5 Test working stock and constraints	Manish / Henry					◆	
6 Challenge, reproduce and hand over	Nigel / Henry						◆
Storyline and evidence integration	Nigel / Manish						
Client touchpoints		◆		◆		◆	◆
		Scope / data		Emerging findings		Draft implications	Final review

Week 1 check: baseline reproduced and evidence assembled; reconciliation and acceptance remain open.

Weekly technical / partner reviews; client W1 / W3 / W5 / W6. ◆ = proposed gate or touchpoint. Handover target: 12 Nov; dates to agree.

Source: Kickoff pack pp23–27; six_week_plan.md (fuel-first update). Proposed workplan; no review or client approval inferred.

Appendix

The main story ends with the outlook and delivery roadmap.

Turnover sensitivity · Henry storyboard responses · presentation palette

Use the supporting material to trace the evidence, assumptions and remaining work behind the outlook.

Supporting sensitivity | monthly turns change estimated annual handling

Gross handling equivalent, million m³/year | authored 1 / 2 / 3 monthly-turn cases

Region	Low: 1 turn/month	Base: 2 turns/month	High: 3 turns/month
Eastern coast	15.40	30.80	46.20
Inland	2.07	4.14	6.21
Western coast	1.46	2.93	4.39
Other / NC	Unknown	Unknown	Unknown

Annual handling = gross tankage × monthly turns × 12

Two turns/month is an authored base. The range is informed by generic industry material, not measured SA site performance. Replace with compatible working capacity and unique outbound volumes.

Partial inventory and mixed products; no available-supply, regional-shortage or market-share conclusion. Coastal/inland handling can count the same transferred fuel twice.

Source: Registered terminal_handling.yaml; site inventory; Blackmer/Dover 2013 and Wood Mackenzie 2009. Owner: Manish / Nigel.

S1 / S2 / S/C3 / C4. Henry storyboard answers | Market baseline

S | Every prompt addressed; partial and open findings require the stated evidence

Henry storyboard prompt	Current answer / evidence gap	Deep dives
Total SA demand development	Partial: reported 2024 sales are 20.763 bn L; coverage awaits reconciliation. Provincial history ends in 2022.	4 / 5 / 6
Eastern SA market within economic striking distance	Open: location and illustrative costs show reach, not accessible customer litres. Need destinations, tariffs and rights.	5 / 15 / 18 / 19
Greater diesel use in power generation	Partial: generation history is shown; recent OCGT use falls. Diesel-litres attribution still needs fuel-use evidence.	9 / 12
Rail to road	Partial: road/rail payload history is shown. Payload alone does not prove modal substitution or diesel effects.	8 / 12
Changes in fuel price	Partial: complete-year price history is staged. Travel response and real-price effects remain uncalibrated.	9 / 11
More fuel-efficient vehicles	Open: fleet stocks and new EV/hybrid sales do not establish fleet efficiency. Need fuel mix, mileage and intensity.	9 / 12 / 14
Slow GDP growth	Partial: GDP and sector activity evidence is available; growth-to-fuel effects require explicit assumptions.	8 / 14
Refinery closures	Partial: published capacity falls to 358 thousand bbl/day. Capacity is distinct from output and operating availability.	10
Challenges at Secunda	Partial: FY2024 output is 29.1 million barrels, all products. Availability and petrol/diesel yields remain open.	10 / 11
Closure of Moss gas	Open: plant-specific shutdown dates, operating status and lost product output need explicit source confirmation.	10 / 11
Growth in imports and where they enter	Partial: 2024 net imports are 13.078 bn L. Import-growth attribution, product-specific ports and origin remain open.	4 / 7

Source: Henry storyboard pp30–32; reporting evidence and explicit gaps, 6 Oct 2026. Responses do not establish closure.

S/C3 / C4 / C5. Henry storyboard answers | Market changes

C | Every prompt addressed; partial and open findings require the stated evidence

Henry storyboard prompt	Current answer / evidence gap	Deep dives
Road to rail; private-sector rail projection	Open: historical payload is available; private-sector service, timing and modal-shift assumptions need evidence.	8 / 12
End of loadshedding and spare power capacity	Partial: observed OCGT generation falls. Future dispatch, spare capacity and diesel demand remain conditional.	9 / 12
EV / HEV penetration projection	Open: sales uptake is shown, not fleet penetration. Separate BEV, PHEV and conventional hybrids; model turnover.	9 / 14
Effect of EV / HEV on litres per km	Open: require stock mix, mileage and fuel intensity. BEVs and hybrids have different fuel-use mechanisms.	9 / 14
Higher fuel prices and km travelled	Open: prices are sourced; mileage response and elasticity must be specified and tested before forecasting.	9 / 14
Mega refinery / SAPREF restart	Conditional: redevelopment capacity is a scenario, not sanctioned output. Confirm FID, ramp-up and product yields.	10 / 12 / 13 / 14
Secunda gas, coal and MRG diversion to 2032	Open: no liquid-fuel displacement is inferred. Need dated gas allocation, plant mechanism and product-output evidence.	10 / 11
Natref future?	Open: reported FY output is available; future ownership, availability and product yields require a dated case.	10 / 11
Durban storage / NMPP / Lesedi vs road and rail	Open: compare the same customer and product. Need full delivered costs, capacity, tariffs and service availability.	15 / 16 / 19
Transport from Matola and Walvis Bay	Partial: gateways, published storage and schematic routes are shown. Full costs, borders and customer access remain open.	16 / 19 / 22

Source: Henry storyboard pp30–32; reporting evidence and explicit gaps, 6 Oct 2026. Responses do not establish closure.

R6 / R7. Henry storyboard answers | Vopak outlook

R | Every prompt addressed; partial and open findings require the stated evidence

Henry storyboard prompt	Current answer / evidence gap	Deep dives
Market share of Vopak in Dbn and Lesedi	Open: published storage is an asset footprint, not served demand. Need unique deliveries, transfers and matched demand.	18 / 20 / 19
Potential scope for new investment?	Conditional: prioritise customer flows and service first. New storage requires secured incremental flows and a usable-capacity gap.	17 / 22 / 21

Agree priorities and next steps

Confirm demand, routes and access

6 October 2026

Internal working discussion

Photo source: Royal Vopak | Terminal Lesedi | vopak.com



Presentation palette | colours and HEX codes

Reference | colours used in this presentation

Core presentation colours

	Vopak blue #0A2373		Secondary blue #546CA2		Text / ink #000000		White #FFFFFF
	Unassessed / neutral #EEEEEE		Header divider #A0A0A0		Body divider #B8B8B8		Frame divider #B0B0B0

Sales-map colours | provincial totals, bn litres/year

	Below 1 #E3EBF6		1 to below 2 #BACCE4		2 to below 4 #809CC7		4 to below 6 #3D619D
	6 and above #0A2373		Map background #F5F8FB				

Other template theme colours

	Theme dark 2 #11151A		Theme light 2 #E7E6E6		Accent 3 #BDBEC1		Accent 4 #404040
	Accent 5 #767676		Accent 6 #D9D9D9				