SECTION PACK

Sassandra

The Sassandra

The typical section, the cross sections at chainages and the setting-out table of a design line option, from the drawing sheets Open Waterway Designer makes. Every number is read from the design's stage results.

Screening — not for construction

Document	Revision	Date	Status
OWD-SASSANDRA-SP	A	2026-10-23	Draft

Document control

Document number	OWD-SASSANDRA-SP
Revision	A
Date	2026-10-23
Status	Draft
Sensitivity	Public

Revision history

Revision	Date	Status	Description
A	2026-10-23	Draft	Made by Open Waterway Designer.

Contents

Data and limits 4
1 Typical section 5
2 Cross sections 6
3 Setting-out table 7

Data and limits

Data and limits

Reach	Sassandra; from -6.07800, 4.96050 to -6.65500, 5.80200 (longitude, latitude); route 143.964 km; centreline 150.686 km, 1.05 times the route
Coordinate system	WGS 84 / UTM zone 29N
Bank lines	source sentinel2-l2a; seed sentinel2-l2a; moved by the edge fit, at most 30 m (provisional)
Low-confidence width	649 stretches (narrower than 30 m, or flagged by a bank check); threshold provisional
DEM	cop-dem-glo30; SHA-256 b8d216e422d6
Water level	swot-hydrocron; 10th percentile (provisional)
Depth	3.00 m, dry season; depth assumed, not measured
Plan line	fairway
Rule Sets	sizing: pianc-wg141@0.3.0, owd@0.3.0, se_quality C (selected; sizing not run); fits answer: PIANC-B; every Rule unverified
Stale stages	sizing not run, alignment not run, optimise not run, volumes not run

Licence notices:

- Contains modified Copernicus Sentinel data 2024; Contains modified Copernicus Sentinel data 2025; Source: EC JRC/Google. Pekel et al. 2016, Nature 540, 418-422
- Produced using Copernicus WorldDEM-30 © DLR e.V. 2010-2014 and © Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved.
- SWOT data: NASA and CNES, served by PO.DAAC Hydrocron; SWORD v17c, Altenau et al. 2021, CC BY 4.0; Produced using Copernicus WorldDEM-30 © DLR e.V. 2010-2014 and © Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved.
- © OpenStreetMap contributors
- depth assumed, not measured

1 Typical section

The typical section is left out: the design has no design line option to draw: run `owd align` first.

2 Cross sections

The cross-section gallery is left out: the design has no design line option to draw: run `owd align` first.

3 Setting-out table

The setting-out table is left out: the design has no design line option to draw: run `owd align` first.