SCREENING REPORT

Sassandra

The Sassandra

A screening of the river for navigation, made by Open Waterway Designer from the design file. Every number is read from the design's stage results.

Screening — not for construction

Document	Revision	Date	Status
OWD-SASSANDRA-SR	A	2026-10-23	Draft

Document control

Document number	OWD-SASSANDRA-SR
Revision	A
Date	2026-10-23
Status	Draft
Sensitivity	Public

Revision history

Revision	Date	Status	Description
A	2026-10-23	Draft	Made by Open Waterway Designer.

Contents

1 The reach 4
2 Data sources and their limits 5
3 What fits 8
4 Constraint stretches 9
5 Design basis 10
6 Works and quantities 11
7 Long section 12
Appendix A Rule trace 13

1 The reach

Data and limits

Reach	Sassandra; from -6.07800, 4.96050 to -6.65500, 5.80200 (longitude, latitude); route 143.964 km; centreline 150.686 km, 1.05 times the route
Coordinate system	WGS 84 / UTM zone 29N
Bank lines	source sentinel2-l2a; seed sentinel2-l2a; moved by the edge fit, at most 30 m (provisional)
Low-confidence width	649 stretches (narrower than 30 m, or flagged by a bank check); threshold provisional
DEM	cop-dem-glo30; SHA-256 b8d216e422d6
Water level	swot-hydrocron; 10th percentile (provisional)
Depth	3.00 m, dry season; depth assumed, not measured
Plan line	fairway
Rule Sets	sizing: pianc-wg141@0.3.0, owd@0.3.0, se_quality C (selected; sizing not run); fits answer: PIANC-B; every Rule unverified
Stale stages	sizing not run, alignment not run, optimise not run, volumes not run

Licence notices:

- Contains modified Copernicus Sentinel data 2024; Contains modified Copernicus Sentinel data 2025; Source: EC JRC/Google. Pekel et al. 2016, Nature 540, 418-422
- Produced using Copernicus WorldDEM-30 © DLR e.V. 2010-2014 and © Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved.
- SWOT data: NASA and CNES, served by PO.DAAC Hydrocron; SWORD v17c, Altenau et al. 2021, CC BY 4.0; Produced using Copernicus WorldDEM-30 © DLR e.V. 2010-2014 and © Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved.
- © OpenStreetMap contributors
- depth assumed, not measured

This report screens **Sassandra** for navigation. It is a screening: it ranks and sizes, and it is not a design. The river centreline is 150.686 km long.

The key map is left out: the design has no design line option to draw: run `owd align` first.

2 Data sources and their limits

Each input the result rests on, where it came from, and its licence notice. A provisional default is not yet calibrated against a surveyed reach.

Table 1: The inputs and their sources

Input	Source	Date	Made by	Provisional	Notice
Route	osm-overpass	2026-10-22	default	no	© OpenStreetMap contributors
Left bank	sentinel2-l2a	2024-12-22/2025-01-05	default	yes	Contains modified Copernicus Sentinel data 2024; Contains modified Copernicus Sentinel data 2025; Source: EC JRC/Google. Pekel et al. 2016, Nature 540, 418-422
Right bank	sentinel2-l2a	2024-12-22/2025-01-05	default	yes	Contains modified Copernicus Sentinel data 2024; Contains modified Copernicus Sentinel data 2025; Source: EC JRC/Google. Pekel et al. 2016, Nature 540, 418-422
River centreline	sentinel2-l2a	2024-12-22/2025-01-05	default	yes	Contains modified Copernicus Sentinel data 2024; Contains modified Copernicus Sentinel data 2025; Source: EC JRC/Google. Pekel et al. 2016, Nature 540, 418-422

Input	Source	Date	Made by	Provisional	Notice
River polygon	sentinel2-l2a	2024-12-22/2025-02-05	default	yes	Contains modified Copernicus Sentinel data 2024; Contains modified Copernicus Sentinel data 2025; Source: EC JRC/Google. Pekel et al. 2016, Nature 540, 418-422
DEM	cop-dem-glo30	2026-10-23	default	no	Produced using Copernicus WorldDEM-30 © DLR e.V. 2010-2014 and © Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved.
Water level	swot-hydrocron	2023-07-28/2026-10-09	default	yes	SWOT data: NASA and CNES, served by PO.DAAC Hydrocron; SWORD v17c, Altenau et al. 2021, CC BY 4.0; Produced using Copernicus WorldDEM-30 © DLR e.V. 2010-2014 and © Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved.

Input	Source	Date	Made by	Provisional	Notice
Depth (bed model)	user-depth-profile	2026-10-23	user	no	depth assumed, not measured

The limits the stages record:

- 357 low-confidence width stretches of kind `repaired`.
- 191 low-confidence width stretches of kind `no-edge`.
- 92 low-confidence width stretches of kind `at-shift-limit`.
- 9 low-confidence width stretches of kind `narrow`.
- The depth is depth assumed, not measured.

3 What fits

The verdict for each vessel class, from the fits answer (width, radius and depth; depth assumed, not measured). Stretches are counted by kind: width / depth / radius.

Table 2: The verdict for each vessel class

Rule set	Class	Verdict	Stretches
PIANC-B	CEMT-IV	navigable-with-works	55 / 1 / 5
PIANC-B	CN-IV-MOTOR	navigable-with-works	49 / 2 / 11
PIANC-B	CN-III-MOTOR	navigable-with-works	54 / 3 / 3
PIANC-B	CEMT-Va	navigable-with-works	79 / 1 / 10
PIANC-B	CEMT-Vb	navigable-with-works	237 / 1 / 25
PIANC-B	CN-II-MOTOR	navigable-with-works	58 / 1 / 11
PIANC-B	CN-I-MOTOR	navigable-with-works	70 / 1 / 16
PIANC-B	RWS-M12	navigable-with-works	134 / 1 / 15
PIANC-B	CN-III-CONVOY-2x2	navigable-with-works	230 / 3 / 22
PIANC-B	CEMT-VIa	navigable-with-works	114 / 1 / 16
PIANC-B	CN-II-CONVOY-2x2	navigable-with-works	296 / 1 / 19
PIANC-B	CN-I-CONVOY-2x2	navigable-with-works	368 / 1 / 18

The largest class that fits as it is:

- PIANC-B: no class fits as it is

The design has no screened design line option (`owd volumes`).

4 Constraint stretches

The design has no screened design line option, so it has no constraint stretches.

5 Design basis

The sizing stage has not run, so there is no design basis.

6 Works and quantities

The design has no design line option, so it has no works.

7 Long section

The long section is left out: the design has no design line option to draw: run `owd align` first.

Appendix A Rule trace

The rule trace cannot be rebuilt: the sizing stage has no vessel class: choose one first.