



think • innovate • transform

PROJECT REPORT

TOPIC: Smart bioluminescent integrated vertical hydroponic farming

By:

S.AFRIDHA SHAHEEN - 123011019003

E.RACHEL - 123011019024

Degree: B.Tech CSE Specialisation in.AI & ML

[II year]

MENTOR: Dr.T.Kavitha, Associate Professor, PMIST.

1. Introduction

The global demand for sustainable agriculture has led to innovative solutions such as vertical farming. Traditional vertical farming systems rely heavily on artificial LED lighting, which increases energy consumption and operational costs. "Bio-Lumina" is a revolutionary vertical farming system that harnesses bioluminescence to provide natural light to plants, reducing the need for conventional energy sources. By integrating hydroponics, water filtration, and automated sensor systems, this approach presents an eco-friendly and energy-efficient solution to modern agricultural challenges.



2. Problem Statement

- Traditional farming requires extensive land use, leading to deforestation and environmental degradation.
- Conventional vertical farming systems depend on artificial LED lighting, which consumes a significant amount of electricity.
- Energy costs and carbon footprints of artificial lighting systems hinder the scalability of urban farming.
- Efficient water management remains a challenge in hydroponic systems.


3. Objective of the Project

- To develop a bioluminescent lighting system as a sustainable alternative to LED lights in vertical farms
- To integrate hydroponic farming techniques for optimal space utilization and increased crop yield.
- To design a fully automated system for managing plant health, water quality, and nutrient levels, eliminating the need for manual intervention.
- To create a self-sustaining, water-recycling system to minimize water wastage.

4. Proposed Solution

"Bio-Lumina" integrates bioluminescent microorganisms (such as genetically modified Vibrio fischeri or algae) with a hydroponic vertical farming system. The bioluminescent organisms are housed in a bioreactor, and optical fibers distribute the emitted light to the plants. The hydroponic system ensures optimal nutrient supply, and water is continuously filtered and reused. Smart sensors monitor environmental conditions, ensuring optimal plant growth.

Key Components of the Proposed Solution:



- 1. **Bioluminescent Lighting System**: A bioreactor containing bioluminescent microorganisms (Vibrio fischeri or genetically engineered algae) produces natural light. Optical fibers are used to transfer this light to the plants, ensuring uniform distribution without exposing microorganisms to potential environmental fluctuations.
- 2. **Hydroponic Vertical Farming**: Plants are stacked in vertical layers and nourished through a nutrient-rich water solution, eliminating the need for soil. This method maximizes space efficiency and enhances crop production.
- 3. **Water Circulation & Filtration System**: Water flows continuously from a supply source through the hydroponic plant trays. After being used by the plants, the water is purified and recycled, ensuring minimal wastage.
- 4. **Automated Environmental Monitoring**: IoT sensors are strategically placed to monitor temperature, humidity, water quality, and plant stress levels. These sensors relay real-time data to a microcontroller, which adjusts the system accordingly to maintain optimal conditions.
- 5. **Energy Efficiency & Sustainability**: The system reduces reliance on artificial energy sources by eliminating LED lights and recycling water. The use of a closed-loop water system and naturally occurring bioluminescence minimizes the carbon footprint.
- 6. **Integrated Smart Control System**: A microcontroller (**ESP32**) processes sensor data and regulates lighting intensity, nutrient supply, and water flow.

5. System Workflow

Hydroponic Vertical Farming

Plants are grown in a soilless medium where essential nutrients are dissolved in water and supplied directly to the roots. The vertical stacking of plants maximizes space efficiency.

Water Circulation & Filtration

A closed-loop water recycling system ensures a continuous water supply.

6. System Requirements


Hardware

- **Hydroponic Plant Trays** Stackable units to hold the plants.
- Water Pump Ensures continuous circulation of nutrient-rich water.
- **Nutrient Reservoir** Stores essential nutrients dissolved in water.
- **Bioluminescent Bioreactor** Houses the light-producing microorganisms.
- Optical Fibers Transmit light from the bioreactor to the plants.
- Water Purifier Filters used water before recirculating.

- **IoT Sensors** Monitor temperature, humidity, moisture, water quality, and light for automation.
- Microcontroller (ESP32) Controls automation and sensor responses.

Software & Automation

- The ESP32 regulates water flow, lighting intensity, and environmental conditions. It processes sensor data for real-time automation and optimization.
- Ensures efficient resource utilization with minimal human intervention.
- Controls actuators for precise adjustments based on sensor readings.



Bioluminescent Lighting System

Bioluminescent microorganisms in a dedicated bioreactor produce light. Optical fibers transport and evenly distribute this light to the plants. This eliminates the need for artificial LEDs while providing a sustainable and efficient lighting solution.

Automation & Sensor Integration

Smart sensors monitor parameters such as temperature, humidity, light intensity, and plant stress levels. The system automatically adjusts water flow, nutrient supply, and lighting conditions as required. 7207

Advantages of the Proposed System

1. Energy Efficiency & Cost Savings

Our bioluminescent hydroponic system eliminates the need for traditional LED lighting, which significantly reduces electricity consumption. It also Utilizes naturally occurring bioluminescence, which does not require external power sources. It Lowers operational costs over time by minimizing energy expenses.

2. Sustainable & Eco-Friendly

Our proposed solution reduces carbon footprint by eliminating artificial lighting and promoting a closed-loop water recycling system. It Encourages sustainable agriculture practices by reducing soil degradation and deforestation. This Minimizes pollution by avoiding excessive chemical fertilizers and pesticides.

3. Water Conservation & Recycling

This Implements a continuous water filtration system, ensuring minimal water wastage and reduces the strain on freshwater resources by reusing purified water within the system. It Helps in drought-prone areas where water availability is a challenge.

4. Maximizing Space Utilization

The vertical farming approach allows multiple plant layers to be stacked, maximizing yield in limited space. It Can be implemented in urban environments such as rooftops, warehouses, or even small indoor farms. This Increases food production without requiring additional land, helping tackle urban food scarcity.

5. Smart Automation & Monitoring

The IoT sensors continuously monitor key environmental parameters like humidity, temperature, water levels, and plant stress. The automated system ensures optimal plant growth with minimal human intervention.

6. Improved Crop Quality & Yield

Provides plants with precisely controlled nutrient supply, eliminating fluctuations in growth. Maintains optimal environmental conditions, leading to consistent and high-quality harvests.

7. Chemical-Free & Healthier Produce

The Smart bioluminescent integrated vertical hydroponic farming eliminates the need for pesticides and herbicides, as hydroponic systems reduce the risk of soil-borne diseases. Ensures cleaner, more organic crop production, leading to healthier food options. Reduces exposure to harmful chemicals, making it safer for consumers.

8. Resilience to Climate Change

The controlled environment protects crops from unpredictable weather conditions like droughts, floods, or extreme temperatures. This Reduces agricultural losses due to climate-related disruptions. Provides a more stable food supply chain by reducing dependence on traditional farming methods.

Future Enhancements

- To Enhance Light Intensity by researching genetic modifications to improve bioluminescent efficiency.
- Integrating Smart AI with Machine learning algorithms to predict farming analytics.

Conclusion

By integrating bioluminescence in vertical farming, we reduce reliance on artificial lighting, minimizing energy consumption and environmental impact. The system optimizes space, water, and nutrients, ensuring efficient plant growth with minimal waste. Bioluminescent microorganisms eliminate the need for electricity-based lighting, making farming more affordable and accessible. This innovation paves the way for sustainable agriculture, with possibilities for large-scale urban farming and integration into smart cities.

References

- The future of Agriculture is Computerized https://news.mit.edu/2019/algorithm-growing-agriculture-0403
- BioLuminescent Urban Farming Technology (envisioned by AI) https://imaginethefuturewithai.com
- Harnessing Bioluminescence for Sustainable Urban Lighting <u>DirectIndustry e-Magazine</u>
- Sunday Wrap Up: Glowing Innovations & Dark Growth https://indoorverticalfarm.com
- The Potential of Bioluminescence <u>CraGenomica</u>
- Nature's Light Source Shaping the Future of Sustainable Lighting <u>European Wilderness</u> <u>Society</u>
- The Role of Transgenic Bioluminescent Plants in Mediterranean Urban Spaces ScienceDirect
- Grow in the Dark Vertical Farming? Here's How Gene-Editing Could Allow Crops to Grow Without Light
 Genetic Literacy Project
- New Vertical Farming BioTech Grows Plants In The Dark https://lightnowblog.com
- Bioluminescent Trees: A Sustainable Alternative to Artificial Lighting Medium
- Bioluminescent Lighting: Nature Illuminates the Built Environment <u>Design Dash</u>
- Living Light: Is There a Future For Bioluminescence Technology? <u>Konica Minolta</u> Sensing
- Bioluminescent Bacteria and Algae for Illuminating Cities CraGenomica
- Paradise by the Bioluminescent Light Urban Biology https://urban-biology.com