Status	Finished
Started	Thursday, 22 October 2026, 10:25 PM
Completed	Thursday, 22 October 2026, 10:33 PM
Duration	8 mins 41 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following is a limitation of binary search?

a. It is slower than linear search for small lists
b. It can only be applied to large lists
c. It does not work with negative numbers
d. It requires the list to be sorted ✓

Question **2**

Correct

Mark 1.00 out of 1.00

What is the key characteristic of binary search?

a. It always starts from the beginning of the list
b. It works on unsorted lists
c. It compares elements sequentially
d. It can be applied only if the list is sorted ✓

Question **3**

Incorrect

Mark 0.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 100; What are the mid values(corresponding array elements) generated in the first and second iterations?

a. 94 and 99
b. 90 and 99
c. 90 and 100 ✗
d. 89 and 94

Question **4**

Correct

Mark 1.00 out of 1.00

Which of the following statements about linear search is true?

a. Linear search divides the list into halves.
b. Linear search requires the list to be sorted.
c. Linear search is more efficient than binary search on large lists.
d. Linear search can be applied to both sorted and unsorted lists. ✓

Question **5**

Correct

Mark 1.00 out of 1.00

What happens when the element is found in linear search?

a. The search starts over from the beginning
b. The search backtracks to find duplicate elements
c. The search stops immediately ✓
d. The search continues until the end of the list

Question **6**

Correct

Mark 1.00 out of 1.00

In the context of searching, what is a successful search?

a. When the list contains duplicate elements
b. When the list is sorted
c. When the element is found in the list ✓
d. When the search algorithm finishes

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following is a conventional searching technique?

a. Binary search
b. Hashing
c. Linear search ✓
d. Dynamic search

Question **8**

Correct

Mark 1.00 out of 1.00

In a linear search, how many comparisons are made in the worst-case scenario to find an element in a list of size n?

a. 1
b. n/2
c. log n
d. n ✓

Question **9**

Correct

Mark 1.00 out of 1.00

In which type of search is the list divided into smaller sublists during the search process?

a. Binary search ✓
b. Linear search
c. Hash search
d. Sequential search

Question **10**

Correct

Mark 1.00 out of 1.00

If the target element is greater than the middle element in binary search, where does the search continue?

a. In the middle of the list
b. In the right sublist ✓
c. In the left sublist
d. At the beginning of the list

Question **11**

Correct

Mark 1.00 out of 1.00

The average case occurs in the linear search algorithm

a. When the item is somewhere in the middle of the array ✓
b. When the item is the last element in the array
c. When the item is not the array at all
d. Item is the last element in the array or item is not there at all

Question **12**

Correct

Mark 1.00 out of 1.00

_____sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements in case they are unordered in n-1 passes.

a. Complexity

b. Insertion

c. Bubble ✓

d. Selection

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following is not a limitation of binary search algorithm?

a. Must use a sorted array

b. Binary search algorithm is not efficient when the data elements more than 1500 ✓

c. There must be a mechanism to access middle element directly

d. Requirement of sorted array is expensive when a lot of insertion and deletions are needed

Question **14**

Correct

Mark 1.00 out of 1.00

_____ search takes a sorted/ordered list and divides it in the middle.

a. Linear

b. Both (1) & (3)

c. Hash

d. Binary ✓

Question **15**

Correct

Mark 1.00 out of 1.00

What happens in a binary search if the list has an even number of elements?

a. The search stops

b. The higher middle element is chosen as the middle element ✓

c. The lower middle element is chosen as the middle element

d. The middle element is chosen randomly