

HWINFO® 64 v8.34-5870 Sensors Status {0.9%}

Sensor	Current	Minimum	Maximum	Average
> ⌚ Core Power Limit Exceed...	No	No	No	0 %
⌚ Package/Ring Thermal Thro...	Yes	No	Yes	95 %
⌚ Package/Ring Critical Temp...	No	No	No	0 %
⌚ Package/Ring Power Limit E...	No	No	No	0 %

✓ CPU [#0]: Intel Core i5-12500H: Enhanced

⚡ CPU Package	86 °C	43 °C	100 °C	91 °C
⚡ CPU IA Cores	86 °C	41 °C	100 °C	91 °C
⚡ CPU GT Cores (Graphics)	61 °C	41 °C	71 °C	66 °C
⚡ iGPU VID	0.237 V	0.225 V	0.355 V	0.230 V
> ⚡ Voltage Offsets		0.000 V	0.000 V	
⚡ VDDQ TX Voltage	1.200 V	1.200 V	1.200 V	1.200 V
⚡ VR VCC Current (SVID IOUT)	23.750 A	2.500 A	49.376 A	21.477 A
⚡ CPU Package Power	16.837 W	2.120 W	45.013 W	28.156 W
⚡ IA Cores Power	11.452 W	0.605 W	37.124 W	21.105 W
⚡ GT Cores Power	0.001 W	0.000 W	1.794 W	0.005 W
⚡ System Agent Power	4.884 W	1.352 W	6.960 W	6.083 W
⚡ Rest-of-Chip Power	0.121 W	0.055 W	0.848 W	0.582 W
⚡ PL1 Power Limit (Static)	95.0 W	95.0 W	95.0 W	95.0 W
⚡ PL1 Power Limit (Dynamic)	70.0 W	70.0 W	70.0 W	70.0 W
⚡ PL2 Power Limit (Static)	115.0 W	115.0 W	115.0 W	115.0 W
⚡ PL2 Power Limit (Dynamic)	115.0 W	115.0 W	115.0 W	115.0 W
⌚ GPU Clock	300.0 MHz	300.0 MHz	1,000.0 MHz	301.8 MHz
⌚ GPU D3D Usage	0.3 %	0.0 %	49.2 %	0.4 %
> ⌚ GPU D3D Utilizations		0.0 %	0.4 %	
⌚ GPU D3D Memory Dynamic	431 MB	357 MB	796 MB	414 MB
⌚ Current cTDP Level	0	0	0	0

✓ CPU [#0]: Intel Core i5-12500H: C-State Residency

⌚ Package C2 Residency	10.2 %	0.0 %	29.3 %	0.6 %
⌚ Package C3 Residency	0.0 %	0.0 %	47.8 %	0.4 %
⌚ Package C6 Residency	0.0 %	0.0 %	10.8 %	0.0 %
⌚ Package C8 Residency	0.0 %	0.0 %	52.8 %	0.2 %
> ⌚ Core C0 Residency	7.3 %	0.0 %	99.8 %	34.3 %
> ⌚ Core C1 Residency	1.9 %	0.0 %	71.4 %	26.6 %
> ⌚ Core C6 Residency	66.4 %	0.0 %	100.0 %	23.3 %
> ⌚ Core C7 Residency	58.9 %	0.0 %	100.0 %	4.0 %

✓ Memory Timings

⌚ Memory Clock	1,596.1 MHz	1,595.7 MHz	1,596.5 MHz	1,596.1 MHz
⌚ Memory Clock Ratio	16.00 x	16.00 x	16.00 x	16.00 x
⌚ Trcas	22 T	22 T	22 T	
⌚ Trrd	72 T	72 T	72 T	

HWiNFO® 64 v8.34-5870 Sensors Status {0.7%}

Sensor	Current	Minimum	Maximum	Average
System: Acer Nitro AN515-58				
Virtual Memory Committed	10,566 MB	5,318 MB	12,796 MB	11,725 MB
Virtual Memory Available	6,545 MB	4,315 MB	11,793 MB	5,386 MB
Virtual Memory Load	61.7 %	31.0 %	74.7 %	68.5 %
Physical Memory Used	6,459 MB	4,949 MB	7,605 MB	6,597 MB
Physical Memory Available	1,437 MB	290 MB	2,946 MB	1,298 MB
Physical Memory Load	81.8 %	62.6 %	96.3 %	83.5 %
Page File Usage	9.5 %	0.0 %	12.2 %	9.6 %

CPU [#0]: Intel Core i5-12500H

Core VIDs	1.131 V	0.671 V	1.256 V	1.006 V
SA VID	0.806 V	0.801 V	0.818 V	0.804 V
Core Clocks	3,242.1 MHz	399.0 MHz	4,489.0 MHz	2,783.4 MHz
Bus Clock	99.8 MHz	99.7 MHz	99.8 MHz	99.8 MHz
Ring/LLC Clock	3,591.2 MHz	399.0 MHz	3,790.7 MHz	2,936.5 MHz
Core Effective Clocks	273.4 MHz	0.1 MHz	3,420.8 MHz	1,010.4 MHz
Average Effective Clock	360.1 MHz	23.4 MHz	1,988.6 MHz	1,125.1 MHz
Core Usage	7.7 %	0.0 %	100.0 %	35.5 %
Max CPU/Thread Usage	40.0 %	9.5 %	100.0 %	86.7 %
Total CPU Usage	7.7 %	1.7 %	65.9 %	35.5 %
On-Demand Clock Modulation	100.0 %	100.0 %	100.0 %	100.0 %
Core Utility	9.2 %	0.0 %	110.0 %	34.2 %
Total CPU Utility	9.2 %	0.6 %	66.8 %	34.2 %
Core Ratios	32.5 x	4.0 x	45.0 x	27.9 x
Uncore Ratio	36.0 x	4.0 x	38.0 x	29.4 x

CPU [#0]: Intel Core i5-12500H: DTS

Core Temperatures	68 °C	37 °C	96 °C	77 °C
Core Distance to TJMAX	32 °C	4 °C	63 °C	23 °C
CPU Package	77 °C	42 °C	96 °C	89 °C
Core Max	84 °C	40 °C	96 °C	89 °C
Core Thermal Throttling	Yes	No	Yes	95 %
Core Critical Temperature	No	No	No	0 %
Core Power Limit Exceed...	No	No	No	0 %
Package/Ring Thermal Thro...	Yes	No	No	95 %
Package/Ring Critical Temp...	No	No	No	0 %
Package/Ring Power Limit E...	No	No	No	0 %

CPU [#0]: Intel Core i5-12500H: Enhanced

CPU Package	92 °C	43 °C	100 °C	91 °C
CPU IA Cores	92 °C	41 °C	100 °C	91 °C
CPU GT Cores (Graphics)	63 °C	41 °C	71 °C	66 °C
iGPU VID	0.232 V	0.225 V	0.355 V	0.230 V

Sensor	Current	Minimum	Maximum	Average
⌚ Uncore Ratio	38.0 x	4.0 x	38.0 x	29.4 x

✓ CPU [#0]: Intel Core i5-12500H: DTS

> ⚠ Core Temperatures	68 °C	37 °C	96 °C	77 °C
> ⚠ Core Distance to TjMAX	32 °C	4 °C	63 °C	23 °C
⚠ CPU Package	81 °C	42 °C	96 °C	89 °C
⚠ Core Max	89 °C	40 °C	96 °C	89 °C
> ⌚ Core Thermal Throttling	Yes	No	Yes	95 %
> ⌚ Core Critical Temperature	No	No	No	0 %
> ⌚ Core Power Limit Excee...	No	No	No	0 %
⌚ Package/Ring Thermal Thro...	Yes	No	Yes	95 %
⌚ Package/Ring Critical Temp...	No	No	No	0 %
⌚ Package/Ring Power Limit E...	No	No	No	0 %

✓ CPU [#0]: Intel Core i5-12500H: Enhanced

⚠ CPU Package	88 °C	43 °C	100 °C	91 °C
⚠ CPU IA Cores	88 °C	41 °C	100 °C	91 °C
⚠ CPU GT Cores (Graphics)	63 °C	41 °C	71 °C	66 °C
⚡ iGPU VID	0.237 V	0.225 V	0.355 V	0.230 V
> ⚡ Voltage Offsets		0.000 V	0.000 V	
⚡ VDDQ TX Voltage	1.200 V	1.200 V	1.200 V	1.200 V
⚡ VR VCC Current (SVID IOUT)	23.125 A	2.500 A	49.376 A	21.486 A
⚡ CPU Package Power	15.740 W	2.120 W	45.013 W	28.194 W
⚡ IA Cores Power	10.400 W	0.605 W	37.124 W	21.137 W
⚡ GT Cores Power	0.001 W	0.000 W	1.794 W	0.005 W
⚡ System Agent Power	4.857 W	1.352 W	6.960 W	6.088 W
⚡ Rest-of-Chip Power	0.114 W	0.055 W	0.848 W	0.583 W
⚡ PL1 Power Limit (Static)	95.0 W	95.0 W	95.0 W	95.0 W
⚡ PL1 Power Limit (Dynamic)	70.0 W	70.0 W	70.0 W	70.0 W
⚡ PL2 Power Limit (Static)	115.0 W	115.0 W	115.0 W	115.0 W
⚡ PL2 Power Limit (Dynamic)	115.0 W	115.0 W	115.0 W	115.0 W
⌚ GPU Clock	300.0 MHz	300.0 MHz	1,000.0 MHz	301.8 MHz
⌚ GPU D3D Usage	0.2 %	0.0 %	49.2 %	0.4 %
> ⌚ GPU D3D Utilizations		0.0 %	0.4 %	
⌚ GPU D3D Memory Dynamic	431 MB	357 MB	796 MB	414 MB
⌚ Current cTDP Level	0	0	0	0

✓ CPU [#0]: Intel Core i5-12500H: C-State Residency

⌚ Package C2 Residency	11.1 %	0.0 %	29.3 %	0.6 %
⌚ Package C3 Residency	0.0 %	0.0 %	47.8 %	0.4 %
⌚ Package C6 Residency	0.0 %	0.0 %	10.8 %	0.0 %
⌚ Package C8 Residency	0.0 %	0.0 %	52.8 %	0.2 %
> ⌚ Core C0 Residency	6.9 %	0.0 %	99.8 %	34.4 %

or	Current	Minimum	Maximum	Average
⌚ Read Rate	0.220 MB/s	0.000 MB/s	375.095 MB/s	3.764 MB/s
⌚ Write Rate	0.260 MB/s	0.000 MB/s	207.850 MB/s	0.985 MB/s
⌚ Read Total	14,937 MB	2,425 MB	14,937 MB	
⌚ Write Total	3,540 MB	312 MB	3,540 MB	

GPU [#1]: NVIDIA GeForce RTX 3050 Laptop

↓ GPU Temperature	64.8 °C	0.0 °C	80.8 °C	66.2 °C
↓ GPU Hot Spot Temperature	71.4 °C	0.0 °C	88.6 °C	72.7 °C
↓ GPU Thermal Limit	87.0 °C	0.0 °C	87.0 °C	85.1 °C
⚡ GPU Core Voltage	0.800 V	0.000 V	1.081 V	0.817 V
✓ ⚡ GPU Rail Voltages		20.190 V	20.498 V	
⚡ GPU FBVDD Input Voltage	20.482 V	0.000 V	20.498 V	19.947 V
⚡ GPU 8-pin #1 Input Volt...	20.421 V	0.000 V	20.421 V	19.870 V
⚡ GPU Power	15.806 W	0.000 W	47.163 W	22.416 W
> ⚡ GPU Rail Powers		0.000 W	46.917 W	
⌚ GPU Clock	1,500.0 MHz	0.0 MHz	1,972.0 MHz	1,527.3 MHz
⌚ GPU Memory Clock	1,500.2 MHz	0.0 MHz	1,500.2 MHz	1,467.9 MHz
⌚ GPU Video Clock	1,320.0 MHz	0.0 MHz	1,732.0 MHz	1,344.5 MHz
⌚ GPU Effective Clock	1,499.8 MHz	780.0 MHz	1,952.8 MHz	1,558.0 MHz
⌚ GPU Crossbar Clock	1,425.0 MHz	0.0 MHz	1,867.0 MHz	1,450.8 MHz
⌚ GPU Core Load	13.0 %	0.0 %	49.0 %	34.1 %
⌚ GPU Memory Controller Load	1.0 %	0.0 %	14.0 %	7.2 %
⌚ GPU Video Engine Load	0.0 %	0.0 %	5.0 %	0.0 %
⌚ GPU Bus Load	0.0 %	0.0 %	20.0 %	8.1 %
⌚ GPU Memory Usage	26.6 %	0.0 %	54.9 %	48.6 %
> ⌚ GPU D3D Usages		0.0 %	31.3 %	
> ⌚ GPU Performance Limiters	Yes	No	Yes	100 %
> ⌚ PCI Express Error Count...		0	14	
⌚ GPU Memory Available	3,007 MB	0 MB	3,964 MB	2,016 MB
⌚ GPU Memory Allocated	1,089 MB	0 MB	2,247 MB	1,991 MB
⌚ GPU D3D Memory Dedicated	964 MB	0 MB	2,123 MB	1,870 MB
⌚ GPU D3D Memory Dynamic	83 MB	0 MB	117 MB	79 MB
⌚ PCIe Link Speed	16.0 GT/s	0.0 GT/s	16.0 GT/s	15.7 GT/s

✓ Battery: SMP AP18E7M

⚡ Battery Voltage	16.114 V	16.113 V	16.126 V	16.115 V
⌚ Remaining Capacity	36.729 Wh	36.729 Wh	36.729 Wh	36.729 Wh
⌚ Charge Level	79.6 %	79.6 %	79.6 %	79.6 %
⌚ Charge Rate	0.000 W	0.000 W	0.000 W	0.000 W
⌚ Wear Level	21.4 %	21.4 %	21.4 %	21.4 %

✓ PresentMon [VALORANT-Win64-Shipping.exe]

⌚ Framerate Presented (avg)	139.3 FPS	1.0 FPS	145.2 FPS	133.1 FPS
-----------------------------	-----------	---------	-----------	-----------

	Current	Minimum	Maximum	Average
Total Activity	0.4 %	0.0 %	100.0 %	5.0 %
Read Rate	0.431 MB/s	0.000 MB/s	238.007 MB/s	7.707 MB/s
Write Rate	0.003 MB/s	0.000 MB/s	143.538 MB/s	1.994 MB/s
Read Total	11,054 MB	3,957 MB	11,054 MB	
Write Total	3,730 MB	1,939 MB	3,730 MB	

GPU [#1]: NVIDIA GeForce RTX 3050 Laptop

GPU Temperature	62.1 °C	0.0 °C	65.4 °C	19.3 °C
GPU Hot Spot Temperature	68.8 °C	0.0 °C	72.7 °C	21.7 °C
GPU Thermal Limit	87.0 °C	0.0 °C	87.0 °C	30.5 °C
GPU Core Voltage	0.800 V	0.000 V	1.056 V	0.284 V
GPU Rail Voltages		20.240 V	20.458 V	
GPU FBVDD Input Voltage	20.361 V	0.000 V	20.458 V	7.147 V
GPU 8-pin #1 Input Voltage	20.326 V	0.000 V	20.381 V	7.133 V
GPU Power	21.449 W	0.000 W	34.541 W	6.377 W
GPU Rail Powers		0.000 W	32.708 W	
GPU Clock	1,500.0 MHz	0.0 MHz	1,927.0 MHz	525.7 MHz
GPU Memory Clock	1,500.2 MHz	0.0 MHz	1,500.2 MHz	526.1 MHz
GPU Video Clock	1,320.0 MHz	0.0 MHz	1,687.0 MHz	464.5 MHz
GPU Effective Clock	1,498.7 MHz	780.0 MHz	1,888.1 MHz	1,501.9 MHz
GPU Crossbar Clock	1,425.0 MHz	0.0 MHz	1,822.0 MHz	501.6 MHz
GPU Core Load	25.0 %	0.0 %	42.0 %	7.9 %
GPU Memory Controller Load	7.0 %	0.0 %	8.0 %	1.0 %
GPU Video Engine Load	0.0 %	0.0 %	5.0 %	0.0 %
GPU Bus Load	1.0 %	0.0 %	9.0 %	1.7 %
GPU Memory Usage	28.5 %	0.0 %	29.4 %	8.5 %
GPU D3D Usages		0.0 %	25.0 %	
GPU Performance Limiters	Yes	No	Yes	100 %
PCI Express Error Counters		0	17	
GPU Memory Available	2,930 MB	0 MB	3,964 MB	1,087 MB
GPU Memory Allocated	1,166 MB	0 MB	1,203 MB	349 MB
GPU D3D Memory Dedicated	1,040 MB	0 MB	1,077 MB	305 MB
GPU D3D Memory Dynamic	70 MB	0 MB	127 MB	20 MB
PCIe Link Speed	16.0 GT/s	0.0 GT/s	16.0 GT/s	5.6 GT/s

Battery: SMP AP18E7M

Battery Voltage	16.123 V	16.123 V	16.133 V	16.127 V
Remaining Capacity	36.729 Wh	36.729 Wh	36.729 Wh	36.729 Wh
Charge Level	79.6 %	79.6 %	79.6 %	79.6 %
Charge Rate	0.000 W	0.000 W	0.000 W	0.000 W
Wear Level	21.4 %	21.4 %	21.4 %	21.4 %

PresentMon [dwm.exe]

System tray area showing icons for network, volume, and battery status. The clock displays 0:14:54. The taskbar at the bottom shows various application icons including File Explorer, Edge, and the Start menu button. The system clock in the bottom right corner shows 11:36 on 08/12/2025.

	Current	Minimum	Maximum	Average
Total Activity	0.4 %	0.0 %	100.0 %	5.2 %
Read Rate	0.176 MB/s	0.000 MB/s	232.830 MB/s	6.250 MB/s
Write Rate	0.001 MB/s	0.000 MB/s	143.538 MB/s	1.675 MB/s
Read Total	8,574 MB	3,957 MB	8,574 MB	
Write Total	3,130 MB	1,939 MB	3,130 MB	

GPU [#1]: NVIDIA GeForce RTX 3050 Laptop

GPU Temperature	52.1 °C	0.0 °C	52.1 °C	5.5 °C
GPU Hot Spot Temperature	58.8 °C	0.0 °C	58.8 °C	6.2 °C
GPU Thermal Limit	87.0 °C	0.0 °C	87.0 °C	9.8 °C
GPU Core Voltage	0.800 V	0.000 V	0.812 V	0.086 V
GPU Rail Voltages		20.263 V	20.458 V	
GPU FBVDD Input Voltage	20.406 V	0.000 V	20.458 V	2.291 V
GPU 8-pin #1 Input Voltage	20.370 V	0.000 V	20.380 V	2.286 V
GPU Power	15.850 W	0.000 W	17.512 W	1.609 W
GPU Rail Powers		0.195 W	14.569 W	
GPU Clock	1,500.0 MHz	0.0 MHz	1,500.0 MHz	149.7 MHz
GPU Memory Clock	1,500.2 MHz	0.0 MHz	1,500.2 MHz	168.6 MHz
GPU Video Clock	1,320.0 MHz	0.0 MHz	1,327.0 MHz	134.2 MHz
GPU Effective Clock	1,499.8 MHz	780.0 MHz	1,500.0 MHz	1,303.8 MHz
GPU Crossbar Clock	1,425.0 MHz	0.0 MHz	1,432.0 MHz	145.4 MHz
GPU Core Load	13.0 %	0.0 %	29.0 %	1.2 %
GPU Memory Controller Load	1.0 %	0.0 %	3.0 %	0.1 %
GPU Video Engine Load	0.0 %	0.0 %	5.0 %	0.0 %
GPU Bus Load	0.0 %	0.0 %	9.0 %	0.3 %
GPU Memory Usage	29.4 %	0.0 %	29.4 %	2.3 %
GPU D3D Usages		0.0 %	16.5 %	
GPU Performance Limiters	Yes	No	Yes	100 %
PCI Express Error Counters		0	17	
GPU Memory Available	2,893 MB	0 MB	3,964 MB	366 MB
GPU Memory Allocated	1,203 MB	0 MB	1,203 MB	95 MB
GPU D3D Memory Dedicated	1,077 MB	0 MB	1,077 MB	80 MB
GPU D3D Memory Dynamic	50 MB	0 MB	127 MB	5 MB
PCIe Link Speed	16.0 GT/s	0.0 GT/s	16.0 GT/s	1.8 GT/s

Battery: SMP AP18E7M

Battery Voltage	16.124 V	16.124 V	16.133 V	16.128 V
Remaining Capacity	36.729 Wh	36.729 Wh	36.729 Wh	36.729 Wh
Charge Level	79.6 %	79.6 %	79.6 %	79.6 %
Charge Rate	0.000 W	0.000 W	0.000 W	0.000 W
Wear Level	21.4 %	21.4 %	21.4 %	21.4 %

PresentMon [dwm.exe]

0:11:37

11:33

08/12/2025

HWiNFO® 64 v8.34-5870 Sensors Status {0.1%}

Sensor	Current	Minimum	Maximum	Average
System: Acer Nitro AN515-58				
Virtual Memory Committed	5,832 MB	5,752 MB	6,459 MB	5,827 MB
Virtual Memory Available	11,279 MB	10,652 MB	11,359 MB	11,284 MB
Virtual Memory Load	34.0 %	33.6 %	37.7 %	34.0 %
Physical Memory Used	4,924 MB	4,834 MB	5,484 MB	4,908 MB
Physical Memory Available	2,971 MB	2,412 MB	3,061 MB	2,987 MB
Physical Memory Load	62.3 %	61.2 %	69.4 %	62.1 %
Page File Usage	0.6 %	0.4 %	0.6 %	0.5 %

CPU [#0]: Intel Core i5-12500H				
Core VIDs	0.759 V	0.693 V	1.274 V	0.878 V
SA VID	0.821 V	0.816 V	0.821 V	0.818 V
Core Clocks	1,421.5 MHz	598.5 MHz	4,489.0 MHz	1,932.2 MHz
Bus Clock	99.8 MHz	99.8 MHz	99.8 MHz	99.8 MHz
Ring/LLC Clock	897.8 MHz	399.0 MHz	3,990.2 MHz	1,861.9 MHz
Core Effective Clocks	9.7 MHz	0.1 MHz	3,376.2 MHz	118.9 MHz
Average Effective Clock	12.8 MHz	12.8 MHz	553.8 MHz	107.6 MHz
Core Usage	0.8 %	0.0 %	93.3 %	9.2 %
Max CPU/Thread Usage	7.6 %	4.4 %	93.3 %	43.2 %
Total CPU Usage	0.8 %	0.8 %	29.7 %	9.2 %
On-Demand Clock Modulation	100.0 %	100.0 %	100.0 %	100.0 %
Core Utility	0.3 %	0.0 %	109.2 %	4.0 %
Total CPU Utility	0.3 %	0.3 %	15.2 %	4.0 %
Core Ratios	14.2 x	6.0 x	45.0 x	19.4 x
Uncore Ratio	9.0 x	4.0 x	40.0 x	18.7 x

CPU [#0]: Intel Core i5-12500H: DTS				
Core Temperatures	35 °C	34 °C	74 °C	39 °C
Core Distance to TJMAX	65 °C	26 °C	66 °C	61 °C
CPU Package	39 °C	39 °C	79 °C	44 °C
Core Max	37 °C	37 °C	74 °C	44 °C
Core Thermal Throttling	No	No	Yes	1 %
Core Critical Temperature	No	No	No	0 %
Core Power Limit Excep	No	No	No	0 %

0:04:36

Sensor	Current	Minimum	Maximum	Average
🕒 Write Total	2,369 MB	1,939 MB	2,369 MB	
✓ GPU [#1]: NVIDIA GeForce RTX 3050 Laptop				
↓ GPU Temperature	0.0 °C	0.0 °C	40.7 °C	0.4 °C
↓ GPU Hot Spot Temperature	0.0 °C	0.0 °C	46.9 °C	0.4 °C
↓ GPU Thermal Limit	0.0 °C	0.0 °C	87.0 °C	0.8 °C
⚡ GPU Core Voltage	0.000 V	0.000 V	0.812 V	0.007 V
⚡ GPU FBVDD Input Voltage	0.000 V	0.000 V	20.383 V	0.187 V
⚡ GPU 8-pin #1 Input Voltage	0.000 V	0.000 V	20.272 V	0.186 V
⚡ GPU Power	0.000 W	0.000 W	13.095 W	0.120 W
⚡ GPU Core (NVVDD) Input Po...	0.000 W	0.000 W	3.728 W	0.034 W
⚡ GPU FBVDD Input Power	0.000 W	0.000 W	5.116 W	0.047 W
⚡ GPU 8-pin #1 Input Power	0.000 W	0.000 W	8.838 W	0.081 W
⚡ GPU Core (NVVDD2) Input P...	0.000 W	0.000 W	3.728 W	0.034 W
⚡ GPU Input PP Source Power...	0.000 W	0.000 W	8.224 W	0.075 W
🕒 GPU Clock	0.0 MHz	0.0 MHz	1,500.0 MHz	13.8 MHz
🕒 GPU Memory Clock	0.0 MHz	0.0 MHz	1,500.2 MHz	13.8 MHz
🕒 GPU Video Clock	0.0 MHz	0.0 MHz	1,327.0 MHz	12.2 MHz
🕒 GPU Crossbar Clock	0.0 MHz	0.0 MHz	1,432.0 MHz	13.1 MHz
🕒 GPU Core Load	0.0 %	0.0 %	0.0 %	0.0 %
🕒 GPU Memory Controller Load	0.0 %	0.0 %	0.0 %	0.0 %
🕒 GPU Video Engine Load	0.0 %	0.0 %	0.0 %	0.0 %
🕒 GPU Bus Load	0.0 %	0.0 %	0.0 %	0.0 %
🕒 GPU Memory Usage	0.0 %	0.0 %	3.2 %	0.0 %
🕒 GPU D3D Usage	0.0 %	0.0 %	0.0 %	0.0 %
🕒 GPU Video Decode 0 Usage	0.0 %	0.0 %	0.0 %	0.0 %
🕒 GPU Video Encode 0 Usage	0.0 %	0.0 %	0.0 %	0.0 %
🕒 GPU VR Usage	0.0 %	0.0 %	0.0 %	0.0 %
🕒 Performance Limit - Power				
🕒 Performance Limit - Thermal				
🕒 Performance Limit - Reliabili...				
🕒 Performance Limit - Max Op...				
🕒 Performance Limit - Utilization				
🕒 Performance Limit - SLCB				