Working with Data in Python Cheat Sheet

Reading and writing files

Package/Method	Description	
File opening modes	Different modes to open files for specific operations.	Syntax: r (reading) w (writing) a (appending) + (updating: read/write) b (binary, otherwise text) 1. 1 1. Examples: with open("data.txt", "r") as file: content = file.read() print(conten Copied!
File reading methods	Different methods to read file content in various ways.	Syntax: 1. 1 2. 2 3. 3 1. file.readlines() # reads all lines as a list 2. readline() # reads the next line as a string 3. file.read() # reads the entire file content as a string Copied! Example: 1. 1 2. 2 3. 3 4. 4 1. with open("data.txt", "r") as file: 2. lines = file.readlines() 3. next_line = file.readline() 4. content = file.read() Copied!
File writing methods	Different write methods to write content to a file.	Syntax: 1. 1 2. 2 1. file.write(content) # writes a string to the file 2. file.writelines(lines) # writes a list of strings to the file Copied! Example: 1. 1 2. 2 3. 3 1. lines = ["Hello\n", "World\n"] 2. with open("output.txt", "w") as file: 3. file.writelines(lines) Copied!
Iterating over lines	Iterates through each line in the file using a `loop`.	Syntax: 1. 1 1. for line in file: # Code to process each line Copied! Example: 1. 1 2. 2 1. with open("data.txt", "r") as file: 2. for line in file: print(line) Copied!
Open() and close()	Opens a file, performs	Syntax: 1. 1 2. 2

	operations, and explicitly closes the file using the close() method.	```1. file = open(filename, mode) # Code that uses the file 2. file.close()``` Copied! Example: ```1. 1 2. 2 3. 3``` ```1. file = open("data.txt", "r") 2. content = file.read() 3. file.close()``` Copied!
with open()	Opens a file using a with block, ensuring automatic file closure after usage.	Syntax: ```1. 1``` ```1. with open(filename, mode) as file: # Code that uses the file``` Copied! Example: ```1. 1 2. 2``` ```1. with open("data.txt", "r") as file: 2. content = file.read()``` Copied!

Pandas

Package/Method	Description	Syntax and Code Example
.read_csv()	Reads data from a `.CSV` file and creates a DataFrame.	Syntax: dataframe_name = pd.read_csv("filename.csv") Example: df = pd.read_csv("data.csv")
.read_excel()	Reads data from an Excel file and creates a DataFrame.	Syntax: ```1. 1``` ```1. dataframe_name = pd.read_excel("filename.xlsx")``` Copied! Example: ```1. 1``` ```1. df = pd.read_excel("data.xlsx")``` Copied!
.to_csv()	Writes DataFrame to a CSV file.	Syntax: ```1. 1``` ```1. dataframe_name.to_csv("output.csv", index=False)``` Copied! Example: ```1. 1``` ```1. df.to_csv("output.csv", index=False)``` Copied!
Access Columns	Accesses a specific column using [] in the DataFrame.	Syntax: ```1. 1 2. 2``` ```1. dataframe_name["column_name"] # Accesses single column 2. dataframe_name[["column1", "column2"]] # Accesses multiple columns``` Copied!

		Example: `1. 1` `2. 2` `1. df["age"]` `2. df[["name", "age"]]` Copied!
describe()	Generates statistics summary of numeric columns in the DataFrame.	Syntax: `1. 1` `1. dataframe_name.describe()` Copied! Example: `1. 1` `1. df.describe()` Copied!
drop()	Removes specified rows or columns from the DataFrame. axis=1 indicates columns. axis=0 indicates rows.	Syntax: `1. 1` `2. 2` `1. dataframe_name.drop(["column1", "column2"], axis=1, inplace=True)` `2. dataframe_name.drop(index=[row1, row2], axis=0, inplace=True)` Copied! Example: `1. 1` `2. 2` `1. df.drop(["age", "salary"], axis=1, inplace=True) # Will drop columns` `2. df.drop(index=[5, 10], axis=0, inplace=True) # Will drop rows` Copied!
dropna()	Removes rows with missing NaN values from the DataFrame. axis=0 indicates rows.	Syntax: `1. 1` `1. dataframe_name.dropna(axis=0, inplace=True)` Copied! Example: `1. 1` `1. df.dropna(axis=0, inplace=True)` Copied!
duplicated()	Duplicate or repetitive values or records within a data set.	Syntax: `1. 1` `1. dataframe_name.duplicated()` Copied! Example: `1. 1` `1. duplicate_rows = df[df.duplicated()]` Copied!
Filter Rows	Creates a new DataFrame with rows that meet specified conditions.	Syntax: `1. 1` `1. filtered_df = dataframe_name[(Conditional_statements)]` Copied!

		Example: ``` 1. 1 ``` ``` 1. filtered_df = df[(df["age"] > 30) & (df["salary"] < 50000) ``` Copied!
groupby()	Splits a DataFrame into groups based on specified criteria, enabling subsequent aggregation, transformation, or analysis within each group.	Syntax: ``` 1. 1 2. 2 ``` ``` 1. grouped = dataframe_name.groupby(by, axis=0, level=None, as_index=True, 2. sort=True, group_keys=True, squeeze=False, observed=False, dropna=True) ``` Copied! Example: ``` 1. 1 ``` ``` 1. grouped = df.groupby(["category", "region"]).agg({"sales": "sum"}) ``` Copied!
head()	Displays the first n rows of the DataFrame.	Syntax: ``` 1. 1 ``` ``` 1. dataframe_name.head(n) ``` Copied! Example: ``` 1. 1 ``` ``` 1. df.head(5) ``` Copied!
Import pandas	Imports the Pandas library with the alias pd.	Syntax: ``` 1. 1 ``` ``` 1. import pandas as pd ``` Copied! Example: ``` 1. 1 ``` ``` 1. import pandas as pd ``` Copied!
info()	Provides information about the DataFrame, including data types and memory usage.	Syntax: ``` 1. 1 ``` ``` 1. dataframe_name.info() ``` Copied! Example: ``` 1. 1 ``` ``` 1. df.info() ``` Copied!
merge()	Merges two DataFrames based on multiple common columns.	Syntax: ``` 1. 1 ``` ``` 1. merged_df = pd.merge(df1, df2, on=["column1", "column2"]) ``` Copied! Example:

```
1. 1
```

```
1. merged_df = pd.merge(sales, products, on=["product_id", "category_id"])
```

Copied!

print DataFrame	Displays the content of the DataFrame.	Syntax: `1. 1` `1. print(df) # or just type df` Copied! Example: `1. 1` `2. 2` `1. print(df)` `2. df` Copied!
replace()	Replaces specific values in a column with new values.	Syntax: `1. 1` `1. dataframe_name["column_name"].replace(old_value, new_value, inplace=True)` Copied! Example: `1. 1` `1. df["status"].replace("In Progress", "Active", inplace=True)` Copied!
tail()	Displays the last n rows of the DataFrame.	Syntax: `1. 1` `1. dataframe_name.tail(n)` Copied! Example: `1. 1` `1. df.tail(5)` Copied!

Numpy

Package/Method	Description	Syntax and Code Example
Importing NumPy	Imports the NumPy library.	Syntax: `1. 1` `1. import numpy as np` Copied! Example: `1. 1` `1. import numpy as np` Copied!
np.array()	Creates a one or multi-dimensional array,	Syntax: `1. 1` `2. 2` `1. array_1d = np.array([list1 values]) # 1D Array` `2. array_2d = np.array([[list1 values], [list2 values]]) # 2D Array` Copied!

		Example: 1. 1 2. 2 1. array_1d = np.array([1, 2, 3]) # 1D Array 2. array_2d = np.array([[1, 2], [3, 4]]) # 2D Array Copied!
Numpy Array Attributes	- Calculates the mean of array elements - Calculates the sum of array elements - Finds the minimum value in the array - Finds the maximum value in the array - Computes dot product of two arrays	Example: 1. 1 2. 2 3. 3 4. 4 5. 5 1. np.mean(array) 2. np.sum(array) 3. np.min(array 4. np.max(array) 5. np.dot(array_1, array_2) Copied!