

Help

The image shows a Qt Designer window titled "Qt Dialog - addnumbers.ui". The window contains a dialog box with a light gray grid background. The dialog box has a title bar with a close button (X) and a maximize button (—). Inside the dialog, there are two input fields. The first input field is labeled "ENTER FIRST NUMBER" and the second input field is labeled "ENTER SECOND NUMBER". Below the input fields, there is a button labeled "ADD". The dialog box is centered on the screen. The Qt Designer interface includes a toolbar with various icons for design tools, a sidebar on the left with a file explorer, and a sidebar on the right with a properties panel.

```
Command Prompt
Microsoft Windows [Version 10.0.26200.7623]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Lenovo-User>cd desktop
C:\Users\Lenovo-User\Desktop>cd pyqt6
C:\Users\Lenovo-User\Desktop\pyqt6>python -m PyQt6.uic.pyuic -o addnumbers.py addnumbers.ui
C:\Users\Lenovo-User\Desktop\pyqt6>
```

```
calladdnumbers.py - C:/Users/Lenovo-User/Desktop/pyqt6/calladdnumbers.py (3.14.3)
File Edit Format Run Options Window Help

import sys # Provides access to system-specific parameters and functions
from PyQt6 import QtWidgets # Imports PyQt6 widgets (buttons, dialogs, etc.)
from addnumbers import Ui_Dialog # Imports the UI layout generated from Qt Designer

# Create a class for your application window
class MyForm(QtWidgets.QDialog):
    def __init__(self, parent=None):
        super().__init__(parent) # Initialize the parent class (QDialog)

        # Create an instance of the UI design
        self.ui = Ui_Dialog()

        # Set up the UI elements (buttons, labels, inputs) in this dialog
        self.ui.setupUi(self)

        # Connect the button click event to the dispmessage function
        self.ui.add.clicked.connect(self.dispmessage)

    # This function runs when the button is clicked
    def dispmessage(self):
        # Get the text entered by the user in the input field (QLineEdit)
        first_number = int(self.ui.lineEdit.text())
        second_number = int(self.ui.number2.text())
        addition = (first_number + second_number)

        # Display a greeting message in the label using the entered name
        self.ui.results.setText(f'The total of {first_number} and {second_number} is {addition}')

# This ensures the code runs only when the file is executed directly
if __name__ == "__main__":
    # Create the application object (required for any PyQt app)
    app = QtWidgets.QApplication(sys.argv)

    # Create an instance of your form (window)
    myapp = MyForm()

    # Show the window on the screen
    myapp.show()
```

File Edit Format Run Options Window Help

```
import sys # Provides access to system-specific parameters and functions
from PyQt6 import QtWidgets # Imports PyQt6 widgets (buttons, dialogs, etc.)
from addnumbers import Ui_Dialog # Imports the UI layout generated from Qt Designer
```

```
# Create a class for your application window
```

```
class MyForm(QtWidgets.QDialog):
```

```
    def __init__(self, parent=None):
```

```
        super().__init__(parent) # Initialize the parent class (QDialog)
```

Dialog

ENTER FIRST NUMBER

120

ENTER SECOND NUMBER

376


ADD

{number} is {addition}

```
# T
if
```

The total of 120 and 376 is 496

```
myapp.show()
```



```
Command Prompt
Microsoft Windows [Version 10.0.26200.7623]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Lenovo-User>cd desktop

C:\Users\Lenovo-User\Desktop>cd pyqt6

C:\Users\Lenovo-User\Desktop\pyqt6>python -m PyQt6.uic.pyuic -o addnumbers.py addnumbers.ui

C:\Users\Lenovo-User\Desktop\pyqt6>python -m PyQt6.uic.pyuic -o calculator.py calculator.ui

C:\Users\Lenovo-User\Desktop\pyqt6>|
```

```
*untitled (3.14.3)*
File Edit Format Run Options Window Help

import sys
from PyQt6 import QtWidgets
from calculator import Ui_Dialog

#Standard parameter
class MyForm(QtWidgets.QDialog):
    def __init__(self, parent = None):
        super().__init__(parent)

        self.ui = Ui_Dialog()
        self.ui.setupUi (self)

        #Connect button
        self.ui.computeButton.clicked.connect(self.calculate)
        self.ui.add.setChecked(1)

    def calculate(self):
        first_number = int(self.ui.first.text())
        second_number = int(self.ui.second.text())
        if self.ui.add.isChecked() == True:
            result = (first_number + second_number)
        if self.ui.subtract.isChecked() == True:
            result = (first_number - second_number)
        if self.ui.multiply.isChecked() == True:
            result = (first_number * second_number)
        if self.ui.divide.isChecked() == True:
            result = (first_number/second_number)
        self.ui.results.setText(f'The result is {result}')

if __name__ == "__main__":
    app = QtWidgets.QApplication(sys.argv)
    myapp = MyForm()
    myapp.show()
    sys.exit(app.exec())
```

Dialog

ENTER FIRST NUMBER 120

ENTER SECOND NUMBER 10

☒ Add ☐ Multiply

☐ Subtract ☐ Divide

The result is 130

Compute

Dialog

ENTER FIRST NUMBER 120

ENTER SECOND NUMBER 10

☐ Add ☐ Multiply

☒ Subtract ☐ Divide

The result is 110

Compute

Dialog

ENTER FIRST NUMBER


ENTER SECOND NUMBER

☐ Add ☐ Multiply

☐ Subtract ☒ Divide

The result is 12.0

Compute



```
callmenu.py - C:/Users/Lenovo-User/Desktop/pyqt6/callmenu.py (3.14.3)
File Edit Format Run Options Window Help
import sys
from PyQt6 import QtWidgets
from menu import Ui_Dialog

#Standard parameter
class MyForm(QtWidgets.QDialog):
    def __init__(self, parent = None):
        super().__init__(parent)

        self.ui = Ui_Dialog()
        self.ui.setupUi(self)

        #Connect button
        self.ui.calculate.clicked.connect(self.order_menu)
    def order_menu(self):
        result = 0
        price = {
            self.ui.pizza:123,
            self.ui.hotdog:35,
            self.ui.fries:50,
            self.ui.coke:18,
            self.ui.orange:30,
            self.ui.burger:50,
        }
        for chb, p in price.items():
            if chb.isChecked():
                result += p
        self.ui.results.setText(f'Total amount: R{result}')

if __name__ == "__main__":
    app = QtWidgets.QApplication(sys.argv)
    myapp = MyForm()
    myapp.show()
    sys.exit(app.exec())
```

Dialog

XYZ FOOD CORNER

Aug

ove

UDE

UDE

☐ PIZZA R16

☐ Hot dog R35

☒ French Fries R5

☒ Coke R18

☒ Orange Juice

☐ Burger R5

Calculate

Total amount: R98