

```
practical.py 9.py - C:/Users/Lenovo-User/Documents/practical.py 9.py (3.14.3)
File Edit Format Run Options Window Help
# selling price discount Amount after discount
selling_price = float(input('Enter the selling price:'))
discount = float(input('Enter the discount amount:'))

amount_after_discount = selling_price - discount
print('Amount after discount:', amount_after_discount)
```

```
IDLE Shell 3.14.3
File Edit Shell Debug Options Window Help
Python 3.14.3 (tags/v3.14.3:323c59a, Feb 3 2026, 16:04:56) [MSC v.1944 64 bit (AMD64)] on win32
Enter "help" below or click "Help" above for more information.
>>>
===== RESTART: C:/Users/Lenovo-User/Documents/practical.py 9.py =====
Enter the selling price:100
Enter the discount amount:20
Amount after discount: 80.0
```

```
# Quantity      Unit price      Total price
#      4              75              x
quantity = int(input('Enter the quantity:'))
unit_price = float(input('Enter the unit price:'))

total_price = quantity * unit_price
print('Quantity:', quantity)
print('Unit price:', unit_price)
print('Total price:', total_price)
```

```
>>>
===== RESTART: C:/Users/Lenovo-User/Documents/practical.py 9.py =====
Enter the selling price:100
Enter the discount amount:20
Amount after discount: 80.0
Enter the quantity:4
Enter the unit price:75
Quantity: 4
Unit price: 75.0
Total price: 300.0
>>>
```

```
# total cost      units      av = total cost/total units calculate average unit cost
total_cost = float(input('Enter the total cost:'))
total_units = int(input('Enter the total units:'))
average_unit_cost = total_cost / total_units
print('Average unit cost:', average_unit_cost)
```

```

===== RESTART: C:/Users/Lenovo-User/Documents/practical.py 9.py =====
Enter the selling price:100
Enter the discount amount:20
Amount after discount: 80.0
Enter the quantity:4
Enter the unit price:75
Quantity: 4
Unit price: 75.0
Total price: 300.0
Enter the total cost:1000
Enter the total units:5
Average unit cost: 200.0
>>

```

```

# F-string use variable 'name' print my name is your name
name = 'Fatima'
print(f'My name is:', name)

```

```

===== RESTART: C:/Users/Lenovo-User/Documents/practical.py 9.py =====
Enter the selling price:100
Enter the discount amount:20
Amount after discount: 80.0
Enter the quantity:4
Enter the unit price:75
Quantity: 4
Unit price: 75.0
Total price: 300.0
Enter the total cost:1000
Enter the total units:5
Average unit cost: 200.0
My name is: Fatima
>>

```

```

# floor division(number of full boxes of shipping) total items box capacity 12 full boxes
total_items = int(input('Enter total items:'))
box_capacity = 12
full_boxes = total_items // box_capacity
print('Full boxes of shipping:',full_boxes)

```

```

===== RESTART: C:/Users/Lenovo-User/Documents/practical.py 9.py =====
Enter the selling price:100
Enter the discount amount:20
Amount after discount: 80.0
Enter the quantity:4
Enter the unit price:75
Quantity: 4
Unit price: 75.0
Total price: 300.0
Enter the total cost:1000
Enter the total units:5
Average unit cost: 200.0
My name is: Fatima
Enter total items:50
Full boxes of shipping: 4
>>

```

```
practicals.py 11.py - C:/Users/Lenovo-User/Documents/practicals.py 11.py (3.14.3)
File Edit Format Run Options Window Help
# Checking if the customer has paid the invoice (boolean 'false')
x = 10
y = 15
print(x<y)
```

```
IDLE Shell 3.14.3
File Edit Shell Debug Options Window Help
Python 3.14.3 (tags/v3.14.3:323c59a, Feb 3 2026, 16:04:56) [MSC v.1944 64 bit (AMD64)] on win32
Enter "help" below or click "Help" above for more information.
>>>
===== RESTART: C:/Users/Lenovo-User/Documents/practicals.py 11.py =====
True
>>>
```

```
> a = False
> b = True
> c = True
> print(c and a)
|
```

```
>>>
===== RESTART: C:/Users/Lenovo-User/Documents/practicals.py 11.py =====
True
False
>>>|
```

```
# Approve an invoice using the bool function
Invoice_approved = True
Customer_active = False
print(Invoice_approved and Customer_active)
|
```

```
>>>
===== RESTART: C:/Users/Lenovo-User/Documents/practicals.py 11.py =====
True
False
False
```

```
# if statements if python indention
mark = 89
if mark >=50:
    print(f"Your score is {mark} and congrats you have have passed the exam")
else:
    print('Your mark is {mark }and unfortunately you have failed the exam!')
```

```

===== RESTART: C:/Users/Lenovo-User/Documents/practicals.py 11.py =====
True
False
False
Your score is 89 and congrats you have have passed the exam
>>

```

```

# if statements if python indenation
mark = int(input('Enter your mark:'))
if mark >=50:
    print(f"Your score is {mark} and congrats you have have passed the exam")
else:
    print('Your mark is {mark }and unfortunately you have failed the exam!')
|

```

```

===== RESTART: C:/Users/Lenovo-User/Documents/practicals.py 11.py =====
True
False
False
Enter your mark:89
Your score is 89 and congrats you have have passed the exam
>>

```

```

[3]: # username user_password

password = int(input('Enter your password:'))
if password ==5678:
    print('Login Successfull')
else:
    print('Sorry incorrect password, Please try again later!')

Enter your password: 1122
Sorry incorrect password, Please try again later!

[ ]:

```