


No.	Command	What it does	Practice example
1	uptime	Shows how long the system has been running and system load	uptime
2	vmstat	Displays memory, processes, and system performance statistics	vmstat 1 5
3	iostat	Displays CPU and disk I/O statistics	iostat
4	free	Shows memory and swap usage	free -h
5	watch	Repeats a command at regular intervals	watch -n 2 free -h
6	pgrep	Finds process IDs by process name	pgrep sshd
7	pkill	Sends a signal to processes matching a name	pkill -0 sshd
8	renice	Changes the scheduling priority of a running process	renice 10 -p 1234
9	timeout	Stops a command if it runs longer than a specified time	timeout 5s ping -c 20 127.0.0.1
10	prlimit	Displays or changes resource limits for a process	prlimit --pid $$


afshaan@DESKTOP-94VFN85:
afshaan@DESKTOP-94VFN85:~$ uptime
09:46:51 up 0 min, 1 user, load average: 0.44, 0.11, 0.04
afshaan@DESKTOP-94VFN85:~$ vmstat
procs -----------memory---------- ---swap-- -----io---- -system-- -------cpu
----
r b swpd free buff cache si so bi bo in cs us sy id w
a st gu
0 0 0 7141076 49324 488568 0 0 12826 228 3235 1 2 2 96
1 0 0
afshaan@DESKTOP-94VFN85:~$ iostat
Command 'iostat' not found, but can be installed with:
sudo apt install sysstat
afshaan@DESKTOP-94VFN85:~$ sudo apt install sysstat
[sudo: authenticate] Password:
Installing:
sysstat
Suggested packages:
isag
Summary:
Upgrading: 0, Installing: 1, Removing: 0, Not Upgrading: 0
Download size: 517 kB
Space needed: 1565 kB / 1025 GB available
Get:1 http://archive.ubuntu.com/ubuntu resolute/main amd64 sysstat amd64 12.
7.7-0ubuntu2 [517 kB]
Fetched 517 kB in 2s (311 kB/s)
Preconfiguring packages ...
Selecting previously unselected package sysstat.
(Reading database ... 35908 files and directories currently installed.)
Preparing to unpack .../sysstat_12.7.7-0ubuntu2_amd64.deb ...
Unpacking sysstat (12.7.7-0ubuntu2) ...
Setting up sysstat (12.7.7-0ubuntu2) ...
Creating config file /etc/default/sysstat with new version
update-alternatives: using /usr/bin/sar.sysstat to provide /usr/bin/sar (sar
) in auto mode
Created symlink '/etc/systemd/system/sysstat.service.wants/sysstat-collect.t
imer' → '/usr/lib/systemd/system/sysstat-collect.timer'.
Created symlink '/etc/systemd/system/sysstat.service.wants/sysstat-rotate.ti
mer' → '/usr/lib/systemd/system/sysstat-rotate.timer'.


afshaan@DESKTOP-94VFN85:
Preconfiguring packages ...
Selecting previously unselected package sysstat.
(Reading database ... 35908 files and directories currently installed.)
Preparing to unpack .../sysstat_12.7.7-0ubuntu2_amd64.deb ...
Unpacking sysstat (12.7.7-0ubuntu2) ...
Setting up sysstat (12.7.7-0ubuntu2) ...
Creating config file /etc/default/sysstat with new version
update-alternatives: using /usr/bin/sar.sysstat to provide /usr/bin/sar (sar
) in auto mode
Created symlink '/etc/systemd/system/sysstat.service.wants/sysstat-collect.t
imer' → '/usr/lib/systemd/system/sysstat-collect.timer'.
Created symlink '/etc/systemd/system/sysstat.service.wants/sysstat-rotate.ti
mer' → '/usr/lib/systemd/system/sysstat-rotate.timer'.
Created symlink '/etc/systemd/system/sysstat.service.wants/sysstat-summary.t
imer' → '/usr/lib/systemd/system/sysstat-summary.timer'.
Created symlink '/etc/systemd/system/multi-user.target.wants/sysstat.service
' → '/usr/lib/systemd/system/sysstat.service'.
Processing triggers for man-db (2.13.1-1build1) ...
afshaan@DESKTOP-94VFN85:~$ iostat
Linux 6.18.54.1-microsoft-standard-WSL2 (DESKTOP-94VFN85) 10/26/26 _
x86_64_ (12 CPU)
avg-cpu: %user %nice %system %iowait %steal %idle
0.55 0.00 0.73 0.28 0.00 98.45
Device tps kB_read/s kB_wrtn/s kB_dscd/s kB_read
kB_wrtn kB_dscd
sda 5.56 1196.45 0.00 0.00 158889
0 0
sdb 0.76 46.69 0.00 0.00 6201
0 0
sdc 0.72 14.82 0.03 0.00 1968
4 0
sdd 64.47 2163.71 208.28 227.95 287341
27660 30272
afshaan@DESKTOP-94VFN85:~$ free
total used free shared buff/cache avail
able
Mem: 8057648 529064 7539620 4208 143040 752


afshaan@DESKTOP-94VFN85:
-t, --no-title turn off header
-w, --no-wrap turn off line wrapping
-x, --exec pass command to exec instead of "sh -c"
-h, --help display this help and exit
-v, --version output version information and exit
For more details see watch(1).
afshaan@DESKTOP-94VFN85:~$ pgrep
pgrep: no matching criteria specified
Try `pgrep --help' for more information.
afshaan@DESKTOP-94VFN85:~$ pgrep sshd
afshaan@DESKTOP-94VFN85:~$ pkill -0 sshd
afshaan@DESKTOP-94VFN85:~$ renice 10 -p 1234
renice: failed to get priority for 1234 (process ID): No such process
afshaan@DESKTOP-94VFN85:~$ timeout 5s ping -c 20 127.0.0.1
PING 127.0.0.1 (127.0.0.1) 56(84) bytes of data.
64 bytes from 127.0.0.1: icmp_seq=1 ttl=64 time=0.056 ms
64 bytes from 127.0.0.1: icmp_seq=2 ttl=64 time=0.072 ms
64 bytes from 127.0.0.1: icmp_seq=3 ttl=64 time=0.075 ms
64 bytes from 127.0.0.1: icmp_seq=4 ttl=64 time=0.070 ms
64 bytes from 127.0.0.1: icmp_seq=5 ttl=64 time=0.053 ms
afshaan@DESKTOP-94VFN85:~$ prlimit --pid $$
RESOURCE DESCRIPTION SOFT HARD UNITS
AS address space limit unlimited unlimited bytes
CORE max core file size 0 unlimited bytes
CPU CPU time unlimited unlimited seconds
DATA max data size unlimited unlimited bytes
FSIZE max file size unlimited unlimited bytes
LOCKS max number of file locks held unlimited unlimited locks
MEMLOCK max locked-in-memory address space 67108864 67108864 bytes
MSGQUEUE max bytes in POSIX mqueues 819200 819200 bytes
NICE max nice prio allowed to raise 0 0
NOFILE max number of open files 10240 1048576 files
NPROC max number of processes 31437 31437 processes
RSS max resident set size unlimited unlimited bytes
RTPRIO max real-time priority 0 0
RTTIME timeout for real-time tasks unlimited unlimited microsecs
SIGPENDING max number of pending signals 31437 31437 signals
STACK max stack size 8388608 unlimited bytes
afshaan@DESKTOP-94VFN85:~$