
Snowflake Basics


STEP 1: CHECK CURRENT SESSION DETAILS

```
SELECT
    CURRENT_USER() AS USER_NAME,
    CURRENT_ROLE() AS ACTIVE_ROLE,
    CURRENT_WAREHOUSE() AS ACTIVE_WAREHOUSE,
    CURRENT_DATABASE() AS ACTIVE_DATABASE,
    CURRENT_SCHEMA() AS ACTIVE_SCHEMA;
```




STEP 2: CREATE DATABASE

```
CREATE DATABASE IF NOT EXISTS AFSHAAN_RETAIL_DB;
```




VERIFY DATABASE CREATION




STEP 3: CREATE SCHEMA

CREATE SCHEMA IF NOT EXISTS AFSHAAN_RETAIL_DB.RAW;




SELECT THE SCHEMA
USE SCHEMA AFSHAAN_RETAIL_DB.RAW;




STEP 4: CREATE VIRTUAL WAREHOUSE

```
CREATE WAREHOUSE IF NOT EXISTS AFSHAAN_RETAIL_WH
   WAREHOUSE_SIZE = 'XSMALL'
   AUTO_SUSPEND = 60
   AUTO_RESUME = TRUE
   INITIALLY_SUSPENDED = TRUE;
```




VERIFY WAREHOUSE CREATION
SHOW WAREHOUSES LIKE 'AFSHAAN_RETAIL_WH';



STEP 5: SELECT DATABASE AND SCHEMA

USE DATABASE AFSHAAN_RETAIL_DB;
USE SCHEMA RAW;



STEP 6: CREATE SALES TABLE

```
CREATE TABLE IF NOT EXISTS AFSHAAN_SALES (
    ORDER_ID NUMBER(10, 0),
    PRODUCT VARCHAR(100),
    QUANTITY NUMBER(10, 0),
    UNIT_PRICE NUMBER(12, 2),
    CITY VARCHAR(100)
);
```

```sql
-- STEP 6: CREATE SALES TABLE

CREATE TABLE IF NOT EXISTS AFSHAAN_SALES (
    ORDER_ID NUMBER(10, 0),
    PRODUCT VARCHAR(100),
    QUANTITY NUMBER(10, 0),
    UNIT_PRICE NUMBER(12, 2),
    CITY VARCHAR(100)
);

-- VERIFY TABLE CREATION
SHOW TABLES LIKE 'AFSHAAN_SALES';
```

Results (just now)

Table | Chart | Pivot

	status
1	Table AFSHAAN_SALES successfully created.

VERIFY TABLE CREATION
SHOW TABLES LIKE 'AFSHAAN_SALES';

```sql
-- VERIFY TABLE CREATION
SHOW TABLES LIKE 'AFSHAAN_SALES';

-- DESCRIBE TABLE STRUCTURE
DESCRIBE TABLE AFSHAAN_SALES;
```

Add to Chat | Explain | Quick edit | Format

Results (just now)

Table | Chart | Pivot — 1 row

	created_on	name	database_name	schema_name	kind	comment	cluster_by
1	2026-11-01 13:00:52	AFSHAAN_SALES	AFSHAAN_RETAIL_DB	RAW	TABLE		

DESCRIBE TABLE STRUCTURE
DESCRIBE TABLE AFSHAAN_SALES;

```
-- DESCRIBE TABLE STRUCTURE
DESCRIBE TABLE AFSHAAN_SALES;
```

Add to Chat | Explain | Quick edit | Format

Results (just now)

Table | Chart | Pivot | Sort ascending | 5 rows | 46ms

	name	type	kind	null?	default	primary key	unique key	check	expression
1	ORDER_ID	NUMBER(10,0)	COLUMN	Y	null	N	N	null	null
2	PRODUCT	VARCHAR(100)	COLUMN	Y	null	N	N	null	null
3	QUANTITY	NUMBER(10,0)	COLUMN	Y	null	N	N	null	null
4	UNIT_PRICE	NUMBER(12,2)	COLUMN	Y	null	N	N	null	null
5	CITY	VARCHAR(100)	COLUMN	Y	null	N	N	null	null

STEP 6: CREATE CSV FILE FORMAT

CREATE FILE FORMAT IF NOT EXISTS AFSHAAN_RETAIL_CSV_FORMAT
TYPE = CSV
SKIP_HEADER = 1
FIELD_OPTIONALLY_ENCLOSED_BY = ""
EMPTY_FIELD_AS_NULL = TRUE;

```
CREATE FILE FORMAT IF NOT EXISTS AFSHAAN_RETAIL_CSV_FORMAT
    TYPE = CSV
    SKIP_HEADER = 1
    FIELD_OPTIONALLY_ENCLOSED_BY = '"'
    EMPTY_FIELD_AS_NULL = TRUE;

-- VERIFY FILE FORMAT
SHOW FILE FORMATS LIKE 'AFSHAAN_RETAIL_CSV_FORMAT';
```


Add to Chat | Explain | Quick ed

Results (just now)

Table | Chart | Pivot


	status
1	File format AFSHAAN_RETAIL_CSV_FORMAT successfully created.

VERIFY FILE FORMAT
SHOW FILE FORMATS LIKE 'AFSHAAN_RETAIL_CSV_FORMAT';



STEP 7: CREATE INTERNAL STAGE

CREATE STAGE IF NOT EXISTS AFSHAAN_RETAIL_STAGE
FILE_FORMAT = AFSHAAN_RETAIL_CSV_FORMAT;



VERIFY STAGE
SHOW STAGES LIKE 'AFSHAAN_RETAIL_STAGE';

```
79  SHOW STAGES LIKE 'AFSHAAN_RETAIL_STAGE';
```

Add to Chat | Explain | Quick edit | Format

Results (just now)

Table | Chart | Pivot

	created_on	name	database_name	schema_name	url	has_credentials
1	2026-11-01 13:13:31	AFSHAAN_RETAIL_STA	AFSHAAN_RETAIL_DB	RAW		N


Step 8 Create your sample CSV file

bakery_sales.csv | afshaan_retail_sales.csv

File Edit View


C:\Users\windows 11\Documents\afshaan_retail_sales.csv

```
ORDER_ID,PRODUCT,QUANTITY,UNIT_PRICE,CITY
1001,Laptop,2,55000,Chennai
1002,Mouse,5,750,Bangalore
1003,Keyboard,3,1500,Hyderabad
1004,Monitor,2,12000,Chennai
1005,Laptop,1,55000,Mumbai
1006,Headphones,4,2500,Bangalore
1007,Mouse,10,750,Chennai
1008,Keyboard,2,1500,Mumbai
1009,Monitor,3,12000,Hyderabad
1010,Headphones,5,2500,Chennai
10011,Webcam,2,3500,Bangalore
10012,Laptop,1,55000,Hyderabad
```



STEP 10: LIST FILES IN INTERNAL STAGE

LIST @AFSHAAN_RETAIL_DB.RAW.AFSHAAN_RETAIL_STAGE;



```
86
87      -- STEP 11: SELECT YOUR WAREHOUSE
88
89      USE WAREHOUSE AFSHAAN_RETAIL_WH;
90
91
92      -- STEP 12: LOAD CSV DATA INTO SALES TABLE
93       Ctrl+I to generate
94      COPY INTO AFSHAAN_RETAIL_DB.RAW.AFSHAAN_SALES
95      FROM @AFSHAAN_RETAIL_DB.RAW.AFSHAAN_RETAIL_STAGE
96      FILE_FORMAT = 'AFSHAAN_RETAIL_CSV_FORMAT'
97      ON_ERROR = 'ABORT_STATEMENT';
98
```


Results (just now)

Table | Chart | Pivot

	status
1	Statement executed successfully.

STEP 12: LOAD CSV DATA INTO SALES TABLE

COPY INTO AFSHAAN_RETAIL_DB.RAW.AFSHAAN_SALES
FROM @AFSHAAN_RETAIL_DB.RAW.AFSHAAN_RETAIL_STAGE
FILE_FORMAT = 'AFSHAAN_RETAIL_CSV_FORMAT'
ON_ERROR = 'ABORT_STATEMENT';



COUNT TOTAL RECORDS

```
99   -- STEP 13: COUNT TOTAL RECORDS
100
101  SELECT COUNT(*) AS TOTAL_RECORDS
102  FROM AFSHAAN_RETAIL_DB.RAW.AFSHAAN_SALES;
103
104  -- DISPLAY ALL LOADED RECORDS
105
106  SELECT *
107  FROM AFSHAAN_RETAIL_DB.RAW.AFSHAAN_SALES
108  ORDER BY ORDER_ID;
109
```

Add to Chat

Results (just now)

Table | Chart | Pivot

	TOTAL_RECORDS
1	12

DISPLAY ALL LOADED RECORDS

```
104  -- DISPLAY ALL LOADED RECORDS
105
106  SELECT *
107  FROM AFSHAAN_RETAIL_DB.RAW.AFSHAAN_SALES
108  ORDER BY ORDER_ID;
109
```

Add to Chat | Explain | Quick edit | Format


Results (just now)

Table | Chart | Pivot — 12 rows — 246ms


	ORDER_ID	PRODUCT	QUANTITY	UNIT_PRICE	CITY
	1001 – 10012	Laptop 25.0%, Headphones 16.7%, +4 more	1 – 10	750 – 55000	Chennai, Bangalore, +2 more
1	1001	Laptop	2	55000.00	Chennai
2	1002	Mouse	5	750.00	Bangalore
3	1003	Keyboard	3	1500.00	Hyderabad
4	1004	Monitor	2	12000.00	Chennai

SQL QUERIES:


RETRIEVE ALL RECORDS




DISPLAY UNIQUE PRODUCTS



FILTER SALES BY CITY



TOTAL QUANTITY SOLD PER PRODUCT



CALCULATE REVENUE PER PRODUCT

```
138  SELECT
139      PRODUCT,
140      SUM(QUANTITY * UNIT_PRICE) AS
     TOTAL_REVENUE
141  FROM AFSHAAN_RETAIL_DB.RAW.AFSHAAN_SALES
142  GROUP BY PRODUCT
143  ORDER BY TOTAL_REVENUE DESC;
144
145
```


Add to Chat | Explain | Quick edit | Format

Results (just now)

Table | Chart | Pivot

	PRODUCT	TOTAL_REVENUE
1	Laptop	220000.00
2	Monitor	60000.00
3	Headphones	22500.00
4	Mouse	11250.00
5	Keyboard	7500
6	Webcam	7000.00

FIND AVERAGE UNIT PRICE



COUNT ORDERS PER CITY

```sql
SELECT
    CITY,
    COUNT(ORDER_ID) AS TOTAL_ORDERS
FROM AFSHAAN_RETAIL_DB.RAW.AFSHAAN_SALES
GROUP BY CITY
ORDER BY TOTAL_ORDERS DESC;
```

Add to Chat | Explain | Quick edit | Format

Results (just now)

Table | Chart | Pivot

	CITY	TOTAL_ORDERS
1	Chennai	4
2	Bangalore	3
3	Hyderabad	3
4	Mumbai	2

TOP 5 HIGHEST-QUANTITY ORDERS

```
169  SELECT * 
170  FROM AFSHAAN_RETAIL_DB.RAW.AFSHAAN_SALES
171  ORDER BY QUANTITY DESC
172  LIMIT 5;
173
174
175
```

Add to Chat | Explain | Quick edit | Format

Results (just now)

Table | Chart | Pivot | Sort ascending

	ORDER_ID	PRC	QUANTITY
1	1007	Mouse	10
2	1010	Headphones	5
3	1002	Mouse	5
4	1006	Headphones	4

CALCULATE TOTAL SALES REVENUE


```
176  SELECT
177      SUM(QUANTITY * UNIT_PRICE) AS
     OVERALL_REVENUE
178  FROM AFSHAAN_RETAIL_DB.RAW.AFSHAAN_SALES;
```

Add to Chat | Explain | Quick edit | Form


Results (just now)


Table | Chart | Pivot

	OVERALL_REVENUE
1	328250.00




```
DROP DATABASE IF EXISTS AFSHAAN_RETAIL_DB;
DROP WAREHOUSE IF EXISTS AFSHAAN_RETAIL_WH;
```


AFSHAAN_RETAIL_PR
Add data
Ask Gemini
app.snowflake.com/ap-southeast-7.aws/qa42823/#/workspaces/ws/USER%...
Your legacy worksheets have been moved to your personal workspace ("My Workspace"). Show me now
Workspaces
Databases
Database Explorer
Objects
Data Products
Search
Filter
AFSHAAN_RETAIL_DB
INFORMATION_SCHEMA
PUBLIC
RAW
Tables 1
AFSHAAN_SALES
Stages 1
AFSHAAN_RETAIL_STAGE
File Formats 1
AFSHAAN_RETAIL_CSV_F...
SNOWFLAKE
SNOWFLAKE_LEARNING_DB
SNOWFLAKE_SAMPLE_DATA
USER$AFSHAAN14022005
Home
AFSHAAN_RETAIL_PRAC
Focus
My Workspace
AFSHAAN_RETAIL_PRACTICAL.sql
Share
191
192
193
194
DROP DATABASE IF EXISTS AFSHAAN_RETAIL_DB;
Add to Chat
Explain
Quick edit
Format
Results (just now)
Table
Chart
Pivot
status
1
AFSHAAN_RETAIL_DB successfully dropped.
Feedback


AFSHAAN_RETAIL_PR
Add data
Ask Gemini
app.snowflake.com/ap-southeast-7.aws/qa42823/#/workspaces/ws/USER%...
Your legacy worksheets have been moved to your personal workspace ("My Workspace"). Show me now
Workspaces
Databases
Database Explorer
Objects
Data Products
Search
Filter
AFSHAAN_RETAIL_DB
INFORMATION_SCHEMA
PUBLIC
RAW
Tables 1
AFSHAAN_SALES
Stages 1
AFSHAAN_RETAIL_STAGE
File Formats 1
AFSHAAN_RETAIL_CSV_F...
SNOWFLAKE
SNOWFLAKE_LEARNING_DB
SNOWFLAKE_SAMPLE_DATA
USER$AFSHAAN14022005
Home
AFSHAAN_RETAIL_PRAC
Focus
My Workspace
AFSHAAN_RETAIL_PRACTICAL.sql
Share
191
192
193
194
DROP DATABASE IF EXISTS AFSHAAN_RETAIL_DB;
DROP WAREHOUSE IF EXISTS AFSHAAN_RETAIL_WH;
Add to Chat
Explain
Quick edit
Format
Results (just now)
Table
Chart
Pivot
status
1
AFSHAAN_RETAIL_WH successfully dropped.
Feedback