






Pageant Key List
RSA 2048 SHA256:AwyXwvaRWx7xzWsqV8uzrKYVI0KIOvEmWTvYJn4ftJ8 static-app
Fingerprint type:
SHA256
Add Key
Add Key (encrypted)
Re-encrypt
Remove
Help
Close


ubuntu@ip-172-31-13-158: ~
Usage of /: 7.1% of 28.02GB
Memory usage: 12%
Swap usage: 0%
Processes: 114
Users logged in: 0
IPv4 address for ens5: 172.31.5.77
Expanded Security Maintenance for Applications is not enabled.
0 updates can be applied immediately.
Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status
The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.
Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.
ubuntu@ip-172-31-5-77:~$ exit
logout
Connection to 172.31.5.77 closed.
ubuntu@ip-172-31-13-158:~$ ansible all -i slaves.txt -m ping
172.31.6.217 | SUCCESS => {
"ansible_facts": {
"discovered_interpreter_python": "/usr/bin/python3"
},
"changed": false,
"ping": "pong"
}
172.31.5.77 | SUCCESS => {
"ansible_facts": {
"discovered_interpreter_python": "/usr/bin/python3"
},
"changed": false,
"ping": "pong"
}
172.31.2.72 | SUCCESS => {
"ansible_facts": {
"discovered_interpreter_python": "/usr/bin/python3"
},
"changed": false,
"ping": "pong"
}
ubuntu@ip-172-31-13-158:~$


ubuntu@ip-172-31-13-158: ~
ubuntu@ip-172-31-13-158:~$ ansible apache -i slaves.txt -m apt -a "name=apache2 state=present update_cache=yes" -b
172.31.6.217 | CHANGED => {
"ansible_facts": {
"discovered_interpreter_python": "/usr/bin/python3"
},
"cache_update_time": 1792695288,
"cache_updated": true,
"changed": true,
"stderr": "",
"stderr_lines": [],
"stdout": "Reading package lists...\nBuilding dependency tree...\nReading state information...\nThe following additional packages will be installed:\n apache2-bin apache2-data apache2-utils libapr1t64 libaprutil1-dbd-sqlite3\n libaprutil1-ldap libaprutil1t64 liblua5.4-0 ssl-cert\nSuggested packages:\n apache2-doc apache2-suexec-pristine | apache2-suexec-custom www-browser\nThe following NEW packages will be installed:\n apache2 apache2-bin apache2-data apache2-utils libapr1t64\n libaprutil1-dbd-sqlite3 libaprutil1-ldap libaprutil1t64 liblua5.4-0 ssl-cert\n0 upgraded, 10 newly installed, 0 to remove and 16 not upgraded.\nNeed to get 2097 kB of archives.\nAfter this operation, 8132 kB of additional disk space will be used.\nGet:1 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 libapr1t64 amd64 1.7.2-3.1ubuntu0.1 [108 kB]\nGet:2 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 libaprutil1t64 amd64 1.6.3-1.1ubuntu7.1 [92.7 kB]\nGet:3 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 libaprutil1-dbd-sqlite3 amd64 1.6.3-1.1ubuntu7.1 [11.2 kB]\nGet:4 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 libaprutil1-ldap amd64 1.6.3-1.1ubuntu7.1 [9120 B]\nGet:5 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 liblua5.4-0 amd64 5.4.6-3build2 [166 kB]\nGet:6 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 apache2-bin amd64 2.4.58-1ubuntu8.17 [1338 kB]\nGet:7 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 apache2-data all 2.4.58-1ubuntu8.17 [163 kB]\nGet:8 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 apache2-utils amd64 2.4.58-1ubuntu8.17 [100 kB]\nGet:9 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 apache2 amd64 2.4.58-1ubuntu8.17 [90.2 kB]\nGet:10 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 ssl-cert all 1.1.2ubuntu1 [17.8 kB]\nPreconfiguring packages ...\nFetched 2097 kB in 0s (34.8 MB/s)\nSelecting previously unselected package libapr1t64:amd64.\r\n(Reading database ... \r(Reading database ... 5%\r(Reading database ... 10%\r(Reading database ... 15%\r(Reading database ... 20%\r(Reading database ... 25%\r(Reading database ... 30%\r(Reading database ... 35%\r(Reading database ... 40%\r(Reading database ... 45%\r(Reading database ... 50%\r(Reading database ... 55%\r(Reading database ... 60%\r(Reading database ... 65%\r(Reading database ... 70%\r(Reading database ... 75%\r(Reading database ... 80%\r(Reading database ... 85%\r(Reading database ... 90%\r(Reading database ... 95%\r(Reading database ... 100%\r(Reading database ... 79249 files and directories currently installed.)\r\nPreparing to unpack .../0-libapr1t64_1.7.2-3.1ubuntu0.1_amd64.deb ...\r\nUnpacking libapr1t64:amd64 (1.7.2-3.1ubuntu0.1) ...\r\nSelecting previously unselected package libaprutil1t64:amd64.\r\nPreparing to unpack .../1-libaprutil1t64_1.6.3-1.1ubuntu7.1_amd64.deb ...\r\nUnpacking libaprutil1t64:amd64 (1.6.3-1.1ubuntu7.1) ...\r\nSelecting previously unselected package libaprutil1-dbd-sqlite3:amd64.\r\nPreparing to unpack .../2-libaprutil1-dbd-sqlite3_1.6.3-1.1ubuntu7.1_amd64.deb ...\r\nUnpacking libaprutil1-dbd-sqlite3:amd64 (1.6.3-1.1ubuntu7.1) ...\r\nSelecting previously unselected package libaprutil1-ldap:amd64.\r\nPreparing to unpack .../3-libaprutil1-ldap_1.6.3-1.1ubuntu7.1_amd64.deb ...\r\nUnpacking libaprutil1-ldap:amd64 (1.6.3-1.1ubuntu7.1) ...\r\nSelecting previously unselected package liblua5.4-0:amd64.\r\nPreparing to unpack .../4-liblua5.4-0_5.4.6-3build2_amd64.deb ...\r\nUnpacking liblua5.4-0:amd64 (5.4.6-3build2) ...\r\nSelecting previously unselected package apache2-bin.\r\nPreparing to unpack .../5-apache2-bin_2.4.58-1ubuntu8.17_amd64.deb ...\r\nUnpacking apache2-bin (2.4.58-1ubuntu8.17) ...\r\nSelecting previously unselected package apache2-data.\r\nPreparing to unpack .../6-apache2-data_2.4.58-1ubuntu8.17_all.deb ...\r\nUnpacking apache2-data (2.4.58-1ubuntu8.17) ...\r\nSelecting previously unselected package apache2-utils.\r\nPreparing to unpack .../7-apache2-utils_2.4.58-1ubuntu8.17_amd64.deb ...\r\nUnpacking apache2-utils (2.4.58-1ubuntu8.17) ...\r\nSelecting previously unselected package apache2.\r\nPreparing to unpack .../8-apache2_2.4.58-1ubuntu8.17_amd64.deb ...\r\nUnpacking apache2 (2.4.58-1ubuntu8.17) ...\r\nSelecting previously unselected package ssl-cert.\r\nPreparing to unpack .../9-ssl-cert_1.1.2ubuntu1_all.deb ...\r\nUnpacking ssl-cert (1.1.2ubuntu1) ...\r\nSetting up ssl-cert (1.1.2ubuntu1) ...\r\nCreated symlink /etc/systemd/system/multi-user.target.wants/ssl-cert.service → /usr/lib/systemd/system/ssl-cert.service.\r\r\nSetting up libapr1t64:amd64 (1.7.2-3.1ubuntu0.1) ...\r\nSetting up liblua5.4-0:amd64 (5.4.6-3build2) ...\r\nSetting up apache2-data (2.4.58-1ubuntu8.17) ...\r\nSetting up libaprutil1t64:amd64 (1.6.3-1.1ubuntu7.1) ...\r\nSetting up libaprutil1-ldap:amd64 (1.6.3-1.1ubuntu7.1) ...\r\nSetting up libaprutil1-dbd-sqlite3:amd64 (1.6.3-1.1ubuntu7.1) ...\r\nSetting up apache2-utils (2.4.58-1ubuntu8.17) ...\r\nSetting up apache2-bin (2.4.58-1ubuntu8.17) ...\r\nSetting up apache2 (2.4.58-1ubuntu8.17) ...\r\nEnabling module mpm_event.\r\nEnabling module authz_core.\r\nEnabling module authz_host.\r\nEnabling module authn_core.\r\nEnabling module auth_basic.\r\nEnabling module access_compat.\r\nEnabling module authn_file.\r\nEnabling module authz_user.\r\nEnabling module alias.\r\nEnabling module dir.\r\nEnabling module autoindex.\r\nEnabling module env.\r\nEnabling module mime.\r\nEnabling module negotiation.\r\nEnabling module setenvif.\r\nEnabling module filter.\r\nEnabling module deflate.\r\nEnabling module status.\r\nEnabling module reqtimeout.\r\nEnabling conf charset.\r\nEnabling conf localized-error-pages.\r\nEnabling conf other-vhosts-access-log.\r\nEnabling conf security.\r\nEnabling conf serve-cgi-bin.\r\nEnabling site 000-default.\r\nCreated symlink /etc/systemd/system/multi-user.target.wants/apache2.service → /usr/lib/systemd/system/apache2.service.\r\r\nCreated symlink /etc/systemd/system/multi-user.target.wants/apache-htcacheclean.service → /usr/lib/systemd/system/apache-htcacheclean.service.\r\r\nProcessing triggers for ufw (0.36.2-6) ...\r\nProcessing triggers for man-db (2.12.0-4build2) ...\r\nProcessing triggers for libc-bin (2.39-0ubuntu8.9) ...\r\n\n\nRunning kernel seems to be up-to-date.\n\nNo services need to be restarted.\n\nNo containers need to be restarted.\n\nNo user sessions are running outdated binaries.\n\nNo VM guests are running outdated hypervisor (qemu) binaries on this host.\n",
"stdout_lines": [
"Reading package lists...",
"Building dependency tree...",


ubuntu@ip-172-31-13-158: ~
"",
"Created symlink /etc/systemd/system/multi-user.target.wants/apache-htcacheclean.service → /usr/lib/systemd/system/apache-htcacheclean.service.",
"",
"Processing triggers for ufw (0.36.2-6) ...",
"Processing triggers for man-db (2.12.0-4build2) ...",
"Processing triggers for libc-bin (2.39-0ubuntu8.9) ...",
"",
"Running kernel seems to be up-to-date.",
"",
"No services need to be restarted.",
"",
"No containers need to be restarted.",
"",
"No user sessions are running outdated binaries.",
"",
"No VM guests are running outdated hypervisor (qemu) binaries on this host."
]
}
ubuntu@ip-172-31-13-158:~$ ansible apache -i slaves.txt -m service -a "name=apache2 state=started" -b
172.31.6.217 | SUCCESS => {
"ansible_facts": {
"discovered_interpreter_python": "/usr/bin/python3"
},
"changed": false,
"name": "apache2",
"state": "started",
"status": {
"ActiveEnterTimestamp": "Thu 2026-10-22 18:55:05 UTC",
"ActiveEnterTimestampMonotonic": "2883537428",
"ActiveExitTimestampMonotonic": "0",
"ActiveState": "active",
"After": "systemd-tmpfiles-setup.service basic.target -.mount remote-fs.target systemd-journald.socket sysinit.target network.target nss-lookup.target tmp.mount system.slice",
"AllowIsolate": "no",
"AssertResult": "yes",
"AssertTimestamp": "Thu 2026-10-22 18:55:05 UTC",
"AssertTimestampMonotonic": "2883503608",
"Before": "shutdown.target apache-htcacheclean.service multi-user.target",
"BlockIOAccounting": "no",
"BlockIOWeight": "[not set]",
"CPUAccounting": "yes",
"CPUAffinityFromNUMA": "no",
"CPUQuotaPerSecUSec": "infinity",
"CPUQuotaPeriodUSec": "infinity",
"CPUSchedulingPolicy": "0",
"CPUSchedulingPriority": "0",
"CPUSchedulingResetOnFork": "no",
"CPUShares": "[not set]",
"CPUUsageNSec": "49801000",
"CPUWeight": "[not set]",






```
ubuntu@ip-172-31-13-158:~$ ansible all -i slaves.txt -m command -a "cat /tmp/sample.html"
172.31.6.217 | CHANGED | rc=0 >>
 hi hi hiiii
172.31.2.72 | CHANGED | rc=0 >>
 hi hi hiiii
172.31.5.77 | CHANGED | rc=0 >>
 hi hi hiiii
```