
TASK 1

No.	Command	
1	tr	echo "hello linux" | tr 'a-z' 'A-Z'
2	tac	printf "apple\nbanana\ncherry\n" > notes.txt && tac notes.txt
3	nl	nl notes.txt
4	fold	fold -w 10 notes.txt
5	fmt	fmt -w 20 notes.txt
6	split	split -l 2 notes.txt part_
7	comm	printf "apple\nbanana\n" > file1.txt; printf "banana\ncherry\n" > file2.txt; comm <(sort file1.txt) <(sort file2.txt)
8	join	printf "101 Alice\n102 Bob\n" > students.txt; printf "101 85\n102 90\n" > marks.txt; join students.txt marks.txt
9	seq	seq 1 10
10	nproc	nproc


afshaan@DESKTOP-94VFN85:
Welcome to Ubuntu 26.04.1 LTS (GNU/Linux 6.18.54.1-microsoft-standard-WSL2 x
86_64)
* Documentation: https://docs.ubuntu.com
* Management: https://landscape.canonical.com
* Support: https://ubuntu.com/pro
System information as of Wed Oct 21 08:09:34 UTC 2026
System load: 0.01
Usage of /: 0.1% of 1006.85GB
Memory usage: 5%
Swap usage: 0%
Processes: 36
Users logged in: 0
IPv4 address for eth0: 172.29.100.118
=> /usr/lib/linux-tools/6.18.54.1-microsoft-standard-WSL2 is using 100.0%
of
96MB
* Canonical Workshop gives developers fast, composable, reproducible, and
secure developer environments that are perfect for agentic workflows.
https://ubuntu.com/workshop
This message is shown once a day. To disable it please create the
/home/afshaan/.hushlogin file.
afshaan@DESKTOP-94VFN85:~$ echo "hello linux" \| tr 'a-z' 'A-Z'
hello linux | tr a-z A-Z
afshaan@DESKTOP-94VFN85:~$ printf "apple\nbanana\ncherry\n" > notes.txt && t
ac notes.txt
cherry
banana
apple
afshaan@DESKTOP-94VFN85:~$ nl notes.txt
1 apple
2 banana
3 cherry
afshaan@DESKTOP-94VFN85:~$ fold -w 10 notes.txt
apple
banana
cherry
afshaan@DESKTOP-94VFN85:~$ fmt -w 20 notes.txt


afshaan@DESKTOP-94VFN85:
banana
apple
afshaan@DESKTOP-94VFN85:~$ nl notes.txt
1 apple
2 banana
3 cherry
afshaan@DESKTOP-94VFN85:~$ fold -w 10 notes.txt
apple
banana
cherry
afshaan@DESKTOP-94VFN85:~$ fmt -w 20 notes.txt
apple banana cherry
afshaan@DESKTOP-94VFN85:~$ split -l 2 notes.txt part_
afshaan@DESKTOP-94VFN85:~$ printf "apple\nbanana\n" > file1.txt; print
f "banana\ncherry\n" > file2.txt; comm <(sort file1.txt) <(sort file2.
txt)
apple
banana
cherry
afshaan@DESKTOP-94VFN85:~$ printf "101 Alice\n102 Bob\n" > students.tx
t; printf "101 85\n102 90\n" > marks.txt; join students.txt marks.txt
101 Alice 85
102 Bob 90
afshaan@DESKTOP-94VFN85:~$ seq 1 10
1
2
3
4
5
6
7
8
9
10
afshaan@DESKTOP-94VFN85:~$ nproc
12
afshaan@DESKTOP-94VFN85:~$