





```
sudo apt update
sudo apt install -y docker.io
sudo systemctl enable --now docker
sudo su -
```





```
ubuntu@ip-172-31-7-61:~$ sudo su -
root@ip-172-31-7-61:~# docker pull wordpress
Using default tag: latest
latest: Pulling from library/wordpress
ecc510c1e359: Extracting 2 s
df60b2c773ce: Pull complete
7a19dc4d0e05: Download complete
9d87683de0a2: Pull complete
928ddadd1b1e: Pull complete
4633f536ccde: Pull complete
4f4fb700ef54: Pull complete
0822cfc31c02: Pull complete
f5da053af527: Pull complete
53a3637988ce: Pull complete
04b05f2ec306: Pull complete
c957944e4676: Pull complete
439f2909ad34: Pull complete
171eb0bc859e: Pull complete
cdee7d186a1a: Pull complete
5bd2aab6bd16: Pull complete
10ab328c1454: Pull complete
7a3652c884f1: Pull complete
44256314083a: Pull complete
0f209d1853df: Pull complete
3b4c83254f6c: Pull complete
50427e99fb9c: Pull complete
17aef3cdc1c9: Pull complete
292513814dbc: Pull complete
338133eaa18f: Download complete
e209c2ae9ae6: Download complete
Digest: sha256:81a34254acaa6ff3b9a67268c2745e9a041c4094cbe5ccd35b75ed3bbdc033b5
Status: Downloaded newer image for wordpress:latest
docker.io/library/wordpress:latest
```


```
[1]+  Stopped                 sudo systemctl status docker
ubuntu@ip-172-31-7-61:~$ sudo systemctl status docker
● docker.service - Docker Application Container Engine
     Loaded: loaded (/usr/lib/systemd/system/docker.service; enabled; preset: enabled)
     Active: active (running) since Wed 2026-10-14 11:15:33 UTC; 2min 52s ago
TriggeredBy: ● docker.socket
       Docs: https://docs.docker.com
   Main PID: 2036 (dockerd)
      Tasks: 9
     Memory: 25.7M (peak: 26.0M)
        CPU: 377ms
     CGroup: /system.slice/docker.service
             └─2036 /usr/bin/dockerd -H fd:// --containerd=/run/containerd/containerd.sock


Oct 14 11:15:33 ip-172-31-7-61 dockerd[2036]: time="2026-10-14T11:15:33.517581223Z" level=info msg="Restoring containers: start."
Oct 14 11:15:33 ip-172-31-7-61 dockerd[2036]: time="2026-10-14T11:15:33.550869069Z" level=info msg="Deleting nftables IPv4 rules" error="exit s
Oct 14 11:15:33 ip-172-31-7-61 dockerd[2036]: time="2026-10-14T11:15:33.557382537Z" level=info msg="Deleting nftables IPv6 rules" error="exit s
Oct 14 11:15:33 ip-172-31-7-61 dockerd[2036]: time="2026-10-14T11:15:33.908972536Z" level=info msg="Loading containers: done."
Oct 14 11:15:33 ip-172-31-7-61 dockerd[2036]: time="2026-10-14T11:15:33.918968829Z" level=info msg="Docker daemon" commit="29.1.3-0ubuntu3~24.0
Oct 14 11:15:33 ip-172-31-7-61 dockerd[2036]: time="2026-10-14T11:15:33.919335200Z" level=info msg="Initializing buildkit"
Oct 14 11:15:33 ip-172-31-7-61 dockerd[2036]: time="2026-10-14T11:15:33.952457420Z" level=info msg="Completed buildkit initialization"
Oct 14 11:15:33 ip-172-31-7-61 dockerd[2036]: time="2026-10-14T11:15:33.961725262Z" level=info msg="Daemon has completed initialization"
Oct 14 11:15:33 ip-172-31-7-61 systemd[1]: Started docker.service - Docker Application Container Engine.
Oct 14 11:15:33 ip-172-31-7-61 dockerd[2036]: time="2026-10-14T11:15:33.965799885Z" level=info msg="API listen on /run/docker.sock"
```


root@ip-172-31-7-61: ~
~
~
~
ubuntu@ip-172-31-7-61:~$ sudo su -
root@ip-172-31-7-61:~# docker pull wordpress
Using default tag: latest
latest: Pulling from library/wordpress
ecc510c1e359: Extracting 2 s
df60b2c773ce: Pull complete
7a19dc4d0e05: Download complete
9d87683de0a2: Pull complete
928ddadd1b1e: Pull complete
4633f536ccde: Pull complete
4f4fb700ef54: Pull complete
0822cfc31c02: Pull complete
f5da053af527: Pull complete
53a3637988ce: Pull complete
04b05f2ec306: Pull complete
c957944e4676: Pull complete
439f2909ad34: Pull complete
171eb0bc859e: Pull complete
cdee7d186a1a: Pull complete
5bd2aab6bd16: Pull complete
10ab328c1454: Pull complete
7a3652c884f1: Pull complete
44256314083a: Pull complete
0f209d1853df: Pull complete
3b4c83254f6c: Pull complete
50427e99fb9c: Pull complete
17aef3cdc1c9: Pull complete
292513814dbc: Pull complete
338133eaa18f: Download complete
e209c2ae9ae6: Download complete
Digest: sha256:81a34254acaa6ff3b9a67268c2745e9a041c4094cbe5ccd35b75ed3bbdc033b5
Status: Downloaded newer image for wordpress:latest
docker.io/library/wordpress:latest
root@ip-172-31-7-61:~# docker run -itd --name wordpresscontainer -p "8050:80" wordpress
67eb67e77e4c1c2797c8210d7fc49610db00c0dbbc8f67d002db0a67652ffbe1
root@ip-172-31-7-61:~# docker ps
CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS
NAMES
67eb67e77e4c wordpress "docker-entrypoint.s…" 12 seconds ago Up 11 seconds 0.0.0.0:
8050->80/tcp, [::]:8050->80/tcp wordpresscontainer
root@ip-172-31-7-61:~# docker images
i Info → U In Use
IMAGE ID DISK USAGE CONTENT SIZE EXTRA
wordpress:latest 81a34254acaa 1.12GB 284MB U
root@ip-172-31-7-61:~#


root@ip-172-31-7-61: ~
1a710d5def08: Pull complete
d6526c3b0b71: Pull complete
2659fa5447a2: Download complete
9e6faf632f7d: Download complete
Digest: sha256:893418c8a7a34c60d2d961cc30ef136095da141478562ed2101ae3f5faba9c3f
Status: Downloaded newer image for mysql:latest
docker.io/library/mysql:latest
root@ip-172-31-7-61:~# docker images
i Info → U In Use
IMAGE ID DISK USAGE CONTENT SIZE EXTRA
mysql:latest 893418c8a7a3 1.29GB 289MB
wordpress:latest 81a34254acaa 1.12GB 284MB U
root@ip-172-31-7-61:~# docker run -itd --name mysqlcontainer -p "8060:80" ^C
root@ip-172-31-7-61:~# docker run -itd --name mysqlcontainer -p "8060:80" mysql
725d1e8473623eaec84eca96f734fe9a9e7ca41db3fa56e740d18c479e86840d
root@ip-172-31-7-61:~# docker ps
CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS
NAMES
67eb67e77e4c wordpress "docker-entrypoint.s…" 7 minutes ago Up 7 minutes 0.0.0.0:8050->80/tcp, [::]:8050->80/tcp
wordpresscontainer
root@ip-172-31-7-61:~# docker ps -a
CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS
NAMES
725d1e847362 mysql "docker-entrypoint.s…" 45 seconds ago Exited (1) 43 seconds ago
mysqlcontainer
67eb67e77e4c wordpress "docker-entrypoint.s…" 8 minutes ago Up 8 minutes 0.0.0.0:8050->80/tcp, [::]:
8050->80/tcp wordpresscontainer
root@ip-172-31-7-61:~# ^C
root@ip-172-31-7-61:~# docker logs 725d1e847362
2026-10-14 11:35:06+00:00 [Note] [Entrypoint]: Entrypoint script for MySQL Server 26.7.0-1.el9 started.
2026-10-14 11:35:06+00:00 [Note] [Entrypoint]: Switching to dedicated user 'mysql'
2026-10-14 11:35:06+00:00 [Note] [Entrypoint]: Entrypoint script for MySQL Server 26.7.0-1.el9 started.
2026-10-14 11:35:06+00:00 [ERROR] [Entrypoint]: Database is uninitialized and password option is not specified
You need to specify one of the following as an environment variable:
- MYSQL_ROOT_PASSWORD
- MYSQL_ALLOW_EMPTY_PASSWORD
- MYSQL_RANDOM_ROOT_PASSWORD
root@ip-172-31-7-61:~# docker rm mysqlcontainer
mysqlcontainer
root@ip-172-31-7-61:~# docker ps -a
CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS
NAMES
67eb67e77e4c wordpress "docker-entrypoint.s…" 11 minutes ago Up 11 minutes 0.0.0.0:8050->80/tcp, [::]:8050->80/tcp
wordpresscontainer
root@ip-172-31-7-61:~# docker run -itd --name mysqlcontainer -e MYSQL_ROOT_PASSWORD='sql@123' -p "8060:3306" mysql
084269b9a55de45b462e908fc1f1e618137b10590affd2c512d231d10c9519ce
root@ip-172-31-7-61:~# docker ps -a
CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS
NAMES


root@ip-172-31-7-61: ~
mysqlcontainer
67eb67e77e4c wordpress "docker-entrypoint.s…" 8 minutes ago Up 8 minutes 0.0.0.0:8050->80/tcp, [::]:
8050->80/tcp wordpresscontainer
root@ip-172-31-7-61:~# ^C
root@ip-172-31-7-61:~# docker logs 725d1e847362
2026-10-14 11:35:06+00:00 [Note] [Entrypoint]: Entrypoint script for MySQL Server 26.7.0-1.el9 started.
2026-10-14 11:35:06+00:00 [Note] [Entrypoint]: Switching to dedicated user 'mysql'
2026-10-14 11:35:06+00:00 [Note] [Entrypoint]: Entrypoint script for MySQL Server 26.7.0-1.el9 started.
2026-10-14 11:35:06+00:00 [ERROR] [Entrypoint]: Database is uninitialized and password option is not specified
You need to specify one of the following as an environment variable:
- MYSQL_ROOT_PASSWORD
- MYSQL_ALLOW_EMPTY_PASSWORD
- MYSQL_RANDOM_ROOT_PASSWORD
root@ip-172-31-7-61:~# docker rm mysqlcontainer
mysqlcontainer
root@ip-172-31-7-61:~# docker ps -a
CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS
NAMES
67eb67e77e4c wordpress "docker-entrypoint.s…" 11 minutes ago Up 11 minutes 0.0.0.0:8050->80/tcp, [::]:8050->80/tcp
wordpresscontainer
root@ip-172-31-7-61:~# docker run -itd --name mysqlcontainer -e MYSQL_ROOT_PASSWORD='sql@123' -p "8060:3306" mysql
084269b9a55de45b462e908fc1f1e618137b10590affd2c512d231d10c9519ce
root@ip-172-31-7-61:~# docker ps -a
CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS
NAMES
084269b9a55d mysql "docker-entrypoint.s…" 6 seconds ago Up 5 seconds 33060/tcp, 0.0.0.0:8060->3306/tcp, [::]
:8060->3306/tcp mysqlcontainer
67eb67e77e4c wordpress "docker-entrypoint.s…" 14 minutes ago Up 14 minutes 0.0.0.0:8050->80/tcp, [::]:8050->80/tcp
wordpresscontainer
root@ip-172-31-7-61:~# docker exec -it mysqlcontainer mysql -u root -p
Enter password:
Welcome to the MySQL monitor. Commands end with ; or \g.
Your MySQL connection id is 9
Server version: 26.7.0 MySQL Community Server - GPL
Copyright (c) 2000, 2026, Oracle and/or its affiliates.
Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
mysql> create database afshaan_table1;
Query OK, 1 row affected (0.010 sec)
mysql>
mysql>
mysql>


eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#SecurityGroup:securityGroupId=sg-052f41bec0080ca90
Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to Settings.
Search [Alt+S] Ask Amazon Q
Europe (Stockholm)
AfshaanFathima (413702076464)
AfshaanFathima
EC2 > Security Groups > sg-052f41bec0080ca90
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Details
Security group name
launch-wizard-3
Security group ID
sg-052f41bec0080ca90
Description
launch-wizard-3 created 2026-10-14T10:42:32.550Z
VPC ID
vpc-046dce7f6d6fbc08a
Owner
413702076464
Inbound rules count
4 Permission entries
Outbound rules count
1 Permission entry
Inbound rules
Outbound rules
Sharing
VPC associations
Related resources - new
Tags
Inbound rules (4)
Manage tags
Edit inbound rules
Search
Name
Security group rule ID
IP version
Type
Protocol
Port range
– sgr-000879e13fe246479 IPv4 Custom TCP TCP 8050
– sgr-0abb587fe0cfacb02 IPv4 SSH TCP 22
– sgr-0d7ed8e0d2bf8d58d IPv4 HTTP TCP 80
– sgr-0c083922133aaa106 IPv4 HTTPS TCP 443
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Not secure
16.171.69.147:8050/wp-admin/setup-config.php
Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to Settings.
Select a default language
English (United States)
Afrikaans
አማርኛ
Aragonés
العربية
العربية المغربية
অসমীয়া
گؤنئی آذربایجان
Azərbaycan dili
Беларуская мова
Български
বাংলা
Bosanski
Català
Català (Valencià)
Cebuano
Čeština
Cymraeg
Dansk
Deutsch (Österreich)