



**UDHNACITIZEN COMMERCE COLLEGE & S.P.B COLLEGE OF BUSINESS
ADMINISTATRATION&SMT.DIWALIBENHAR GONDALIA COLLEGE OF BCA AND
I.T.**

Bachelor of computer application (BCA)

Programme



Major Project Report

BCA Sem – 6

Year : 2025 -2026

Class : TYBCA – F

Group No :- F-24

Project Title : Clothes On Rental Service System

Submitted By

Seat No	Name of Student
4114	Mohammed Aftab Amreliwala

Project Guided By :-

 **Shafika Kolia**



Chapter No.	Chapter Name	Page No.
1.	Introduction	3
2.	Project Objectives	4
3.	System Overview	5
	3.1 Customer Experience	
	3.2 Administrative Control	
4.	Admin Panel Modules	6
	4.1 Admin Side	
5.	User Side Modules	
	5.1 User Side	
6.	Key Features	7
7.	Data base Design	8-10
	7.1 System Architecture	
	7.2 Module Description	
	7.3 Data Flow Description	
8.	Coding	15-44
	9.1 BackEnd Code (Php, PhpMyAdmin)	
	9.2 Admin (HTML, CSS, PHP)	
	9.3 FrontEnd (HTML, CSS, Javascript and PHP)	
9.	Future Enhancements & Conclusion	45



1. Introduction

Elite Shoppy serves as a complete web-based system for browsing and renting high-quality clothes for special occasions and celebrations. The platform connects fashion-conscious users with premium brands, allowing them to wear designer labels without a long-term financial commitment. This model promotes sustainable fashion by reducing waste and unnecessary purchases:

- **Frontend:** HTML, CSS, JavaScript and Bootstrap
- **Backend:** PHP.
- **Database:** PHPmyadmin.

The application is divided into two main modules:

- 1. Admin Module** - 3 used by the administrator to manage categories, products, Subcategories and Brands.
- 2. User Module** - 3 used by customers to register, login, browse categories, view products and purchase items.



2. Project Objective

The system was designed with the following primary goals:

- **Simplified Rental Process:** Creating an intuitive system that eliminates the complexity of traditional rental methods.
- **Affordable Brand Access:** Democratizing fashion by providing access to premium brands at a lower cost.
- **Sustainable Fashion:** Contributing to environmental sustainability through clothing reuse.
- **Efficient Management:** Providing administrators with a comprehensive tool for managing inventory and orders.



3. System Overview

Customer Experience

The user interface is designed for ease of use, featuring high-quality images and detailed specifications.

- Browse collections by categories and brands.
- Filter products and view detailed sizing and rental rates.
- Select flexible rental periods and complete a secure checkout.
- Track order and delivery status.

Administrative Control

The admin panel offers a centralized dashboard for complete oversight of operations.

- Manage product catalogs, inventory, and user accounts.
- Organize categories, subcategories, and brands.
- Monitor system performance and manage data security.



4. Admin Panel Modules

The dashboard consists of four interconnected modules:

- **Category:** Establishes the main hierarchy (e.g., Men, Women, Formal Attire).
- **Sub Category:** Provides specific subdivisions (e.g., Shirts, Jackets, Dresses).
- **Brand:** Maintains a list of available designer labels (e.g., Zara, Armani, Gucci).
- **Product:** Manages individual items, including images, pricing, and availability.
- **Authentication :** To incorporate the Login and Registration processes into your documentation.

Brand Module:-

The screenshot shows the 'Add Brand' form in the Elite Shoppy admin panel. The form is titled 'Brand Information' and contains the following fields:

- Brand Name:** A text input field with the placeholder 'Enter brand name'.
- Brand Logo:** A file upload section with a 'Choose File' button and the text 'No file chosen'. Below it, it states 'Supported formats: JPG, PNG, GIF, Max size: 2MB'.
- Status:** A dropdown menu currently set to 'Active'.

At the bottom of the form are two buttons: 'Submit' (in green) and 'Reset' (in grey).

The screenshot shows the 'View Brands' page in the Elite Shoppy admin panel. It displays a table of all brands with the following data:

ID	Brand Name	Logo	Status	Actions
2	Adidas		Active	Edit Delete

Below the table, it indicates 'Total brands: 1'. There is also an '+ Add New' button in the top right corner of the table area.



Category Modules:-

Elite Shoppy Search... English 4 1 Thomson

Main

- Dashboard 9+
- Brand >
- Category** >
 - Add Category**
 - View Category
- Sub Category >
- Product >
- Authentication >

Add Category

Category Information

Category Name

Category Photo

Choose File No file chosen

Upload JPG, PNG, or GIF

Status

Active

Save Category **Reset**

Elite Shoppy Search... English 4 1 Thomson

Main

- Dashboard 9+
- Brand >
- Category** >
 - Add Category
 - View Category**
- Sub Category >
- Product >
- Authentication >

View Categories

All Categories + Add New

ID	Category Name	Photo	Status	Actions
13	Womens Wear		Active	Edit Delete
12	MenWears		Active	Edit Delete
11	Fashion		Active	Edit Delete

Total categories: 3



SubCategory Modules:-

Elite Shoppay

Search...

English

Thomson

Main

Dashboard

Brand

Category

Sub Category

Add Sub Category

View Sub Category

Product

Authentication

Add Sub Category

Sub Category Information

Select Category

Sub Category Name

Description

Sub Category Photo

Status

Save Sub Category

Reset

Elite Shoppay

Search...

English

Thomson

Main

Dashboard

Brand

Category

Sub Category

Add Sub Category

View Sub Category

Product

Authentication

View Sub Categories

All Sub Categories

ID	Category	Sub Category Name	Description	Photo	Status	Actions
2	MenWears	Wedding Clothes	sdbdsbjsjdbjsjd		Active	Edit Delete
1	Fashion	Clothes	this is Cothes of mens		Active	Edit Delete

Total sub categories: 2



Product Modules:-

Elite Shoppy Search... English Thomson

Main

- Dashboard 9%
- Brand >
- Category >
- Sub Category >
- Product** >
 - Add Product**
 - View Product
- Authentication >

Add Product

Product Information

Select Category
-- Select Category --

Select Sub Category
-- Select Sub Category --

Select Brand
-- Select Brand --

Product Name

Product Description

Quantity

price

Elite Shoppy Search... English Thomson

Main

- Dashboard 9%
- Brand >
- Category >
- Sub Category >
- Product** >
 - Add Product
 - View Product**
- Authentication >

View Products

All Products + Add New

ID	Photo	Product Name	Brand ID	Qty	price	Status	Actions
3		fiasasiastax	2	1	\$450.00	Active	Edit Delete
2		asasas	2	2	\$2,888.00	Active	Edit Delete
1		thirt	2	15	\$500,000.00	Active	Edit Delete

Total products: 3



Authentication Modules :-

Login Page :-

Sign In

Enter your email address and password to access account.

Email address

Enter your email

Password [Forgot your password?](#)

Enter your password

☐ Remember me

[Log In](#)

Sign in with

[Facebook](#) [Google](#) [Twitter](#) [GitHub](#)

Sign Up Page :-

Free Sign Up

Enter your email address and password to access account.

Full Name

Enter your name

Email address

Enter your email

Password

Enter your password

☐ I accept Terms and Conditions

Sign Up

Sign in with

Facebook Google Twitter GitHub

Already have account? [Log In](#)

5. User Side Modules

The User Side (Front-end) is designed to provide a seamless and engaging shopping experience, allowing customers to access high-end fashion easily.

- **User Registration & Login:** A secure entry point for users to create accounts, manage profiles, and save their rental history.
- **Product Browsing & Discovery:** An interactive catalog where users can explore collections filtered by categories (Men/Women), sub-categories, and specific brands.
- **Advanced Search & Filters:** Tools to sort clothing by size, price range, and availability to find the perfect outfit quickly.
- **Product Detail View:** Comprehensive pages showing high-resolution images, fabric details, rental terms, and pricing.
- **Rental Cart & Checkout:** A streamlined process for selecting rental dates, calculating total costs, and confirming orders.
- **Order Tracking:** A personal dashboard for users to monitor the status of their current rentals and view past transactions.

User Login page:-



Sign In Sign Up Home Call : 01234567898 info@dressify.com

SIGN IN NOW

Name

Email

Password [Forgot Password?](#)

SIGN IN

[f](#) [t](#) [i](#) [in](#)

Don't have an account? [Register here](#)



Elite Shoppy
STYLE · RENT · REPEAT

User Registration Page :-

SIGN UP NOW

First Name Last Name

Email Address

Phone Number

Password Confirm Password

Gender

☐ I agree to the [Terms & Conditions](#) and [Privacy Policy](#) of Dressify

CREATE ACCOUNT


[f](#) [t](#) [i](#) [in](#)

Already have an account? [Sign In](#)





Elite Shoppy
STYLE · RENT · REPEAT

Products :-




User Category :-





Add to Cart Process :-



6. Key Features

The platform uses industry-standard technologies for reliability and scalability:

- **Frontend:** HTML (Structure), CSS (Presentation), JavaScript (Interactivity), and Bootstrap (Responsive Design).
- **Backend:** PHP (Business logic and data processing).
- **Database:** MySQL (Data storage) and phpMyAdmin (Database administration).

7. Database Design

7.1 Database Description

1. Category

Fields:-

- ❑ **_id 3 Objectid (Primary Key)**
- ❑



- name 3 String (Category name)

2. Product

Fields:-

- _id 3 Objectid (Primary Key)
 - name 3 String
 - description 3 String
 - quantity 3 Number
 - rate 3 Number
- category 3 Objectid (Reference to Category)
- photo 3 String (file path of uploaded image)
- createdAt 3 Date

3. User

Fields:-

- _id 3 Objectid
- name 3 String
- email / username 3 String
- password 3 String (encrypted or plain for demo)

8. Coding

8.1 Backend Code (Php):-

```
const express = require('express');
```

```
const mongoose =
```

```
require('mongoose'); const cors =
```

```
require('cors'); const multer =
```



```
require('multer'); const path =
require('path');

const app = express(); app.use(cors());
app.use(express.json()); app.use('/uploads',
express.static('uploads'));

// ===== MongoDB =====
mongoose.connect('mongodb://127.0.0.1:27017/automobile')
.then(() => console.log('MongoDB Connected'))
.catch(err => console.error('MongoDB Error:', err));

// ===== Schemas ===== const CategorySchema =
new mongoose.Schema({
  categoryId: String,
  categoryName: String, photo:
String
});
const Category = mongoose.model('Category', CategorySchema);

const ProductSchema = new mongoose.Schema({
  category: String,
  pname: String,
  pdesc: String,
  price: Number,
```



```
qty: Number,
date: String,
photo: String
});

const Product = mongoose.model('Product', ProductSchema);

// ===== Multer =====
const storage =
multer.diskStorage({ destination: 'uploads/', filename:
(req, file, cb) => { cb(null, Date.now() +
path.extname(file.originalname));
} });
const upload = multer({ storage });

// ===== CATEGORY APIs =====

// Add Category app.post('/api/category', upload.single('photo'),
async (req, res) => {
  try {
    await Category.create({ categoryId:
req.body.categoryId, categoryName:
req.body.categoryName,
photo: req.file ? req.file.filename : ''
});
    res.json({ message: 'Category Added' });
  }
}
```



```
    } catch (err) { res.status(500).json({ error:
err.message });
    }
  });
```

```
// Get All Categories app.get('/api/category',
async (req, res) => {
  try {
    const data = await Category.find();
    res.json(data); } catch (err) {
    res.status(500).json({ error: err.message });
  }
});
```

```
// Delete Category app.delete('/api/category/:id',
async (req, res) => {
  try {
    await Category.findByIdAndDelete(req.params.id);
    res.json({ message: 'Category Deleted' });
  } catch (err) { res.status(500).json({ error:
err.message });
  }
});
```



```
// Update Category app.put('/api/category/:id',
async (req, res) => {
  try {
    await Category.findByIdAndUpdate(req.params.id, {
categoryId: req.body.categoryId,    categoryName:
req.body.categoryName
    });
    res.json({ message: 'Category Updated' });
  } catch (err) {    res.status(500).json({ error:
err.message });
  }
});

// ===== PRODUCT APIs =====

// Add Product app.post('/api/product', upload.single('photo'),
async (req, res) => {
  try {
    console.log('📥 Incoming product data:', req.body);
    console.log('📁 File:', req.file);

    const newProduct = await Product.create({
category: req.body.category,    pname:
req.body.pname,    pdesc: req.body.pdesc,
price: Number(req.body.price),    qty:
```



```
Number(req.body.qty),    date:
req.body.date,    photo: req.file ?
req.file.filename : ''
    });

    console.log('Product saved:', newProduct);    res.json({
message: 'Product Added', product: newProduct });

    } catch (err) {    console.error('Error saving
product:', err);    res.status(500).json({ error:
err.message });
    }
    });

// Get All Products

app.get('/api/product', async (req, res) => {
    try {
        const products = await Product.find();    console.log(`
Returning ${products.length} products`);
        res.json(products);    } catch (err) {    res.status(500).json({
error: err.message });
    }
    });

// Delete Product app.delete('/api/product/:id',
async (req, res) => {
```



```
try {  
    await Product.findByIdAndDelete(req.params.id);  
    res.json({ message: 'Product Deleted' });  
  } catch (err) {  
    res.status(500).json({ error:  
err.message });  
  }  
});  
  
// ===== Server ===== app.listen(3000, () => console.log('🚀 Server running on  
http://localhost:3000'));
```

8.2 Frontend (Admin –PHP and PhpMyadmin):-

```
import { Component } from '@angular/core'; import { RouterLink,  
RouterOutlet, RouterLinkActive } from '@angular/router'; import {  
CommonModule } from '@angular/common';  
  
@Component({  
  selector: 'app-root', standalone: true, imports: [CommonModule,  
RouterLink, RouterOutlet, RouterLinkActive], template: `  
  <div class="dashboard">  
  
    <!-- Sidebar -->
```



```
<aside class="sidebar">

  <div class="sidebar-header">

    <div class="logo-icon">A</div>

    <h2>Admin Panel</h2>

  </div>

  <nav>

    <div class="nav-section-label">Account</div>

    <a routerLink="/login" routerLinkActive="active">

      <span class="nav-icon">🔑</span> Login

    </a>

    <a routerLink="/register" routerLinkActive="active">

      <span class="nav-icon">👤</span> Register

    </a>

    <div class="nav-section-label">Management</div>

    <!-- CATEGORY -->

    <div class="menu-group">

      <div class="menu-title" (click)="toggleCategory()" [class.open]="showCategory">

        <span class="nav-icon">📁</span>

        Category

        <span class="chevron">{{ showCategory ? '▼' : '▶' }}</span>

      </div>
```



```
<div class="submenu-wrapper" [class.visible]="showCategory">

  <a routerLink="/category/add" class="submenu">

    <span class="submenu-dot"></span> Add Category

  </a>

  <a routerLink="/category/view" class="submenu">

    <span class="submenu-dot"></span> View Category

  </a>

</div>

</div>

<!-- PRODUCT -->

<div class="menu-group">

  <div class="menu-title" (click)="toggleProduct()" [class.open]="showProduct">

    <span class="nav-icon"><img alt="Gift icon" data-bbox="388 501 405 518"/></span>

    Product

    <span class="chevron">{{ showProduct ? '▼' : '▶' }}</span>

  </div>

  <div class="submenu-wrapper" [class.visible]="showProduct">

    <a routerLink="/product/add" class="submenu">

      <span class="submenu-dot"></span> Add Product

    </a>

    <a routerLink="/product/view" class="submenu">

      <span class="submenu-dot"></span> View Product

    </a>

  </div>

</div>
```



```
</div>
```

```
</nav>
```

```
<div class="sidebar-footer">
```

```
<div class="sidebar-footer-avatar">AD</div>
```

```
<div class="sidebar-footer-info">
```

```
<span class="sidebar-footer-name">Admin User</span>
```

```
<span class="sidebar-footer-role">Super Admin</span>
```

```
</div>
```

```
</div>
```

```
</aside>
```

```
<!-- Main Content -->
```

```
<main class="main-content">
```

```
<header class="topbar">
```

```
<div class="topbar-left">
```

```
<h1>Dashboard</h1>
```

```
<span class="breadcrumb">/ Overview</span>
```

```
</div>
```

```
<div class="topbar-right">
```

```
<div class="topbar-badge">● Live</div>
```

```
<div class="topbar-date">{{ today }}</div>
```

```
</div>
```

```
</header>
```



```
<section class="content">

  <router-outlet></router-outlet>

</section>

</main>

</div>
`,
styles: [`

  @import
url('https://fonts.googleapis.com/css2?family=DM+Sans:wght@300;400;500;600&family=
Syne:wght@600;700&display=swap');

:host {

  --sidebar-bg: #0d1117;

  --sidebar-border: #21262d;

  --sidebar-text: #8b949e;

  --sidebar-text-hover: #f0f6fc;

  --accent: #f59e0b;

  --accent-glow: rgba(245, 158, 11, 0.15);

  --active-bg: rgba(245, 158, 11, 0.12);

  --nav-hover: rgba(240, 246, 252, 0.06);

  --main-bg: #f6f8fa;

  --topbar-bg: #ffffff;

  --text-primary: #1c2333;

  --text-muted: #6e7681;
```



```
--radius: 10px;  
  
--font-body: 'DM Sans', sans-serif;  
  
--font-display: 'Syne', sans-serif;  
  
}
```

```
.dashboard {  
display: flex;  
height: 100vh;  
font-family: var(--  
font-body);  
background: var(-  
-main-bg);  
overflow:  
hidden;  
}
```

```
/* ===== SIDEBAR ===== */  
  
.sidebar { width: 256px; min-width:  
256px; background: var(--sidebar-bg);  
border-right: 1px solid var(--sidebar-border);  
display: flex; flex-direction: column;  
padding: 0; overflow: hidden;  
}
```



```
.sidebar-header {  display: flex;  align-items: center; gap: 12px; padding: 24px 20px 20px; border-bottom: 1px solid var(--sidebar-border);  
  }  
  
  .logo-icon {  width: 34px;  height: 34px;  border-radius: 8px;  background: linear-gradient(135deg, var(--accent), #d97706);  
  
    display: flex;  align-items: center; justify-content: center;  font-family: var(--font-display);  font-size: 16px;  font-weight: 700;  color: #0d1117;  box-shadow: 0 0 12px var(--accent-glow);  
  
    flex-shrink: 0;  
  }  
  
  .sidebar h2 {  margin: 0;  font-family: var(--font-display);  font-size: 15px; font-weight: 700;  color: #f0f6fc;  letter-spacing: 0.3px;  
  }  
  
  nav {  flex: 1;  padding: 16px 12px;  overflow-y: auto;
```



```
}
```

```
nav::-webkit-scrollbar { width: 4px; } nav::-webkit-scrollbar-track { background:
transparent; } nav::-webkit-scrollbar-thumb { background: var(--sidebar-border);
border-radius: 4px; }
```

```
.nav-section-label {
font-size: 10px; font-
weight: 600; letter-
spacing: 1.2px; text-
transform: uppercase;
color: #484f58; padding:
14px 10px 6px;
}
```

```
nav a { display: flex;
align-items: center;
gap: 10px; padding:
9px 12px; margin-
bottom: 2px; color:
var(--sidebar-text);
text-decoration:
none; border-
radius: var(--radius);
font-size: 14px;
```



font-weight: 400;

transition:

background 0.15s

ease, color 0.15s

ease; position:

relative;

}

```
nav a:hover {    background:
var(--nav-hover);    color: var(--
sidebar-text-hover);
}
```

```
nav a.active {    background:
var(--active-bg);    color: var(--
accent);    font-weight: 500;
}
```

```
nav a.active::before {
content: "";    position:
absolute;

    left:    0;

top:    50%;

transform:
translateY(-
```



50%); width:

3px;

height: 60%;

background:

var(--accent);

border-radius:

0 3px 3px 0;

}

.nav-icon { font-

size: 15px; width:

20px; text-align:

center; flex-shrink:

0;

}

/* ===== MENU GROUPS ===== */

.menu-group { margin-bottom:

2px;

}

.menu-title { display:

flex; align-items: center;

gap: 10px; padding: 9px

12px; color: var(--sidebar-



```
text); border-radius: var(--  
radius); font-size: 14px;  
font-weight: 400;  
cursor: pointer;  
transition: background  
0.15s ease, color 0.15s  
ease;    user-select: none;  
}
```

```
.menu-title:hover {  
background:    var(--nav-hover);  
color: var(--sidebar-text-hover);  
}
```

```
.menu-title.open {    color:  
var(--sidebar-text-hover);  
background: var(--nav-hover);  
}
```

```
.chevron {    margin-left: auto;  
font-size: 11px; color: #484f58;  
transition: transform 0.2s ease;  
}
```



```
.submenu-wrapper { max-height:
0;    overflow: hidden;
transition: max-height 0.25s ease;
}
```

```
.submenu-wrapper.visible {    max-
height: 200px;
}
```

```
nav a.submenu {
padding-left: 42px;
font-size: 13.5px;
color: #6e7681;
margin-bottom: 1px;
}
```

```
nav a.submenu:hover {    color:
var(--sidebar-text-hover);
}
```

```
.submenu-dot {
width: 5px; height:
5px; border-radius:
50%; background:
#484f58;
```



```
flex-shrink: 0; margin-  
right: 4px;  
}  
  
/* ===== SIDEBAR FOOTER ===== */  
  
.sidebar-footer { display: flex; align-  
items: center; gap: 10px; padding: 16px  
20px; border-top: 1px solid var(--sidebar-  
border);  
}  
  
.sidebar-footer-avatar { width: 32px; height: 32px;  
border-radius: 50%; background: linear-  
gradient(135deg, #3b82f6, #6366f1);  
color: #fff; font-size:  
11px; font-weight:  
600; display: flex; align-  
items: center; justify-  
content: center; flex-  
shrink: 0;  
}  
  
.sidebar-footer-info {  
display: flex; flex-
```



```
direction: column;    gap:
```

```
1px;
```

```
}
```

```
.sidebar-footer-name {
```

```
font-size: 13px;    font-
```

```
weight: 500;    color:
```

```
#c9d1d9;
```

```
}
```

```
.sidebar-footer-role {
```

```
font-size: 11px;
```

```
color: #484f58;
```

```
}
```

```
/* ===== MAIN CONTENT ===== */
```

```
.main-content {
```

```
flex: 1;
```

```
background: var(--main-bg); display:
```

```
flex;
```

```
flex-direction: column; min-
```

```
width: 0;
```

```
}
```

```
/* ===== TOPBAR ===== */
```



```
.topbar { background: var(--topbar-bg);  
padding: 0 28px; height: 62px;  
display: flex; align-items: center;  
justify-content: space-between; border-  
bottom: 1px solid #e5e9ef; box-shadow:  
0 1px 3px rgba(0, 0, 0, 0.04); flex-shrink:  
0;  
}
```

```
.topbar-left {  
display: flex; align-  
items: baseline; gap:  
8px;  
}
```

```
.topbar h1 {  
margin: 0; font-  
family: var(--font-  
display); font-size:  
20px; font-  
weight: 700;  
color: var(--text-  
primary);  
letter-spacing: -  
0.3px;
```



```
}
```

```
.breadcrumb { font-size: 14px; color: var(--text-muted); font-weight: 400; }
```

```
.topbar-right { display: flex; align-items: center; gap: 16px; }
```

```
.topbar-badge { font-size: 12px; font-weight: 600; color: #16a34a; background: #dcfce7; padding: 3px 10px; border-radius: 20px; letter-spacing: 0.4px; }
```



```
.topbar-date {  font-  
size: 13px;  color: var(--  
text-muted);  
}
```

```
/* ===== CONTENT ===== */  
.content {  
padding: 28px;  
flex: 1;  
overflow-y: auto;  
}
```

```
.content::-webkit-scrollbar { width: 5px; }  
.content::-webkit-scrollbar-track { background: transparent; }  
.content::-webkit-scrollbar-thumb { background: #d1d5db; border-radius: 4px; }  
`]  
})
```

```
export class App {
```

```
  today = new Date().toLocaleDateString('en-US', { weekday: 'short', month: 'short', day:  
  'numeric' });
```

```
  showCategory = false;
```

```
  showProduct = false;
```



```
toggleCategory() {  this.showCategory =  
!this.showCategory;  this.showProduct =  
false;  
}
```

```
toggleProduct() {  this.showProduct =  
!this.showProduct;  this.showCategory  
= false;  
}  
}
```

8.3 Frontend (User – HTML and CSS):-

```
<header class="header">  
  
  <!-- Top Bar: Logo | Search | Icons -->  
  
  <div class="header-top">  
  
    <div class="container">  
  
      <div class="header-top-inner">  
  
  
  
  
        <!-- Logo -->
```



<!-- Logo -->

```

```

<!-- Search Bar -->

```
<div class="search-bar">

  <input type="text" placeholder="Search the store" class="search-input" />

  <button class="search-btn">

    <svg xmlns="http://www.w3.org/2000/svg" width="18" height="18" viewBox="0 0
24 24" fill="none"

      stroke="currentColor" stroke-width="2.5" stroke-linecap="round" stroke-
linejoin="round">

        <circle cx="11" cy="11" r="8"></circle>

        <line x1="21" y1="21" x2="16.65" y2="16.65"></line>

      </svg>

    </button>

  </div>
```

<!-- Header Icons: Sign In | Wish Lists | Cart | Social -->



```
<div class="header-icons">
```

```
<a routerLink="/login" class="icon-link">
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="22" height="22" viewBox="0 0 24 24" fill="none"
```

```
stroke="currentColor" stroke-width="1.8" stroke-linecap="round" stroke-linejoin="round">
```

```
<path d="M20 21v-2a4 4 0 0 0-4-4H8a4 4 0 0 0-4-4v2"></path>
```

```
<circle cx="12" cy="7" r="4"></circle>
```

```
</svg>
```

```
<span class="icon-label"><small>Hello</small><br />Sign In</span>
```

```
</a>
```

```
<a routerLink="/wishlist" class="icon-link">
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="22" height="22" viewBox="0 0 24 24" fill="none"
```

```
stroke="currentColor" stroke-width="1.8" stroke-linecap="round" stroke-linejoin="round">
```

```
<path
```

```
d="M20.84 4.61a5.5 5.5 0 0 0-7.78 0L12 5.67l-1.06-1.06a5.5 5.5 0 0 0-7.78 7.78l1.06 1.06L12 21.23l7.78-7.78 1.06-1.06a5.5 5.5 0 0 0-7.78z">
```

```
</path>
```

```
</svg>
```

```
<span class="icon-label">Wish<br />Lists</span>
```

```
</a>
```

```
<a routerLink="/cart" class="icon-link cart-link">
```

```
<div class="cart-icon-wrap">
```



```
<svg xmlns="http://www.w3.org/2000/svg" width="22" height="22" viewBox="0 0 24 24" fill="none">
```

```
stroke="currentColor" stroke-width="1.8" stroke-linecap="round" stroke-linejoin="round">
```

```
<circle cx="9" cy="21" r="1"></circle>
```

```
<circle cx="20" cy="21" r="1"></circle>
```

```
<path d="M1 1h4l2.68 13.39a2 2 0 0 2 1.61h9.72a2 2 0 0 2 -1.61L23 6H6"></path>
```

```
</svg>
```

```
<span class="cart-count">0</span>
```

```
</div>
```

```
<span class="icon-label">Cart</span>
```

```
</a>
```

```
<!-- Social Icons -->
```

```
<div class="social-icons">
```

```
<a href="#" class="social-link" aria-label="Facebook">
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="18" height="18" viewBox="0 0 24 24" fill="currentColor">
```

```
<path d="M18 2h-3a5 5 0 0 0 5 5v3H7v4h3v8h4v-8h3l1-4h-4V7a1 1 0 0 1 1 1h3z"></path>
```

```
</svg>
```

```
</a>
```

```
<a href="#" class="social-link" aria-label="Instagram">
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="18" height="18" viewBox="0 0 24 24" fill="none">
```

```
stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round">
```



```
<rect x="2" y="2" width="20" height="20" rx="5" ry="5"></rect>

<path d="M16 11.37A4 4 0 1 1 12.63 8 4 4 0 0 1 16 11.37z"></path>

<line x1="17.5" y1="6.5" x2="17.51" y2="6.5"></line>

</svg>

</a>

<a href="#" class="social-link" aria-label="Location">

  <svg xmlns="http://www.w3.org/2000/svg" width="18" height="18" viewBox="0 0
24 24" fill="none"

    stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-
linejoin="round">

      <path d="M21 10c0 7-9 13-9 13s-9-6-9-13a9 9 0 0 1 18 0z"></path>

      <circle cx="12" cy="10" r="3"></circle>

    </svg>

  </a>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

<!-- Bottom Nav Bar: Category + Navigation Links -->

<div class="header-nav">

  <div class="container">

    <div class="nav-inner">
```



```
<!-- Category Dropdown Button -->

<button class="category-btn" (click)="toggleMenu()">

  <span class="hamburger-icon">

    <span class="bar"></span>

    <span class="bar"></span>

  <span class="bar"></span>

  </span>

  <span>Category</span>

  <svg xmlns="http://www.w3.org/2000/svg" width="14" height="14" viewBox="0 0
24 24" fill="none"

    stroke="currentColor" stroke-width="2.5" stroke-linecap="round" stroke-
linejoin="round">

    <polyline points="6 9 12 15 18 9"></polyline>

  </svg>

</button>

<!-- Navigation Links -->

<nav class="nav-links" [class.active]="isMenuOpen">

  <a routerLink="/home" routerLinkActive="active" (click)="isMenuOpen =
false">Home</a>

  <a routerLink="/about" routerLinkActive="active" (click)="isMenuOpen =
false">About Us</a>

  <a routerLink="/contact" routerLinkActive="active" (click)="isMenuOpen =
false">Contact Us</a>

  <a routerLink="/shop" routerLinkActive="active" (click)="isMenuOpen =
false">Shop</a>

</nav>
```



```
</div>  
</div>  
</div>  
</header>
```

9. Conclusion

The Clothes On Rental Service System Website successfully demonstrates the implementation of a full stack web application using React, Node.js, Express and MongoDB. The system achieves its objective of providing a basic but functional e-commerce platform with admin and user modules. The project enhanced practical knowledge of JavaScript frameworks, REST APIs, database connectivity and deployment considerations

10. Future Enhancements

- **Payment Gateway Intergration** ○ Integration of secure online payment gateway.
- **Role-Based Authentication** ○ Role-based authentication and JWT security
- **Notification** ○ Email / SMS notification to customers.
- **Admin Analytics** ○ Admin analytical dashboard with charts and reports.



11. References

- 📖 ReactJS Official Documentation 3 reactjs.org 📖 Node.js & Express Documentation 3 nodejs.org, expressjs.com
- MongoDB & Mongoose Documentation 3 mongodb.com, mongoosejs.com .
 - Online tutorials and blogs on full stack MERN development.
 - W3Schools and StackOverflow for syntax reference and problem solving.

Thank You..