MINISTRY OF EDUCATION, CULTURE AND RESEARCH
OF THE REPUBLIC OF MOLDOVA
Technical University of Moldova
Faculty of Computers, Informatics and Microelectronics
Department of Software Engineering and Automation

Report

on laboratory work no. 2

of Cryptography and Security

Topic: Cryptanalysis of Monoalphabetic Ciphers

Done by: st. gr. FAF-243, Augustin Carazanu
Checked by: *assist. univ. Maia Zaica*
FCIM, UTM

Chișinău – 2026

Purpose of the work

The purpose of this laboratory work is to break a monoalphabetic substitution cipher with a frequency-analysis attack. The intercepted message (variant 3) is known to be English text in which only the letters were encrypted; spaces, digits and punctuation were left as they are. As required by the lab sheet, the whole attack was carried out with the online tool “Frequency Analysis: Breaking the Code” from Crypto Corner (https://crypto.interactive-maths.com/frequency-analysis-breaking-the-code.html), and every step is documented with a screenshot of the tool.

1. Short theory

In a monoalphabetic cipher every plaintext letter is always replaced by the same ciphertext letter. The substitution hides the letters, but not their frequencies: the most frequent symbol in the ciphertext is very probably the image of one of the most frequent letters of the language. For English the frequencies are given in Table 1.1.

Table 1.1 – Letter frequencies of the English language, %

Letter	A	B	C	D	E	F	G	H	I	J	K	L	M
%	8.17	1.49	2.78	4.25	12.70	2.23	2.01	6.09	6.97	0.15	0.77	4.03	2.41

Letter	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
%	6.75	7.51	1.93	0.09	5.99	6.33	9.06	2.76	0.98	2.36	0.15	1.97	0.07

Replacing the letters only by their rank in this table almost never gives the plaintext directly, because a particular text does not follow the average frequencies exactly. The cryptanalyst therefore also uses other properties of the language: the most common digrams (TH, HE, AN, IN, ER, ON, RE), trigrams (THE, AND, ING, ENT, ION), the one-letter words (A and I), the frequent short words (OF, TO, IN, IS, THE, AND) and, after a few substitutions, partly solved words whose missing letters can be guessed from the context. Every guess is checked against the rest of the text; a wrong guess quickly produces impossible words.

2. The task (variant 3)

The intercepted ciphertext has 2457 letters. Its first lines are:

```
Unsfaxdp tgo nwqvip gvkvi ptxo rqvwqvi tgf nc wqv pdapwxwdwxnghxuqvip wqvf
ovphixavo rviv thwdtssf dpvo, tgo pn wqv cxipw twwvpwvo dpv ncwqtw jvgiv xg
unsxwxhts tcctxip hnzv cinz wqv Inztgp — tgo cinz wqv jivtwvpw Inztg nc wqvz
tss. EdsxdpHtvpti wqdp xzuivppvo qxp gtzv uviztgvgwsf xgwn hifuwnsnjf.Xw zdpw av
wqtw tp pnng tp t hdswdiv qtp ivthqvo t hviwtxg svkvs,uinatasf zvtpdivo stijvsf
af xwp sxwvithf, hifuwnjituqf tuuvtippungwtgvndpsf — tp xwp utivgwp, stgjdtjv
[...]
```

As in the lab example, during the attack the letters that are already solved are written in lowercase and the cipher letters that are not solved yet stay in UPPERCASE.

3. The tool used

The Crypto Corner page has an interactive activity for frequency analysis. The ciphertext is pasted into the “Intercept” field, and the tool offers the following functions:

Find Frequencies counts the letters of the intercept and shows them sorted in decreasing order, under the table of English frequencies, which is sorted the same way. Under every cipher letter there is an empty box where the guessed plaintext letter is written.

Make Substitutions replaces in the text every cipher letter that has a guess. As in the lab example, the substituted letters are written in lowercase and the letters that are not solved yet stay in UPPERCASE, so it is easy to see which words are almost solved. The result appears in the “Ciphertext” field.

Count Digraphs, **Count Trigraphs** and **Count Doubles** show the most frequent pairs of letters, groups of three letters and double letters of the message, next to the most frequent ones in English.

4. Breaking the cipher

4.1. Letter frequencies

The first step is to find the frequencies of all the letters in the ciphertext (Table 4.1).

Table 4.1 – Letter frequencies in the intercepted ciphertext

Letter	A	B	C	D	E	F	G	H	I	J	K	L	M
Count	41	3	52	70	2	63	147	84	176	50	22	16	3
%	1.67	0.12	2.12	2.85	0.08	2.56	5.98	3.42	7.16	2.04	0.90	0.65	0.12

Letter	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
Count	153	88	181	97	30	115	203	85	313	219	173	6	65
%	6.23	3.58	7.37	3.95	1.22	4.68	8.26	3.46	12.74	8.91	7.04	0.24	2.65

For convenience the table is sorted in decreasing order of frequency and placed next to the English letters of the same rank (Table 4.2).

Table 4.2 – Ciphertext letters sorted by frequency, next to the English order

Cipher	V	W	T	P	I	X	N	G	S	Q	O	U	H
%	12.74	8.91	8.26	7.37	7.16	7.04	6.23	5.98	4.68	3.95	3.58	3.46	3.42
English	E	T	A	O	I	N	S	H	R	D	L	C	U
%	12.70	9.06	8.17	7.51	6.97	6.75	6.33	6.09	5.99	4.25	4.03	2.78	2.76

Cipher	D	Z	F	C	J	A	R	K	L	Y	B	M	E
%	2.85	2.65	2.56	2.12	2.04	1.67	1.22	0.90	0.65	0.24	0.12	0.12	0.08
English	M	W	F	G	Y	P	B	V	K	J	X	Q	Z
%	2.41	2.36	2.23	2.01	1.97	1.93	1.49	0.98	0.77	0.15	0.15	0.09	0.07




Figure 4.1 – The ciphertext pasted into the tool and the result of "Find Frequencies"

Next, the buttons "Count Digraphs", "Count Trigraphs" and "Count Doubles" were used (Figures 4.2–4.4).




Figure 4.2 – The most frequent digraphs of English and of the message




Figure 4.3 – The most frequent trigraphs of English and of the message




Figure 4.4 – The most frequent double letters of English and of the message

The trigraph WQV is the most frequent one by far, and WQ and QV are the two most frequent digraphs. In English, THE is the most frequent trigraph and TH and HE are the most frequent digraphs, which already suggests W → t, Q → h, V → e.

If all the letters are simply replaced according to their rank (V → E, W → T, T → A, P → O, …), the result is not readable, as Figure 4.5 shows. It is only a starting point, so the key has to be built step by step, using the frequencies together with the structure of the words.




Figure 4.5 – A key taken only from the frequency ranks does not give readable text

4.2. Step 1 – E and T

The most frequent letter of the ciphertext is “V” (12.74 %), followed by “W” (8.91 %). These values are very close to the frequencies of “e” (12.70 %) and “t” (9.06 %) in English, so we assume V → e and W → t:




Figure 4.6 – The tool after step 1 (V → e, W → t)

4.3. Step 2 – H, from the word “the”

The trigram “WQV” is by far the most frequent one (46 times), and “WQV” is also the most frequent three-letter word (28 times). After the first step it reads “tQe”. The most common word of three letters in English is “the”, so Q→h. This also agrees with the frequent digrams WQ and QV (th and he):




Figure 4.7 – The tool after step 2 (Q→h)

4.4. Step 3 – A, N and D, from the words “a” and “and”

The only frequent one-letter word in the ciphertext is “T” (10 times), and in English it can only be “a” or “I”. The frequency of T (8.26 %) is very close to that of “a” (8.17 %), so T → a. The second most frequent three-letter word, “TGO” (10 times), now reads “aGO”, which suggests “and”, so G → n and O → d:




Figure 4.8 – The tool after step 3 (T → a, G → n, O → d)

4.5. Step 4 – O and F, from the word “of”

The most frequent two-letter word is “NC” (16 times). It usually stands right before “the”: “NC the”. The obvious candidate is “of the”, so N → o and C → f. The frequency of N (6.23 %) also fits “o” well:




Figure 4.9 – The tool after step 4 (N → o, C → f)

4.6. Step 5 – I, S and R

The second most frequent two-letter word, “XG” (15 times), now reads “Xn”. The best fit is “in”, so X → i (7.04 % against 6.97 %). The fragment “the fXIPt attePted DPe” then becomes “the fiIPt …”, which can only be “the first”, giving I → r and P → s. The word “Pa?d” becomes “said” and “otheIP” becomes “others”:



Figure 4.10 – The tool after step 5 (X → i, P → s, I → r)

4.7. Step 6 – C, Y, P, L and G, from the word “cryptology”

The text now contains the word “HrFUtoSoJF” three times. Its pattern ?r??to?o?? and the topic of the text (codes and ciphers) point to “cryptology”, which gives H → c, F → y, U → p, S → l and J → g at once. The words “HrFUtoJraUhF” → “cryptography”, “UoSitiHaS” → “political” and “JreatePt” → “greatest” confirm them:



Figure 4.11 – The tool after step 6 (H → c, F → y, U → p, S → l, J → g)

4.8. Step 7 – B and U

The first word of the text is now “polyAiDs”, the name of the Greek historian Polybius, known for the Polybius square, so A → b and D → u. This also gives “described”, “actually”, “used”, “culture” and “probably”:




Figure 4.12 – The tool after step 7 (A → b, D → u)

4.9. Step 8 – W, M and V

The remaining capital letters are easy to read from the context: “neKer” and “leKel” are “never” and “level” (K→v), “Rhether”, “Rere” and “Rriting” are “whether”, “were” and “writing” (R→w), and “froZ”, “Zust” and “naZe” are “from”, “must” and “name” (Z→m):




Figure 4.13 – The tool after step 8 (R→w, Z→m, K→v)

4.10. Step 9 – the rare letters K, X, J, Z and Q

The last five cipher letters are rare, both in the ciphertext and in English, and each of them appears in only a few words: “Eulius Caesar” → “Julius Caesar” (E→j), “Lind” → “kind” (L→k), “eYplanation” → “explanation” (Y→x), “YeMidis” → “Yezidis” (M→z) and “IraB” and “eBual” → “Iraq” and “equal” (B→q). With these the key is complete and the whole message can be read.




Figure 4.14 – The tool after step 9: the complete key and the decrypted message

4.11. The decrypted message

```
Polybius and others never said whether any of the substitutionciphers they
described were actually used, and so the first attested use ofthat genre in
political affairs come from the Romans — and from the greatest Roman of them
all. JuliusCaesar thus impressed his name permanently into cryptology.It must be
that as soon as a culture has reached a certain level,probably measured largely
by its literacy, cryptography appearsspontaneously — as its parents, language
and writing, probably also did.The multiple human needs and desires that demand
privacy among twoor more people in the midst of social life must inevitably lead
tocryptology wherever men thrive and wherever they write. Culturaldiffusion
seems a less likely explanation for its occurrence in. so manyareas, many of
them distant and isolated.The Yezidis, an obscure sect of about 25,000 people
in, northern Iraq,use a cryptic script in their holy books because they fear
persecution bytheir Moslem neighbors. Tibetans use a kind of cipher called "rin-
spuns"for official correspondence; it is named for its inventor
Rin-c'(hhen-)spuns(-pa), who lived in the 1300s. The Nsibidi secret society of
Nigeriakeeps its pictographic script from Europeans as much as possiblebecause
it is used chiefly to express love in rather direct imagery, andsamples appear
to be at least as pornographic as they are cryptographic.The cryptography of
Thailand developed under Indian influence. Anembryonic study of the subject even
appears in a grammatical workentitled Poranavakya by Hluang Prasot Aksaraniti
(Phe). One system,called "the erring Siamese," substitutes one delicate Siamese
letter foranother. In another system, consonants are divided into seven groups
of five letters;a letter is indicated by writing the Siamese number of its group
andplacing vertical dots under it equal in number to the letter's place in
itsgroup. A system called "the hermit metamorphosing letters" writes thetext
backwards.In the Europe of the Latin alphabet—from which modern cryptologywould
spring—cryptography flickered weakly. With the collapse of theRoman empire,
Europe had plunged into the obscurity of the Dark Ages.Literacy had all but
disappeared. Arts and sciences were forgotten, andcryptography was not excepted.
Only during the Middle Ages occasionalmanuscripts, with an infrequent signature
or gloss or "deo gratias" that abored monk put into cipher to amuse himself,
fitfully illuminate thecryptologic darkness, and, like a single candle guttering
in a greatmedieval hall, their feeble flarings only emphasize the gloom.The
systems used were simple in the extreme. Phrases were writtenvertically or
backwards; dots were substituted for vowels;foreign alphabets, as Greek, Hebrew,
and Armenian, were used; eachletter of the plaintext was replaced by the one
that follows it; in the mostadvanced system, special signs substituted for
letters. For almost athousand years, from before 500 to 1400, the cryptology of
Westerncivilization stagnated.
```

The text speaks about Polybius and Julius Caesar, about cryptography appearing in many cultures (the Yezidis of Iraq, Tibet, the Nsibidi society of Nigeria, Thailand) and about the decline of cryptology in Europe during the Middle Ages. It appears to be an excerpt from David Kahn's book “The Codebreakers”.

4.12. The recovered key

By putting the cipher alphabet next to the plaintext alphabet we obtain the key of the cipher (Table 4.3). It is useful if other messages from the same sender are intercepted, because they were probably encrypted with the same key.

Table 4.3 – Reconstructed key: ciphertext letter → plaintext letter

Cipher	A	B	C	D	E	F	G	H	I	J	K	L	M
Plain	b	q	f	u	j	y	n	c	r	g	v	k	z

Cipher	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
Plain	o	d	s	h	w	l	a	p	e	t	i	x	m

Table 4.4 – The same key as an encryption alphabet: plaintext letter → ciphertext letter

Plain	a	b	c	d	e	f	g	h	i	j	k	l	m
Cipher	T	A	H	O	V	C	J	Q	X	E	L	S	Z

Plain	n	o	p	q	r	s	t	u	v	w	x	y	z
Cipher	G	N	U	B	I	P	W	D	K	R	Y	F	M

Applying this key to the entire ciphertext gives a fully meaningful English text, with no remaining unknown letters, which confirms that the key is correct.

5. Conclusions

A monoalphabetic substitution cipher keeps the frequencies of the language, so a sufficiently long ciphertext can be broken without knowing the key. In this variant the frequencies of the three most frequent cipher letters (V, W, T) matched “e”, “t” and “a” almost exactly, and that was enough to start the attack.

Frequencies alone were not enough to finish it. A key taken directly from the frequency ranks produced unreadable text, because the order of the less frequent letters in a single text differs from the average order of the language. The decisive clues were the structure of the words: the trigram “the”, the short words “a”, “and”, “of”, “in”, and then partly solved long words such as “cryptology”, “Polybius” and “explanation”. Each guess was checked on the rest of the text before moving on.

This work showed that, even though the key space of a simple substitution cipher is huge ($26! \approx 4 \times 10^{26}$ keys), it offers practically no security against frequency analysis. The Crypto Corner tool counts the frequencies, digraphs and trigraphs and applies the partial key instantly, which makes the attack much faster, but the decisions about which letters to substitute still need a human who knows the language.

6. Repository

The ciphertext, the screenshots and this report are available on GitHub: https://github.com/Afyze/cs-2026-AugustinCarazanu/tree/main/lab2