Assignment 2

Table	Entries	Number of Entries per Block	Number of Blocks	Index Fields	Index Type	Keys per Node	Depth of B+ Tree
Customer	10,000	10	1,000	accountId	B+ tree and ordered sequential file	100	3
				lastName	B+ tree	50	3
				zipcode	hash	100	
Rental	1,000,000	100	10,000	accountId	B+ tree	100	3
				movieId	B+ tree	100	3
				date	B+ tree	100	2
Movie	10,000	20	500	movieId	B+ tree and ordered sequential file	100	3
				title	B tree	20	4
				genre	Hash	100	

Task 1: Single Table Queries Using Indexes
 Database Instance and Indexes:
 from: *Principles of Database Systems* by Greg Riccardi Addison Wesley 2001
Discuss execution strategies for the following queries:
SELECT genre FROM Movie WHERE title LIKE "Iron Man"

SELECT * FROM Rental WHERE date = '2008-10-31'

SELECT * FROM Rental WHERE accountId = 834 AND date = '2008-10-31'

SELECT * FROM Rental WHERE accountId = 834 AND date > '2008-10-31'

SELECT * FROM Rental WHERE accountId = 834
        AND date > '2008-07-01' AND date < '2008-
        10-31'
SELECT Title FROM Movie WHERE genre LIKE 'documentary'
SELECT Title FROM Movie WHERE genre LIKE 'comedy'
      OR genre LIKE 'action' OR genre LIKE 'drama'
SELECT MAX(date) FROM Rental WHERE accountID = 398
SELECT MAX(date) FROM Rental WHERE movieID = 7834
SELECT date FROM Rental WHERE accountId = 398 AND movieID = 7834

Assignment 2

Task 2: Query Optimization
Estimated storage data on Big Hit Video relations:

Movie
10000 records
500 blocks
B+tree (3) on movieId
B+tree (3) on title

Videotape
100,000 records
800 blocks
B+tree (3) on movieId
primary index (3) on videoId

Store
100 records 20
blocks
primary index (2) on storeId

Customer
10000 records
1000 blocks
B+tree (3) on accountId
B+tree (3) on lastName

OtherUsers
3000 records 120
blocks
primary index (2) on accountId

Reservation
2000 records 75
blocks
no indexes

Employee
1000 records 100
blocks
primary index (2) on ssn
B+tree (2) on lastName

HourlyEmployee
800 records
20 blocks
B+tree (2) on ssn

SalariedEmployee
200 records
8 blocks
B+tree (2) on ssn

WorksIn
1100 records
20 blocks
B+tree (2) on storeId

PurchaseOrder
5000 records
150 blocks
B+tree (3) on purchaseOrderId

PurchaseOrderDetail
70,000 records
2200 blocks
B+tree (3) on purchaseOrderId
B+tree (3) on movieId

Supplier
50 records 15
blocks
no indexes

Assignment 2

PurchaseOrd...
- **purchaseOrderId**
- **movieId**
- quantity
- price

PurchaseOrder
- **purchaseOrderId**
- date
- total
- supplierId

Movie
- **movieId**
- title
- genre
- length
- rating

Store
- **storeId**
- street
- city
- state
- zipcode
- manager

Supplier
- **supplierId**
- name
- street
- city
- state

Videotape
- **vidoId**
- dateAcquired
- movieId
- storeId

WorksIn
- **ssn**
- **storeId**

TimeCard
- **ssn**
- **date**
- **startTime**
- endTime
- storeId
- paid

Rental
- accountId
- **vidoId**
- dateRented
- dateDue
- cost

PreviousRental
- **accountId**
- **vidoId**
- **dateRented**
- dateReturned
- cost

Reservation
- **accountId**
- **vidoId**
- dateReserved

Employee
- **ssn**
- lastName
- firstName

PayStatement
- **ssn**
- hourlyRate
- numHours
- amountPaid
- **datePaid**

Customer
- **accountId**
- lastName
- firstName
- street
- city
- state
- zipcode

HourlyEmploy...
- **ssn**
- hourlyRate

SalariedEmpl...
- **ssn**
- weeklyPayRate
- vacationLeaveHour
- sickLeaveHours

OtherUsers
- **accountId**
- name

Assignment 2

Analyze each query and determine the following:

1) an SQL command to implement the query,
2) a literal interpretation of SQL command as an algebra expression tree
3) an efficient query plan (expression tree)
4) a rough estimate of the cost (disk accesses) of the efficient plan

Group 1: Supplier's address and purchase price for all purchases of the movie "Kung Fu Panda".

Group 2: Employee name and pay rate for all employees of the store managed by "Jeremy Pierce".

Group 3: Store address and reservation date for all reservations of the movie "Speed Racer".

Group 4: Account ID and movie title for all movies that have been rented more than once by the same account.