
Grades for Adrija Ghosh: 2
Add data
2026-02-23 12:27pm
Untitled 2.sql
Mail - Ghosh, Adrija (UMK
app.snowflake.com/sfedu02/dcb73175/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled%202.sql
Paused
snowflake
Work with data
Projects
Ingestion
Transformation
AI & ML
Monitoring
Marketplace
Horizon Catalog
Catalog
Data sharing
Governance & security
CATFISH
TRAINING_ROLE
Untitled.sql
Untitled 1.sql
Untitled 2.sql
My Workspace > Untitled 2.sql
Share
Add new
Worksheets (Le
2026-02-23 12:...
USE WAREHOUSE CATFISH_WH;
USE DATABASE CS5542_DB;
USE SCHEMA LAB5;
DESC TABLE RAW_DATA;
SELECT *
FROM RAW_DATA
LIMIT 10;
SELECT COUNT(*) AS total_rows
Results (just now)
Table
Chart
1 row
51ms
status
Statement executed successfully.
Database Explo
Objects
Data Products
Search
Feedback
48°F
Mostly cloudy
9:56 AM
2/24/2026


Grades for Adrija Gl
Add data
2026-02-23 12:27pr
Untitled 2.sql
Mail - Ghosh, Adrija
AOTS_DATA_SHARE
app.snowflake.com/sfedu02/dcb73175/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled%202.sql
Paused
snowflake
Work with data
Projects
Ingestion
Transformation
AI & ML
Monitoring
Marketplace
Horizon Catalog
Catalog
Data sharing
Governance & security
CATFISH
TRAINING_ROLE
Untitled.sql
Untitled 1.sql
Untitled 2.sql
My Workspace > Untitled 2.sql
Share
Add new
Worksheets (Le
2026-02-23 12:...
USE WAREHOUSE CATFISH_WH;
USE DATABASE CS5542_DB;
USE SCHEMA LAB5;
DESC TABLE RAW_DATA;
SELECT *
FROM RAW_DATA
LIMIT 10;
SELECT COUNT(*) AS total_rows
Results (just now)
Table
Chart
1 row
1.0s
status
Statement executed successfully.
Database Explo
Objects
Data Products
Search
Feedback
48°F
Mostly cloudy
10:00 AM
2/24/2026


Untitled 2.sql
app.snowflake.com/sfedu02/dcb73175/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled%202.sql
Untitled.sql
Untitled 1.sql
Untitled 2.sql
My Workspace > Untitled 2.sql
USE WAREHOUSE CATFISH_WH;
USE DATABASE CS5542_DB;
USE SCHEMA LAB5;
DESC TABLE RAW_DATA;
SELECT *
FROM RAW_DATA
LIMIT 10;
SELECT COUNT(*) AS total_rows
Results (just now)
Table
Chart
1 row
422ms
status
Statement executed successfully.
Work with data
Projects
Ingestion
Transformation
AI & ML
Monitoring
Marketplace
Horizon Catalog
Catalog
Data sharing
Governance & security
CATFISH
TRAINING_ROLE
Add new
Worksheets (Le
Database Explo
Objects
Data Products
Share
Feedback


Untitled 2.sql
app.snowflake.com/sfedu02/dcb73175/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled%202.sql
Untitled.sql
Untitled 1.sql
Untitled 2.sql
My Workspace > Untitled 2.sql
USE WAREHOUSE CATFISH_WH;
USE DATABASE CS5542_DB;
USE SCHEMA LAB5;
DESC TABLE RAW_DATA;
SELECT *
FROM RAW_DATA
LIMIT 10;
SELECT COUNT(*) AS total_rows
Results (just now)
Table
Chart
6 rows
153ms
name
type
kind
null?
default
primary key
unique key
C1 VARCHAR(16777216) COLUMN Y null N N
C2 VARCHAR(16777216) COLUMN Y null N N
C3 VARCHAR(16777216) COLUMN Y null N N
C4 VARCHAR(16777216) COLUMN Y null N N
C5 VARCHAR(16777216) COLUMN Y null N N
Work with data
Projects
Ingestion
Transformation
AI & ML
Monitoring
Marketplace
Horizon Catalog
Catalog
Data sharing
Governance & security
CATFISH
TRAINING_ROLE
Add new
Worksheets (Le
Database Explo
Objects
Data Products
Share
Feedback

app.snowflake.com/sfedu02/dcb73175/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled%202.sql

My Workspace > Untitled 2.sql

TRAINING_ROLE · CATFISH_WH (X-Small) · CS5542_DB · LAB5

```sql
SELECT *
FROM RAW_DATA
LIMIT 10;

SELECT COUNT(*) AS total_rows
FROM RAW_DATA;


DESC TABLE RAW_DATA;
```

Results (just now) — 10 rows — 452ms

	C1	C2	C3	C4	C5	C6
	0 90.0% t 10.0%	12001000201 90.0% node_id 10.0%	0 10.0% 1 10.0% +8 more	10.2887578595... 10.0% 10.8775069993... 10.0% +8 more	4.451049041... 10.0% 4.500101640... 10.0% +8 more	1007.96511... 10.0% 1009.87673... 10.0% +8 more
1	t	node_id	ens	wind10m	precip	mslp
2	0	12001000201	0	6.931063891495226	4.938119366711193	1011.147302090802
3	0	12001000201	1	11.482199389441735	5.877155697361446	1011.1511274776592
4	0	12001000201	2	8.905016800490753	4.451049041292326	1011.1199777463248

app.snowflake.com/sfedu02/dcb73175/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled%202.sql

My Workspace > Untitled 2.sql

TRAINING_ROLE · CATFISH_WH (X-Small) · CS5542_DB · LAB5

```sql
FROM RAW_DATA
LIMIT 10;

SELECT COUNT(*) AS total_rows
FROM RAW_DATA;


DESC TABLE RAW_DATA;
```

Results (just now) — 1 row — 124ms

	TOTAL_ROWS
1	48001

app.snowflake.com/sfedu02/dcb73175/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled%202.sql

My Workspace > Untitled 2.sql

TRAINING_ROLE · CATFISH_WH (X-Small) · CS5542_DB · LAB5

```sql
SELECT
  C1 AS T,
  C2 AS NODE_ID,
  C3 AS ENS,
  C4 AS WIND10M,
  C5 AS PRECIP,
  C6 AS MSLP
FROM RAW_DATA
WHERE TRY_TO_NUMBER(C5) >= 10
ORDER BY TRY_TO_NUMBER(C5) DESC
LIMIT 50;
```

Results (just now) — 0 rows — 288ms

T	NODE_ID	ENS	WIND10M	PRECIP	MSLP

Query produced no results

app.snowflake.com/sfedu02/dcb73175/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled%202.sql

My Workspace > Untitled 2.sql

TRAINING_ROLE · CATFISH_WH (X-Small) · CS5542_DB · LAB5

```sql
SELECT
  C2 AS NODE_ID,
  AVG(TRY_TO_NUMBER(C4)) AS AVG_WIND10M,
  SUM(TRY_TO_NUMBER(C5)) AS TOTAL_PRECIP,
  AVG(TRY_TO_NUMBER(C6)) AS AVG_MSLP,
  COUNT(*) AS RECORDS
FROM RAW_DATA
WHERE TRY_TO_NUMBER(C5) IS NOT NULL
GROUP BY C2
ORDER BY TOTAL_PRECIP DESC
LIMIT 50;
```

Results (just now) — 50 rows — 544ms

	NODE_ID	AVG_WIND10M	TOTAL_PRECIP	AVG_MSLP	RECORDS
	12001000301 2.0% 12001001201 2.0% +48 more	17.816667 – 19.145833	374 – 411	996.454167 – 997.295833	240 – 24
1	12001001902	18.712500	411	996.558333	240
2	12005001403	19.062500	410	996.708333	240

app.snowflake.com/sfedu02/dcb73175/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled%202.sql

My Workspace > Untitled 2.sql

TRAINING_ROLE · CATFISH_WH (X-Small) · CS5542_DB · LAB5

```sql
CREATE OR REPLACE TABLE DIM_NODES AS
SELECT DISTINCT
  C2 AS NODE_ID,
  MD5(C2) AS NODE_KEY
FROM RAW_DATA
WHERE C2 <> 'node_id';

SELECT
  d.NODE_KEY,
  r.C2 AS NODE_ID,
  r.C1 AS T,
```

Results (just now) — 1 row — 2.1s

	status
1	Table DIM_NODES successfully created.

app.snowflake.com/sfedu02/dcb73175/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled%202.sql

My Workspace > Untitled 2.sql

TRAINING_ROLE · CATFISH_WH (X-Small) · CS5542_DB · LAB5

```sql
SELECT
  d.NODE_KEY,
  r.C2 AS NODE_ID,
  r.C1 AS T,
  AVG(TRY_TO_NUMBER(r.C4)) AS AVG_WIND10M,
  SUM(TRY_TO_NUMBER(r.C5)) AS TOTAL_PRECIP,
  AVG(TRY_TO_NUMBER(r.C6)) AS AVG_MSLP,
  COUNT(*) AS RECORDS
FROM RAW_DATA r
JOIN DIM_NODES d
  ON r.C2 = d.NODE_ID
WHERE TRY_TO_NUMBER(r.C5) IS NOT NULL
GROUP BY d.NODE_KEY, r.C2, r.C1
ORDER BY r.C1, TOTAL_PRECIP DESC
LIMIT 100;
```

Results (just now) — 100 rows — 3.3s

NODE_KEY	NODE_ID	T	AVG_WIND10M	TOTAL_PRECIP	AVG_MSLP	RECORDS
01dd412a6618b4778ea14e... 1.0%	120010... 1.0%	100.0%	7.5 – 13.6	51 – 64	1007.8 – 1011.9	10 – 10
082bdf155a14467b0200d0f... 1.0%	120010... 1.0%					
+98 more	+98 more					


app.snowflake.com/sfedu02/dcb73175/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled%202.sql
Untitled.sql
Untitled 1.sql
Untitled 2.sql
My Workspace › Untitled 2.sql
TRAINING_ROLE · CATFISH_WH (X-Small)
CS5542_DB
LAB5
Share
USE DATABASE CS5542_DB;
USE SCHEMA LAB5;
SHOW TABLES LIKE 'RAW_DATA' IN SCHEMA LAB5;
DESC TABLE RAW_DATA;
CREATE OR REPLACE VIEW V_WEATHER_CLEAN AS
SELECT
TRY_TO_NUMBER(C1) AS T,
C2 AS NODE_ID,
TRY_TO_NUMBER(C3) AS ENS,
TRY_TO_NUMBER(C4) AS WIND10M,
TRY_TO_NUMBER(C5) AS PRECIP,
TRY_TO_NUMBER(C6) AS MSLP
FROM RAW_DATA
WHERE TRY_TO_NUMBER(C5) IS NOT NULL;
Results (just now)
Table
Chart
1 row
425ms
status
View V_WEATHER_CLEAN successfully created.
Feedback


app.snowflake.com/sfedu02/dcb73175/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled%202.sql
Untitled.sql
Untitled 1.sql
Untitled 2.sql
My Workspace › Untitled 2.sql
TRAINING_ROLE · CATFISH_WH (X-Small)
CS5542_DB
LAB5
Share
Results (just now)
Table
Chart
10 rows
1.1s
T
NODE_ID
ENS
WIND10M
PRECIP
MSLP
12001000201 100.0%
Feedback

```
FROM RAW_DATA
WHERE TRY_TO_NUMBER(C5) IS NOT NULL;

SELECT * FROM V_WEATHER_CLEAN LIMIT 10;

CREATE OR REPLACE VIEW V_NODE_SUMMARY AS
SELECT
  NODE_ID,
  AVG(WIND10M) AS AVG_WIND10M,
  SUM(PRECIP)  AS TOTAL_PRECIP,
  AVG(MSLP)    AS AVG_MSLP,
  COUNT(*)     AS RECORDS
FROM V_WEATHER_CLEAN
GROUP BY NODE_ID;
```

Results (just now) — 1 row — 337ms

	status
1	View V_NODE_SUMMARY successfully created.

```
  NODE_ID,
  AVG(WIND10M) AS AVG_WIND10M,
  SUM(PRECIP)  AS TOTAL_PRECIP,
  AVG(MSLP)    AS AVG_MSLP,
  COUNT(*)     AS RECORDS
FROM V_WEATHER_CLEAN
GROUP BY NODE_ID;

SELECT * FROM V_NODE_SUMMARY
ORDER BY TOTAL_PRECIP DESC
LIMIT 20;
```

Results (just now) — 20 rows — 1.0s

	NODE_ID	AVG_WIND10M	TOTAL_PRECIP	AVG_MSLP	RECORDS
	12001001201 5.0% 12001001400 5.0% +18 more	17.816667 19.0625	384 411	996.479167 997.295833	240 24
1	12001001902	18.712500	411	996.558333	240
2	12005001403	19.062500	410	996.708333	240


app.snowflake.com/sfedu02/dcb73175/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled%202.sql
Untitled.sql
Untitled 1.sql
Untitled 2.sql
My Workspace > Untitled 2.sql
TRAINING_ROLE CATFISH_WH (X-Small) CS5542_DB LAB5 Share
CREATE OR REPLACE VIEW V_TIME_SUMMARY AS
SELECT
T,
AVG(WIND10M) AS AVG_WIND10M,
SUM(PRECIP) AS TOTAL_PRECIP,
AVG(MSLP) AS AVG_MSLP,
COUNT(*) AS RECORDS
FROM V_WEATHER_CLEAN
GROUP BY T
ORDER BY T;
Results (just now)
Table Chart
1 row 1.0s
status
View V_TIME_SUMMARY successfully created.


app.snowflake.com/sfedu02/dcb73175/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Untitled%202.sql
Untitled.sql
Untitled 1.sql
Untitled 2.sql
My Workspace > Untitled 2.sql
TRAINING_ROLE CATFISH_WH (X-Small) CS5542_DB LAB5 Share
AVG(MSLP) AS AVG_MSLP,
COUNT(*) AS RECORDS
FROM V_WEATHER_CLEAN
GROUP BY T
ORDER BY T;
SELECT * FROM V_TIME_SUMMARY LIMIT 20;
Results (just now)
Table Chart
20 rows 1.0s
T
AVG_WIND10M
TOTAL_PRECIP
AVG_MSLP
RECORDS
0 19
9.3515 30.04
199 10167
989.9975 1010.0385
2000 2000
1 0 10.144000 10167 1010.038500 2000
2 1 13.192000 9691 1007.488500 2000
3 2 16.398500 8901 1005.129500 2000
4 3 19.663000 7433 1002.772500 2000
5 4 22.380000 5386 1000.355000 2000





Detailed difficulties we faced (and how we fixed them)

1. **Database authorization confusion**

- Problem: You initially pointed queries/loads to the user database eg : CATFISH (DB weren't authorized to use).
- Fix: We standardized everything to **CS5542_DB.LAB5** (the place your data actually loaded) and kept the session context consistent.

2. **Warehouse permission + "No active warehouse selected"**

- Problem: You couldn't create a warehouse in USER$CATFISH, and sometimes Snowflake showed "No active warehouse selected".
- Fix: We used an **existing warehouse you have access to** (like CATFISH_WH) and always ran:
  USE WAREHOUSE CATFISH_WH;