

Date	1 October 2026
Team ID	SWTID-2026-3594
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	5 Marks

Problem-Solution Fit Canvas:

Use the framework below to ensure your proposed solution accurately addresses the root causes, behaviors, and limitations of your target audience. Fill out the canvas in the respective boxes just like the original visual template.

1. CUSTOMER SEGMENT(S) [CS] - ServiceNow administrators who manage institution data - EEE branch users and faculty who use the records - Auditors who review access rights	6. CUSTOMER LIMITATIONS [CL] (e.g., budget, devices) - Free Personal Developer Instance, no extra licences - Any browser-capable device - security_admin must be elevated to create ACLs	5. AVAILABLE SOLUTIONS [AS] (pros & cons) - Role-only ACL: simple, but cannot filter by field value - Client scripts / UI policies: easy, but only hide data in the browser - Data separation by domain: strong, but heavy and complex
2. PROBLEMS / PAINS + ITS FREQUENCY [PR] - Users with table access see records of every branch - Happens on every list and form load	9. PROBLEM ROOT / CAUSE [RC] - Role-based ACLs do not evaluate record field values - Create, write and delete rights are bundled together	7. BEHAVIOR + ITS INTENSITY [BE] - Users open the Institution Details list daily - High intensity: they search other lists to find their own records
3. TRIGGERS TO ACT [TR] - A data exposure concern or audit finding - A new branch or user group being onboarded	10. YOUR SOLUTION [SL] - Script-controlled READ ACL with the data condition Branch is EEE and role bb1 - Separate CREATE (bb2), WRITE (bb3) and DELETE (bb4) ACLs - Admin bypass using gs.hasRole('admin')	8. CHANNELS OF BEHAVIOR [CH] ONLINE - ServiceNow list, form and Service Portal OFFLINE - Admin guidance notes and team discussions
4. EMOTIONS BEFORE / AFTER [EM] - Before: worried and uncertain about exposure - After: confident and in control		