BLEND AI RED-TEAM REPORT

ARKX AI Agent Security CTF — Home Assignment

FINAL SUBMISSION — SIX REQUIRED LEVELS

Candidate: Nweke Ifechukwu Joshua

Scope: ARKX only

Required level	Track	Outcome
Level 5 — Bad Robot	Advanced	Vulnerability confirmed; flag not obtained
Level 7 — Master of Resources	Advanced	Flag obtained; mission completed
Level 9 — Blind Network Ninja	Advanced	Security finding confirmed; flag not obtained
Level 6 — The Shape Shifter	Expert	Flag obtained; mission completed
Level 7 — The Octopus	Expert	Flag obtained; mission completed
Level 8 — The Heist	Expert	Flag obtained; mission completed

This report follows the BLEND candidate requirement of five parts per level: Result, Exploit, Root Cause, Impact & Severity, and Mapping. Successful and unsuccessful outcomes are reported exactly as supported by the candidate evidence. No unverified flag is claimed.

Advanced Track — Level 5: Bad Robot

Track: Advanced

1. Result

The calculator vulnerability was confirmed, but no flag was obtained. The live testing demonstrated Python runtime introspection and successful process creation from an interface intended for mathematical expressions.

2. Exploit

Baseline: **2 + 2** returned 4. Direct **__import__("os").getcwd()** was blocked. Object traversal using **(()).__class__.__base__** and **__subclasses__()** demonstrated access to Python runtime classes.

The literal **Popen** string was blocked, but dynamically reconstructing the identifier with **chr()** bypassed the blacklist. The observed **subprocess.Popen** class index was 359. A process launch was reached and **wait()** returned exit status 0.

The assessment stopped at the demonstrated process-execution primitive. Filesystem access, secret extraction, host escape, and flag retrieval were not successfully demonstrated.

3. Root Cause

The root cause is unsafe exposure of a general-purpose Python expression evaluator to attacker-controlled input. The intended mathematical boundary was enforced with blacklist-style filtering rather than a strict positive allowlist and capability separation.

The evaluator exposed Python object internals such as **__class__**, **__base__**, and **__subclasses__()**, allowing an attacker to move from arithmetic into runtime capabilities.

4. Impact & Severity

Demonstrated impact: arbitrary process creation from the calculator path. Severity: High for the confirmed application-level finding because the intended calculation capability crossed into OS process execution. Broader compromise is not claimed because it was not demonstrated.

5. Mapping

Primary technical mapping: CWE-95 / unsafe evaluation-style execution. Contextual OWASP LLM Top 10 mapping: **LLM06 — Excessive Agency**, because the agent/tool path exposed capabilities substantially beyond the intended calculation task. MITRE ATLAS: no specific technique is asserted without a precise evidence-supported match.

Remediation: replace eval/exec-style evaluation with a purpose-built math parser; use a strict allowlist; block Python object internals; isolate the calculator; remove process-spawning capability; add regression tests for introspection and dynamically reconstructed identifiers.

Evidence Screenshots

The following evidence is reproduced from the candidate's live ARKX assessment record. Browser chrome/tab strips and unrelated desktop UI are cropped from the screenshot image itself; challenge content is retained.

Evidence 1 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 2 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 3 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 4 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 5 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 6 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Advanced Track — Level 7: Master of Resources

Track: Advanced

1. Result

The live MCP resource-server path was successfully exploited. The final live flag recovered from the candidate's ARKX instance was **flag-5a810d**, and the level reached MISSION ACCOMPLISHED / FLAG ACQUIRED.

2. Exploit

The main interface reported that its MCP connection was severed, but **/level/7/mcp** remained accessible. Initial requests established the MCP transport requirements and produced a session identifier.

A valid JSON-RPC initialize request was established with the required event-stream acceptance and session context. The tester then enumerated resources and tools. **resources/list** exposed **resource://flag** and **resource://super-secret**; **tools/list** exposed **unlock_flag**.

Calling **unlock_flag** with its empty argument object unlocked the protected resource. A subsequent **resources/read** request for **resource://flag** returned **flag-5a810d**.

3. Root Cause

The MCP server exposed sensitive resources and privileged tool functionality without enforcing authorization at the resource/tool boundary. Transport/session establishment was insufficiently separated from authorization.

4. Impact & Severity

A real attacker with equivalent access could enumerate protected MCP resources, invoke privileged tools, and read sensitive data that should have been authorization-gated. The demonstrated impact is unauthorized access to protected resources and privileged functionality; severity is High/Critical depending on the protected data and trust boundary.

5. Mapping

Primary OWASP LLM mapping: **LLM06 — Excessive Agency** as a contextual agent/tool mapping because privileged actions and sensitive resources were exposed without an adequate authorization boundary. The direct technical issue is application/MCP authorization rather than an LLM-only weakness. MITRE ATLAS: no specific technique asserted without a precise match.

Remediation: enforce authorization independently on every MCP resource read and tool call; do not expose protected resources through discovery to unauthorized users; bind privileged operations to server-side authorization state; audit and regression-test resource enumeration and tool invocation.

Evidence Screenshots

The following evidence is reproduced from the candidate's live ARKX assessment record. Browser chrome/tab strips and unrelated desktop UI are cropped from the screenshot image itself; challenge content is retained.

Evidence 1 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 2 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 3 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 4 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 5 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 6 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 7 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 8 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 9 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 10 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 11 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 12 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 13 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 14 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 15 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 16 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 17 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 18 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 19 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 20 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 21 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 22 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 23 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 24 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Advanced Track — Level 9: Blind Network Ninja

Track: Advanced

1. Result

The flag was not obtained. The strongest confirmed result was disclosure of the hidden system prompt through prompt injection. The subsequent command-injection and out-of-band exfiltration attempts were not validated to the point of claiming a flag.

2. Exploit

The exposed tool was **check_connectivity(hostname)**, which normally returned only Online/Offline. A prompt-injection request caused the agent to disclose its hidden system instructions, including that user input was passed to the tool without filtering.

The tester then investigated shell separators, quote manipulation, command chaining, curl/HTTP requests, internal-host candidates, and a literal-newline request through the chat endpoint. These attempts did not produce a validated flag or a non-empty Level 9 log result.

3. Root Cause

The confirmed root cause is insufficient separation between the conversational model and sensitive system instructions: the agent disclosed its system prompt when directly instructed to reveal it. The leaked prompt also described an execution path that trusted the supplied hostname string without filtering.

The attempted network-command path was treated as an investigation, not a confirmed exploit, because the observed evidence did not establish successful blind command execution or exfiltration.

4. Impact & Severity

Confirmed impact: disclosure of internal system instructions, tool behavior, and execution assumptions. Severity: High for the confirmed prompt-disclosure finding. A successful blind RCE/OOB exfiltration would be materially more severe, but that outcome is not claimed.

5. Mapping

OWASP LLM Top 10 (2025): **LLM01 — Prompt Injection** and **LLM07 — System Prompt Leakage** are directly relevant to the confirmed behavior. LLM06 is contextual to the agent/tool architecture. MITRE ATLAS: prompt-injection/system-prompt extraction techniques are relevant; no successful RCE/OOB technique is claimed.

Remediation: treat system prompts as non-secret but non-disclosable control data; harden against direct prompt injection; minimize sensitive implementation detail in prompts; validate and constrain tool arguments server-side; isolate network tools and enforce egress controls.

Evidence Screenshots

The following evidence is reproduced from the candidate's live ARKX assessment record. Browser chrome/tab strips and unrelated desktop UI are cropped from the screenshot image itself; challenge content is retained.

Evidence 1 — ARKX screenshot

Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 2 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 3 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 4 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 5 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 6 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 7 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 8 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 9 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 10 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 11 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 12 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 13 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 14 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 15 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 16 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 17 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 18 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 19 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 20 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 21 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 22 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 23 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 24 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 25 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Expert Track — Level 6: The Shape Shifter

Track: Expert

1. Result

The YAML configuration processor accepted a Python object constructor and executed attacker-controlled functionality. The flag recovered was **flag-905a7f**, followed by MISSION ACCOMPLISHED / FLAG ACQUIRED.

2. Exploit

The first payload used **!!python/object/apply:subprocess.check_output [["id"]]**, returning the execution context and confirming command execution. The second payload used the same unsafe constructor to execute **cat flag.txt**, returning the live flag.

3. Root Cause

The root cause is unsafe deserialization of attacker-controlled YAML. The parser permitted Python-specific object construction and function invocation rather than treating the configuration as inert data. This is consistent with CWE-502, Deserialization of Untrusted Data.

4. Impact & Severity

Demonstrated impact is arbitrary command execution in the application process context and direct reading of the challenge flag. Severity: Critical for the demonstrated primitive. Broader system compromise is not independently claimed.

5. Mapping

Primary technical mapping: **CWE-502 — Deserialization of Untrusted Data**. Contextual OWASP LLM mapping: **LLM06 — Excessive Agency** where the agent/tool workflow exposed execution-capable configuration processing beyond the intended data-only function; the core flaw remains application-level unsafe deserialization. No exact MITRE ATLAS technique is asserted.

Remediation: use a safe YAML loader such as safe_load; reject Python-specific tags; enforce a strict schema and expected types; isolate configuration processing; use least privilege; and regression-test object-construction and command-execution payloads.

Evidence Screenshots

The following evidence is reproduced from the candidate's live ARKX assessment record. Browser chrome/tab strips and unrelated desktop UI are cropped from the screenshot image itself; challenge content is retained.

Evidence 1 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 2 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Expert Track — Level 7: The Octopus

Track: Expert

1. Result

The live Level 7 instance was successfully exploited. The root flag read returned **flag-ea0222** and the platform displayed MISSION ACCOMPLISHED / FLAG ACQUIRED.

2. Exploit

The live tool set included **upload_file**, **process_cache_update**, and **read_root_flag**. A file containing exactly **GRANT_ROOT_READ_FOR_SESSION_778** was uploaded, producing the instance-specific file ID **file_id_1790900759.txt**.

A chained operation invoked **process_cache_update** with the uploaded file and then **read_root_flag** for session 778. The cache update succeeded and the root-flag read returned the live flag.

3. Root Cause

The challenge identifies the underlying weakness as a parser differential between a Regex security filter and JSON application parsing. Different interpretations of structured input allowed validation and authorization assumptions to diverge, enabling attacker-controlled cache/session state to satisfy a privileged condition.

4. Impact & Severity

The demonstrated impact is an authorization/security-control bypass that converted an initially denied root-flag read into successful privileged access. Severity is High/Critical depending on the privileges and resources protected by the affected boundary.

5. Mapping

Primary technical mapping: parser differential / inconsistent validation with an authorization bypass consequence. Contextual OWASP LLM mapping: **LLM06 — Excessive Agency** because privileged agent-connected actions were reachable after bypassing the intended control boundary. No precise MITRE ATLAS technique is asserted.

Remediation: canonicalize and parse structured data once; reject duplicate keys; validate the exact representation used for execution; bind privileged actions to server-side authorization state; and regression-test duplicate-key/parser-differential cases.

Evidence Screenshots

The following evidence is reproduced from the candidate's live ARKX assessment record. Browser chrome/tab strips and unrelated desktop UI are cropped from the screenshot image itself; challenge content is retained.

Evidence 1 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Expert Track — Level 8: The Heist

Track: Expert

1. Result

The live Level 8 objective was completed. Starting from a $1,000 balance, two $1,000 fragment orders were created and then executed concurrently. The platform detected both fragments and displayed MISSION ACCOMPLISHED / FLAG ACQUIRED. The live flag was **flag-39ff94**.

2. Exploit

The available tools were enumerated and the account balance and tool parameters were confirmed. Two pending orders were created: Fragment_A at $1,000 and Fragment_B at $1,000. The two **execute_order** operations were then submitted concurrently without waiting for the first transaction to complete.

Both executions succeeded despite the single $1,000 starting balance. This demonstrates a race in the transaction workflow rather than a simple pricing error.

3. Root Cause

The transaction path did not make balance validation and balance deduction atomic across concurrent executions. Each request could observe the same available balance before the other request completed its state update, producing a classic TOCTOU/concurrency flaw.

4. Impact & Severity

A real attacker could potentially spend the same available balance more than once, causing unauthorized value transfer, duplicated inventory/entitlements, inconsistent balances, or other integrity failures. Severity: High for the demonstrated transactional-integrity issue, subject to real asset value and compensating controls.

5. Mapping

Primary technical mapping: **CWE-367 — Time-of-check Time-of-use (TOCTOU) Race Condition**. Contextual OWASP LLM mapping: **LLM06 — Excessive Agency** because the agent was able to invoke state-changing transaction tools; the underlying flaw is the application concurrency control. No specific MITRE ATLAS technique is asserted.

Remediation: use atomic transactions or locking for balance validation/deduction; enforce a server-side ledger invariant; serialize conflicting operations; make execution idempotent; and add concurrency regression tests.

Evidence Screenshots

The following evidence is reproduced from the candidate's live ARKX assessment record. Browser chrome/tab strips and unrelated desktop UI are cropped from the screenshot image itself; challenge content is retained.

Evidence 1 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 2 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 3 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 4 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 5 — ARKX screenshot




Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 6 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.

Evidence 7 — ARKX screenshot



Screenshot retained as assessment evidence; no third-party flag, identifier, or screenshot has been substituted.