

☐ RAA Gatekeeper Roadmap (v0.3.0)

⚓ PERMANENT ANCHORS (DO NOT ALTER)

- **API Endpoint:** `.post("https://x.ai")` - (Hard-locked in `lib.rs`).
 - **Path Protocol:** Always use `fs::canonicalize` for absolute path matching in ledgers.
 - **Ledger Pathing:** Automated Routing to `~/dev/RAA-Gatekeeper/raa-*` test folders.
 - **UI Logic:** Mutually exclusive toggles for Ledger vs. Snapshot modes (Radio-style).
 - **UX Logic:** All interactive inputs must have explicit `type="text"` and `onsubmit` wrappers.
-

☐ Phase 1: Core Engine & UX Transparency - COMPLETE ☐

- ☒ **Audit Command Line:** Captured terminal safety fingerprints with Enter-key support.
- ☒ **Deep File Certification:** Integrated mathematical hashing with Grok-powered logic.
- ☒ **ZIP/Archive Peeking:** Enabled deep-scan capabilities without extraction.
- ☒ **High-Context Report Cards:** Implemented Emerald/Crimson glow-coding for triage.
- ☒ **Wide Theatre UI:** Re-architected navigation to horizontal tabs for visibility.
- ☒ **"Bring Your Own LLM":** Decoupled backend for dynamic URLs and Model Names.
- ☒ **Arm Protocol:** Added activation handshake and persistent onboarding screen.
- ☒ **Persistence:** Established `LocalStorage` sync so settings survive app restarts.
- ☒ **Terminal Cleanup:** Suppress Svelte `all_y` and Rust `unused` warnings.

⚡ Phase 2: Performance & Scaling - COMPLETE ☐

- ☒ **Parallel Collection:** Real-time dual-pane population (Skipped vs. Active).
- ☒ **Parallel Hashing:** (Rayon Integration) Fingerprinting across all CPU cores.
- ☒ **Bin-Packing/Batching:** Smart character-count buckets to slash API latency and costs.
- ☒ **macOS Junk Filter:** Surgical exclusion of `__MACOSX` and `._` metadata files.

- ☒ **Binary Safety:** Implemented string-read bypass to prevent binary file crashes.
- ☒ **Catch-47 ZIP DNA:** Restored hashing for files nested inside archives.
- ☒ **Mission Success Feedback:** High-visibility toast notifications for scan completion.
- ☒ **Alphabetized Audit Logic:** UI toggle chips for 14+ AI-stack file extensions.

☐ Phase 3: Forensic UI & Ledger Viewer - ACTIVE ☐

- ☐ **In-App Ledger Browser:** A dedicated tab to view and search `.raa` files directly.
- ☐ **DNA Verification:** UI indicator to verify if current hashes match the last ledger entry.
- ☐ **Violation "Wall of Shame":** Persistent dashboard of all historical threats found.
- ☐ **Token Economy:** Live footer counter for batch density and estimated token savings.
- ☐ **Export Reports:** Generate clean Markdown/PDF security summaries for project handoffs.
- ☐ **Diff-Checker:** Visual code comparison tool for mismatched file hashes.

☐ Phase 4: Local Intelligence & Privacy

- ☐ **Local LLM Integration:** One-click toggle for Ollama/LocalAI offline auditing.
- ☐ **Quarantine Mode:** Auto-isolation of infected files to hidden `.raa-quarantine` folders.
- ☐ **Private Key Signing:** Cryptographically sign manifests to prove "Authorized Auditor" status.

☐ Phase 5: Auto-Fix & Remediation (v1.0.0-BETA)

- ☐ **Security Patching:** AI-suggested "one-click fixes" for detected vulnerabilities (e.g., Tauri CSP).
- ☐ **Environment Hardening:** Automated encryption for sensitive `.env` files.
- ☐ **Dependency Auditor:** Deep-scan `package.json` against known CVE security databases.

☐ TODO / FUTURE UI REFACTOR

- ☐ **Settings Layout Shift:** Move **Model Name** to a dropdown on the left.
- ☐ **Base URL Expansion:** Move **Base URL** input to the right of the model dropdown and increase width by 50% to prevent character cutoff (e.g., `.../completions`).

☐ Future Ideas / Brainstorming

- ☐ Menu bar icon for "Silent Monitoring" of terminal commands.

- ☐ Browser extension to audit code snippets on StackOverflow before copying.